

**B.A.S.H.**<sup>®</sup>  
**UNBREAKABLE**<sup>®</sup>  
HANDLE TECHNOLOGY



**2016**



# INTRODUCING **B.A.S.H**

At Wilton, we are on a never-ending journey to create the highest quality, most indestructible tools on the market. On this journey we've managed to design and file patents for the world's most durable hammer with Unbreakable® Handle Technology, revolutionary design, and engineered no-slip rubber grip.

**WITH A PRODUCT THIS INNOVATIVE, WE COULD ONLY NAME IT ONE THING... B.A.S.H - BAD ASS SLEDGE HAMMER**



## TESTED AND APPROVED

Tested and approved by Popular Science in 2012, the newly launched Wilton B.A.S.H Unbreakable Sledge Hammers received widespread recognition from numerous major journals and publications.



## CONTENTS

FEATURES / DURABILITY COMPARISON.....	4-5
2.5lb. / 4lb. B.A.S.H HAMMERS.....	6-7
6lb. / 8lb. / 10lb. B.A.S.H HAMMERS.....	8-9
12lb. / 14lb. / 20lb. B.A.S.H HAMMERS .....	10-11
B.A.S.H SOFT FACE HAMMERS .....	12-13
B.A.S.H BRASS HAMMERS .....	14-15
B.A.S.H BALL AND CROSS PEIN HAMMERS.....	16-17
B.A.S.H DEAD BLOW HAMMERS .....	18-19
B.A.S.H SPIKE MAUL .....	20-21
B.A.S.H SPLITTING MAUL.....	22-23
B.A.S.H HAMMER KITS.....	24-25
B.A.S.H GUARANTEE .....	26-27







# THE WORLD'S MOST DURABLE STRIKING TOOLS

- A: UNBREAKABLE® HANDLE TECHNOLOGY**  
STEEL CORE DESIGN PREVENTS BREAKING DURING OVERSTRIKES
- B: SAFETY PLATE**  
LOCKS HEAD FIRMLY TO HANDLE ELIMINATING DISLODGING
- C: NO-SLIP GRIP**  
TEXTURED HANDLE FOR SECURE GRIP WHILE STRIKING
- D: TRADEMARK GREEN HEAD**  
HI-VIS, DROP FORGED 46 HRC HEAD ENDURES THE MOST DEMANDING APPLICATIONS AND ADDS INSTANT IDENTIFICATION



# BAD ASS... & WE'LL PROVE IT

**400% TOUGHER...**

**STRIKE AFTER STRIKE THE RESULTS SPEAK FOR THEMSELVES**

## OVERSTRIKE TEST\*

Number of mechanical overstrikes before handle breaks



**FLAT HEAD**  
CONVENIENTLY DESIGNED TO STAND UPRIGHT FOR EASY REACH



**ANTI-VIBE NECK**  
ERGONOMICALLY DESIGNED TO PREVENT INJURY FROM REPEATED JOB SITE USE



**LANYARD HOLE**  
SAFELY SECURE SLEDGE HAMMER TO YOUR WRIST



Wilton Unbreakable® Handled Sledgehammers meet ANSI Specifications: "Hand Tools - Heavy Striking Tools Safety Requirements"

\* Results based on independent laboratory testing. Chart is for visual representation only.



# 2.5 lb. / 4 lb. B.A.S.H. SLEDGE HAMMERS

## DURABILITY:

- A. UNBREAKABLE® HANDLE TECHNOLOGY** - steel core eliminates breaking during overstrikes
- B. TRADEMARK GREEN HEAD** - hi-vis, drop forged 46 hrc head endures the most demanding applications and adds instant identification

## SAFETY:

- C. SAFETY PLATE** - secures head to handle preventing head dislodging
- D. ERGONOMIC HANDLE** - shaped and thickened for improved comfort and less vibration
- E. NO-SLIP GRIP** - vulcanized rubber handle for secure grip while striking
- F. LANYARD HOLE** - safely secure hammer to wrist or stationary object

**TESTED FOR  
25,000  
OVERSTRIKES**

## KEY APPLICATIONS

- DRIVING STAKES
- DRIVING REBAR
- METALFORMING
- SETTING BOLTS
- MINOR DEMOLITION



## AVAILABLE HANDLE SIZES



## SPECIFICATIONS

STOCK NO.	HEAD SIZE	HANDLE SIZE
20212	2.5 lbs.	12"
20412	4 lbs.	12"
20416	4 lbs.	16"
20424	4 lbs.	24"





# 6 lb. / 8 lb. / 10 lb. B.A.S.H. SLEDGE HAMMERS

**TESTED FOR  
25,000  
OVERSTRIKES**

## DURABILITY:

- A. UNBREAKABLE® HANDLE TECHNOLOGY** - steel core eliminates breaking during overstrikes
- B. TRADEMARK GREEN HEAD** - hi-vis, drop forged 46 hrc head endures the most demanding applications and adds instant identification

## SAFETY:

- C. SAFETY PLATE** - secures head to handle preventing head dislodging
- D. ANTI-VIBE NECK** - thick, tapered neck absorbs vibration reducing worker fatigue
- E. NO-SLIP GRIP** - vulcanized rubber handle for secure grip while striking
- F. LANYARD HOLE** - safely secure hammer to wrist or stationary object

### KEY APPLICATIONS

- DEMOLITION WORK
- FRACTURING STONE AND CONCRETE
- DRIVING FENCE POSTS
- POLICE, FIRE AND RESCUE
- DRIVING STAKES
- REBAR WORK
- RAILROADS

### AVAILABLE HANDLE SIZES



36"
30"
24"
16"



## SPECIFICATIONS

STOCK NO.	HEAD SIZE	HANDLE SIZE
20616	6 lbs.	16"
20624	6 lbs.	24"
20630	6 lbs.	30"
20636	6 lbs.	36"
20816	8 lbs.	16"
20824	8 lbs.	24"
20830	8 lbs.	30"
20836	8 lbs.	36"
21016	10 lbs.	16"
21024	10 lbs.	24"
21030	10 lbs.	30"
21036	10 lbs.	36"





# 12 lb. / 14 lb. / 20 lb. B.A.S.H SLEDGE HAMMERS

## DURABILITY:

- A. UNBREAKABLE® HANDLE TECHNOLOGY** - steel core eliminates breaking during overstrikes
- B. TRADEMARK GREEN HEAD** - hi-vis, drop forged 46 hrc head endures the most demanding applications and adds instant identification

## SAFETY:

- C. SAFETY PLATE** - secures head to handle preventing head dislodging
- D. ANTI-VIBE NECK** - thick, tapered neck absorbs vibration reducing worker fatigue
- E. NO-SLIP GRIP** - vulcanized rubber handle for secure grip while striking
- F. LANYARD HOLE** - safely secure hammer to wrist or stationary object

**TESTED FOR  
25,000  
OVERSTRIKES**



## KEY APPLICATIONS

- HEAVY DEMOLITION WORK
- FRACTURING STONE AND CONCRETE
- DRIVING FENCE POSTS
- POLICE, FIRE AND RESCUE
- DRIVING STAKES

## AVAILABLE HANDLE SIZES



## SPECIFICATIONS

STOCK NO.	HEAD SIZE	HANDLE SIZE
21224	12 lbs.	24"
21230	12 lbs.	30"
21236	12 lbs.	36"
21424	14 lbs.	24"
21430	14 lbs.	30"
21436	14 lbs.	36"
22024	20 lbs.	24"
22030	20 lbs.	30"
22036	20 lbs.	36"





# SOFT FACE B.A.S.H. SLEDGE HAMMERS

## DURABILITY:

- A. UNBREAKABLE® HANDLE TECHNOLOGY** - steel core eliminates breaking during overstrikes

## SAFETY:


- B. SOFT FACE HEAD** - drop forged, trademark green head is hardened to 30HRC. Specifically designed to mushroom when striking hard base materials
- C. SAFETY PLATE** - secures head to handle preventing head dislodging
- D. ANTI-VIBE NECK** - thick, tapered neck absorbs vibration reducing worker fatigue
- E. NO-SLIP GRIP** - vulcanized rubber handle for secure grip while striking
- F. LANYARD HOLE** - safely secure hammer

TESTED FOR  
**25,000**  
OVERSTRIKES

## KEY APPLICATIONS

- MINING
- RAILROADS
- CUTTING TOOLS
- MAINTENANCE ON HARD METAL SURFACES

## AVAILABLE HANDLE SIZES



36"  
24"  
16"  
12"



## SPECIFICATIONS

STOCK NO.	HEAD SIZE	HANDLE SIZE
40212	2.5 lbs.	12"
40412	4 lbs.	12"
40416	4 lbs.	16"
40624	6 lbs.	24"
40636	6 lbs.	36"
40824	8 lbs.	24"
40836	8 lbs.	36"
41036	10 lbs.	36"
41236	12 lbs.	36"
41436	14 lbs.	36"





# BRASS B.A.S.H. SLEDGE HAMMERS

## DURABILITY:

- A. UNBREAKABLE® HANDLE TECHNOLOGY** - steel core eliminates breaking during overstrikes

## SAFETY:

- B. BRASS HEAD** - Non-sparking for use near combustible materials and non-marring to reduce work damage
- C. SAFETY PLATE** - secures head to handle preventing head dislodging
- D. ANTI-VIBE NECK** - thick, tapered neck absorbs vibration reducing worker fatigue
- E. NO-SLIP GRIP** - vulcanized rubber handle for secure grip while striking
- F. LANYARD HOLE** - safely secure hammer to wrist or stationary object



## KEY APPLICATIONS

- NEAR COMBUSTIBLE MATERIALS
- WHERE SURFACE PROTECTION IS REQUIRED

## AVAILABLE HANDLE SIZES



## SPECIFICATIONS

STOCK NO.	HEAD SIZE	HANDLE SIZE
90212	2.5 lbs	12"
90412	4 lbs	12"
90416	4 lbs	16"
90616	6 lbs	16"
90816	8 lbs	16"
90830	8 lbs	30"





# B.A.S.H BALL PEIN AND CROSS PEIN HAMMERS

- A. UNBREAKABLE® HANDLE TECHNOLOGY** - steel core eliminates breaking during overstrikes
- B. TRADEMARK GREEN HEAD** - hi-vis, drop forged 46 hrc head endures the most demanding applications and adds instant identification
- C. SAFETY PLATE** - secures head to handle preventing head dislodging
- D. ERGONOMIC HANDLE** - shaped and thickened for increased comfort, less vibration, and improved grip
- E. LANYARD HOLE** - safely secure hammer to wrist or stationary object

## KEY APPLICATIONS

### BALL PEIN

- LIGHT FORGING
- BENDING
- FORMING
- ROUND PEINING

### CROSS PEIN

- FORGING
- BENDING
- SHAPING
- CROSS PEINING

## AVAILABLE HANDLE SIZES



## SPECIFICATIONS

STOCK NO.	HEAD SIZE	HANDLE SIZE
<b>BALL PEIN</b>		
32414	24 oz.	14"
33214	32 oz.	14"
34014	40 oz.	14"
<b>CROSS PEIN</b>		
30216	2 lbs.	16"
30316	3 lbs.	16"





# B.A.S.H. DEAD BLOW HAMMERS

## DURABILITY:

- A. UNBREAKABLE® HANDLE TECHNOLOGY** - steel core eliminates breaking during overstrikes


## SAFETY:

- B. DEAD BLOW** - eliminates bounce back when striking hardened surfaces
- C. SPARK-RESISTANT** - safe for use near combustible materials - no exposed metal on face, head or shaft
- D. SOFT FACE** - helps prevent marring
- E. ERGONOMIC HANDLE** - shaped and thickened for improved comfort and less vibration
- F. NO-SLIP GRIP** - vulcanized rubber handle for secure grip while striking
- G. LANYARD HOLE** - safely secure hammer to wrist or stationary object

## KEY APPLICATIONS

- AUTOMOTIVE
- METAL FABRICATION
- OIL AND MINING
- WOOD AND METAL ASSEMBLY
- AEROSPACE

## AVAILABLE HANDLE SIZES



## SPECIFICATIONS

STOCK NO.	HAMMER WEIGHT	HANDLE SIZE
55114	1-1/2 lbs	14"
55214	2 lbs	14"
55314	3 lbs	14"
55416	4 lbs	16"
55830	8 lbs	30"





# B.A.S.H. SPIKE MAUL

TESTED FOR  
**25,000**  
OVERSTRIKES

## DURABILITY:

- A. UNBREAKABLE® HANDLE TECHNOLOGY** - steel core eliminates breaking during overstrikes
- B. TRADEMARK GREEN HEAD** - hi-vis, drop forged 46 hrc head endures the most demanding applications and adds instant identification

## SAFETY:

- C. SAFETY PLATE** - secures head to handle preventing head dislodging
- D. ANTI-VIBE NECK** - thick, tapered neck absorbs vibration reducing worker fatigue
- E. NO-SLIP GRIP** - vulcanized rubber handle for secure grip while striking
- F. LANYARD HOLE** - safely secure hammer to wrist or stationary object



## KEY APPLICATIONS

- DRIVING RAILROAD SPIKES

## AVAILABLE HANDLE SIZES



## SPECIFICATIONS

STOCK NO.	HEAD SIZE	HANDLE SIZE
31036	10 lbs	36"





# 6 lb. / 8 lb. B.A.S.H. SPLITTING MAULS

**TESTED FOR  
25,000  
OVERSTRIKES**

## DURABILITY:

- A. UNBREAKABLE™ HANDLE TECHNOLOGY** - steel core eliminates breaking during overstrikes
- B. TRADEMARK GREEN HEAD** - hi-vis, drop forged 46 hrc head endures the most demanding applications and adds instant identification

## SAFETY:

- C. SAFETY PLATE** - secures head to handle preventing head dislodging
- D. ANTI-VIBE NECK** - thick, tapered neck absorbs vibration reducing worker fatigue
- E. NO-SLIP GRIP** - vulcanized rubber handle for secure grip while striking



## KEY APPLICATIONS

- SPLITTING CHUNKS OF WOOD
- DRIVING SPLITTING WEDGES

## AVAILABLE HANDLE SIZES



## SPECIFICATIONS

STOCK NO.	HEAD SIZE	HANDLE SIZE
50630	6 lbs.	30"
50636	6 lbs.	36"
50830	8 lbs.	30"
50836	8 lbs.	36"





# B.A.S.H. HAMMER KITS



## MECHANICS KIT CONTENTS - STOCK NO. 11111

QTY	STOCK NO.	DESCRIPTION
1	20412	4 Lb Head, 12" Handle B.A.S.H. <sup>®</sup> Sledge Hammer
1	33214	32 Oz Head, 14" Handle B.A.S.H. <sup>®</sup> Ball Pein Hammer
1	30216	4 Lb Head, 16" Handle B.A.S.H. <sup>®</sup> Cross Pein Hammer



## DEAD BLOW KIT CONTENTS - STOCK NO. 11113

QTY	STOCK NO.	DESCRIPTION
1	55214	2 Lb Head, 14" Handle B.A.S.H. <sup>®</sup> Dead Blow Hammer
1	55314	3 Lb Head, 14" Handle B.A.S.H. <sup>®</sup> Dead Blow Hammer
1	55416	4 Lb Head, 16" Handle B.A.S.H. <sup>®</sup> Dead Blow Hammer



## SHOP KIT CONTENTS - STOCK NO. 11112

QTY	STOCK NO.	DESCRIPTION
1	20412	4 Lb Head, 12" Handle B.A.S.H. <sup>®</sup> Sledge Hammer
1	33214	32 Oz Head, 14" Handle B.A.S.H. <sup>®</sup> Ball Pein Hammer
1	55416	4 Lb Head, 16" Handle B.A.S.H. <sup>®</sup> Dead Blow Hammer



## CARRYING CASE KIT CONTENTS - STOCK NO. 3PCBASH

QTY	STOCK NO.	DESCRIPTION
1	20212	2-1/2 Lb Head, 12" Handle B.A.S.H. <sup>®</sup> Sledge Hammer
1	32414	24 Oz Head, 14" Handle B.A.S.H. <sup>®</sup> Ball Pein Hammer
1	30216	2 Lb Head, 16" Handle B.A.S.H. <sup>®</sup> Cross Pein Hammer
1	-	Protective Carrying Case







**B.A.S.H.<sup>®</sup>**  
**\$1000**  
**GUARANTEE**

# WE PUT OUR MONEY WHERE OUR MOUTH IS...

The WILTON B.A.S.H.<sup>®</sup> Sledge Hammer with Unbreakable<sup>®</sup> Handle Technology is quite simply the most durable hammer on the market, outperforming wood and fiberglass handled hammers strike after strike. We are so confident in the WILTON B.A.S.H.<sup>®</sup> Unbreakable<sup>®</sup> Handle Technology that for 2 full years after purchase, break the handle under normal wear and tear and receive \$1,000.

JPW Industries will pay you \$1,000 in cash if the handle of a B.A.S.H.<sup>®</sup> sledge hammer you own breaks during normal use within two years after the date of purchase. This payment is in lieu of any other remedy for a product defect you may have, including breach of any other express or implied warranties. The B.A.S.H.<sup>®</sup> \$1,000 Guarantee does not apply to breakage that results from use of the sledge hammer other than as a hand-held striking tool, nor to defects involving the hammer head, including but not limited to, separation of the head from the handle.

#### HOW TO MAKE A CLAIM

The sledge hammer must be returned for examination, postage prepaid, to a location designated by us. For the name of the location nearest you, please call **1-800-274-6848**. You must provide proof of initial purchase date, and an explanation of how the handle broke must accompany the merchandise. If we determine you are covered by the Unbreakable<sup>®</sup> Handle Guarantee, we will send you \$1,000. If our inspection discloses a defect but you are not covered by the B.A.S.H.<sup>®</sup> \$1,000 Guarantee, we will repair or replace the product, or refund the purchase price, at our option, in accordance with our standard limited warranty on striking tools.



VISIT [WILTONTTOOLS.COM/BASH](http://WILTONTTOOLS.COM/BASH)  
FOR THE TERMS OF OUR  
STANDARD LIMITED WARRANTY.







**SEE OUR HAMMERS  
IN ACTION  
OR BUY ONLINE**



[WILTONTOLS.COM](http://WILTONTOLS.COM)

Stock Number: 904731

2015 JPW Industries - All Rights Reserved.

10/2015 20k Printed in U.S.A.

JPW Industries  
Lavergne, TN 37086  
[jpwindustries.com](http://jpwindustries.com)

