DURHAM MFG[®] Est. 1922













New Products






Pages

3 - 4

Bins, Drawer Cabinets, Drawer Cabinet Systems







Pages

10 - 18

Rotabin® Rotary Shelving









Pages

19 - 26

Compartment Boxes & Racks







Pages

27 - 37

Specialty Storage









Pages

38 - 50

INDEX

Part Locator Indexes

Pages 169 - 170


Some products may have been enlarged to show details.

Heavy Duty Storage Cabinets











Pages

51 - 94

Workbenches, Mobile Workbenches, Workstations,

Mobile Cabinets







Pages

95 - 108

Carts and Trucks







Pages

109 - 142

Safety Storage







Pages

143 - 160

Office & Literature Storage














Pages

161 - 167

DURHAM MFG[®] Est. 1922

NEW PRODUCTS



Bin Racks Page 8-9



Bin Racks Page 94

- Manufactured by Durham MFG.
- Available in 3 Colors, 5 Sizes
- Dividers can be placed horizontally or vertically
- Made of durable Polypropylene



Enclosed Shelving Pages 48-50



Heavy Duty Workbenches Page 103



Mobile Bench Cabinets
Page 112



Platform Stock Trucks
Page 132



Platform Trucks
Page 133



Package Trucks
Page 134

All Durham Flammable Storage Cabinets are FM Approved





16 Gallon Page 146



4 Gallon Page 145



22 Gallon Slim Style Page 145



New Cabinet Configurations Pages 51-93



Tilt Bin Cabinets Page 83-84

DURHAM MODULARITY

SIMPLE, SMALL PARTS ORGANIZATION








DURHAM MODULARITY

SIMPLE, SMALL PARTS ORGANIZATION







DURHAM MFG[®] Est. 1922











Bin, Louvered Panels Wall & Rack Systems						
72 Opening Bin with Side Louvered Panels	8					
Wall Mountable Louvered Panel	8					
Free Standing Louvered Panel Racks	9					

LOUVERED PANELS

WALL MOUNTABLE









Model LPW-34.5X20-95

Model LPW-17.25X20-95

Model LPW-46X64-95

Model LPW-34.5X20-95

Wall Mountable Louvered Panel (Hook-On-Bins® sold separately*)

- · Constructed of 16 gauge steel
- Louvers accommodate all sizes of Hook-On-Bins® (Bins are sold separately*)
- Tray shelves can be purchased as an accessory see page 9
- 1/4" holes for wall mounting hardware not included
- Durable, textured, powder coat finish

Model	Dimensions W/vH (In)	Hook-	On-Bins® (Q	Capacity	Ship Wt. (Lbs.)			
Wodel	Dimensions WxH (In.)	PB30210	PB30220	PB30230	PB30240	PB30250	(Lbs.)	Ship Wt. (LDS.)
LPW-17.25X20-95	17-1/4 x 20	16	16	9	4	2	175	8
LPW-17.25X64-95	17-1/4 x 64	64	64	30	16	8	500	24
LPW-34.5X12-95	34-1/2 x 12	24	24	12	4	2	175	8
LPW-34.5X20-95	34-1/2 x 20	40	40	18	8	4	175	13
LPW-34.5X64-95	34-1/2 x 64	128	128	60	32	16	1000	41
LPW-46X20-95	46 x 20	40	40	24	12	4	250	20
LPW-46X64-95	46 x 64	176	176	84	40	16	1000	55

FOB TX



Ships UPS



Hook-On-Bins® By Durham on page 94

72 Opening Bin with Side Louvered Panels (Hook-On-Bins® sold separately*)

- · All welded, prime cold rolled steel
- Fully hemmed 1-1/8" bin fronts to hold labels and retain parts
- · Roll-formed sides for increased strength and stability
- Ribbed and hemmed dividers provide added strength
- Sloped shelves for easy removal of contents
- Tray shelves can be purchased as an accessory see page 9
- Louvered strips welded to the side accomodate tray shelves (see page 9) or Hook-On-Bins* (see page 104)
- · Modular with most 12" deep bins and drawer cabinets; mounting holes are located on both the top and bottom
- · Optional doors, base and bin labels available
- Ships fully assembled
- Durable, textured, powder coat finish



Model 363LP-95

Model	Dimensions WxDxH (In.)	Hook-On-Bins® (Quantity to fit Louvered Panel)			Congoity (Lbc.)	Ship Wt. (Lbs.)		
Wiodei	Diffielisions WXDXH (III.)	PB30210	PB30220	PB30230	PB30240	PB30250	Capacity (LDS.)	Silip Wt. (LDS.)
363LP-95	34-1/8 x 12 x 42	48	48	24	8	N/A	500	82
BASE								
364-95	33-3/4 x 12-1/4 x 5-3/4			-			-	13

FOB:

*Hook-On-Bins® are only sold in full carton quantities

363LP - TX 364-95 - CT



Hook-On-Bins® By Durham on page 94



LOUVERED PANELS

FREE STANDING



Model LPRSS-17.25X68-95



Model LPRSS-34.5X20-95



Model LPRDS-34.5X68-95 **2 sided model



Model LPRSS-34.5X68-95

Free Standing Louvered Panel Racks (Hook-On-Bins® sold separately*)

- Constructed of 16 gauge steel
- Louvers accommodate all sizes of Hook-On-Bins® (Bins are sold separately*)
- · Base mounts easily with hardware provided
- Tray shelves can be purchased as an accessory
- 1/4" holes for wall mounting
- · Durable, textured, powder coat finish

Model	Dimensions WxH (In.)	Hook-On-Bin® (Quantity to fit Louvered Panel)					Capacity	Ship Wt.	Shipping
Model	Difficusions WXH (III.)	PB30210	PB30220	PB30230	PB30240	PB30250	(Lbs.)	(Lbs.)	Shipping
LPRSS-17.25X20-95	17-1/4 x 20	16	16	9	4	2	140	24 lbs.	UPS-able
LPRSS-17.25X68-95	17-1/4 x 68	64	64	33	16	8	125	23 lbs.	Truck
LPRSS-34.5X12-95	34-1/2 x 12	24	24	12	4	2	150	30 lbs.	UPS-able
LPRSS-34.5X20-95	34-1/2 x 20	40	40	18	8	4	500	106 lbs.	UPS-able
LPRSS-34.5X68-95	34-1/2 x 68	136	136	66	32	16	1000	139 lbs.	Truck
LPRDS-34.5X68-95**	34-1/2 x 68	272	272	132	64	32	2000	213 lbs.	Truck

FOB TX

ACCESSORIES

Tray Shelves

- · Constructed of steel
- Hooks easily onto louvers with no tools required
- Unit comes fully assembled
- Durable, textured, powder coat finish

4		
		1

Model DSH-124-95

Model	Overall Dim: WxDxH (In.)	Quantity per pack	Ship Wt. (Lbs.)
DSH-124-95	11-1/2 x 3-3/4 x 1-1/2	6	12 lbs.
DSH-184-95	17-1/4 x 3-3/4 x 1-1/2	6	16 lbs.

FOB TX



Ships UPS



Model DSH-184-95

Hook-On-Bins® By Durham on page 94





^{*}Hook-On-Bins® are only sold in full carton quantities

** Unit is double sided

DURHAM MFG[®] Est. 1922







Bins, Drawer Cal	Bins, Drawer Cabinets & Drawer Cabinet Systems							
12" Deep Part Bins	11 - 12	Drawer Cabinets - 2-3/4"H Drawers	16					
12" Deep Tall Bins	13	Drawer Cabinets - 3-1/2"H Drawers	16					
9" Deep Parts Bins	14	Drawer Cabinet Systems	17					
Adjustable Bins	14	Accessories for Drawers	18					
Accessories for Bins	15							

PART STORAGE BINS

12" DEEP PARTS BINS WITH SLOPE SHELF DESIGN



Model 329-95



Model 396-95



Model 397-95



Model 330-95



Model 353-95



Model 354-95



Model 351-95



Model 356-95

12" Deep part bins with slope shelf design

- · All welded, prime cold rolled steel
- Fully hemmed 1-1/8" bin fronts to hold labels and retain parts
- · Roll-formed sides for increased strength and stability
- Sloped shelves for easy removal of contents
- Modular with most 12" deep bins and drawer cabinets; mounting holes are located in both the top and bottom
- Optional doors and base available for most models (see page 15)
- Ships fully assembled
- · Durable gray powder coat finish

Model	Overall Dim: WxDxH (In.)	Bin Openings	Bin Dim: WxDxH (In.)	Carton	Ship Wt. (Lbs.)
329-95	33-7/8 x 12 x 23-7/8	4	16-3/8 x 11-7/8 x 9-7/8	1	26
396-95	33-7/8 x 12 x 23-7/8	8	8-1/4 x 11-7/8 x 10	1	28
397-95**	33-7/8 x 12 x 42	10	16-1/4 x 11-7/8 x 7-1/4	1	42
330-95	33-7/8 x 12 x 23-7/8	12	7-11/16 x 11-7/8 x 6-1/8	1	32
353-95	33-7/8 x 12 x 11-1/2	16	3-13/16 x 11-7/8 x 4	1	23
354-95	33-7/8 x 12 x 19-1/4	18	5-3/16 x 11-7/8 x 4-1/2	1	29
351-95**	33-7/8 x 12 x 42	20	8 x 11-7/8 x 8-1/2	1	46
356-95	33-7/8 x 12 x 23-7/8	24	5-3/16 x 11-7/8 x 4-5/16	1	35

FOB TX



^{**} units must ship by truck due to UPS ground size restrictions

PART STORAGE BINS

12" DEEP PARTS BINS WITH SLOPE SHELF DESIGN



Model 357-95



Model 358-95



Model 359-95



Model 360-95



Model 398-95



Model 399-95



Model 361-95



Model 363-95

12" Deep part bins with slope shelf design - continued

- All welded, prime cold rolled steel
- Fully hemmed 1-1/8" bin fronts to hold labels and retain parts
- Roll-formed sides for increased strength and stability
- Sloped shelves for easy removal of contents
- Modular with most 12" deep bins and drawer cabinets; mounting holes are located in both the top and bottom
- Optional doors and base available for most models (see page 15)
- · Ships fully assembled
- · Durable gray powder coat finish

Model	Overall Dim: WxDxH (In.)	Bin Openings	Bin Dim: WxDxH (In.)	Carton	Ship Wt. (Lbs.)
357-95	33-3/4 x 12 x 19-1/4	32	3-13/16 x 11-7/8 x 3-3/16	1	35
358-95	17-7/8 x 12 x 42	36	3-13/16 x 11-7/8 x 3-1/8	1	38
359-95	33-3/4 x 12 x 23-7/8	40	3-13/16 x 11-7/8 x 3-3/16	1	43
360-95	33-3/4 x 12 x 42	42	5-3/16 x 11-7/8 x 4-5/16	1	58
398-95**	33-3/4 x 12 x 42	44	40 - 4 x 11-7/8 x 4-1/2 4 - 16-1/4 x 11-7/8 x 7	1	56
399-95**	33-3/4 x 12 x 42	48	40 - 4 x 11-7/8 x 4-1/2 8 - 8 x 11-7/8 x 7-3/4	1	59
361-95**	33-3/4 x 12 x 42	56	4-1/4 x 11-7/8 x 3-15/8	1	60
363-95**	33-3/4 x 12 x 42	72	4 x 11-7/8 x 4-1/2	1	69






^{**} units must ship by truck due to UPS ground size restrictions

TALL BINS

12" DEEP PARTS BINS WITH SLOPE SHELF DESIGN




12" Deep, Tall Part Bins with Slope Shelf Design

- All welded, prime cold rolled steel
- Fully hemmed 1-1/8" bin fronts to hold labels and retain parts
- Roll-formed sides for increased strength and stability
- Sloped shelves for easy removal of contents
- Ribbed and hemmed dividers provide added strength
- Optional base available (see page 15)
- · Ships fully assembled
- · Durable gray powder coat finish

Model	Overall Dim: WxDxH (in.)	Total Openings	Bin Dim: WxDxH (In.)	Carton	Ship Wt. (Lbs.)
725-95	33-3/4 x 12 x 64-1/2	32	7-13/16 x 11-7/8 x 6-5/8	1	94
720.05	730-95 33-3/4 x 12 x 64-1/2	60	(40) 3-13/16 x 11-7/8 x 3-3/16	1	104
730-93		80	(20) 7-13/16 x 11-7/8 x 6-7/8	1	104
735-95	33-3/4 x 12 x 64-1/2	84	(80) 4 x 11-7/8 x 4-1/2	1	112
735-95	735-95 33-3/4 X 12 X 64-1/2		(4) 16-1/4 x 11-7/8 x 7	1	
740-95	33-3/4 x 12 x 64-1/2	104	3-13/16 x 11-7/8 x 3-3/8	1	120
745-95	33-3/4 x 12 x 64-1/2	112	3-13/16 x 11-7/8 x 3-3/8	1	122

FOB TX



PART STORAGE BINS

9" DEEP PARTS BINS



Model 393-95



Model 394-95



Model 344-95



Model 350-95



Model 349-95

9" Deep part bins

- · All welded, prime cold rolled steel
- Fully hemmed 1-1/8" bin fronts to hold labels and retain parts
- · Roll-formed sides for increased strength and stability
- Modular with all other 9" deep bins

- Mounting holes are located in both the top and bottom
- Optional base available (see page 15)
- Ships fully assembled
- · Durable gray powder coat finish

Model	Overall Dim: WxDxH (In.)	Total Openings	Bin Dim: WxDxH (In.)	Carton	Ship Wt. (Lbs.)
393-95*	33-3/4 x 8-1/2 x 19-5/16	8	7-13/16 x 8-3/8 x 7-1/2	1	33
394-95*	33-3/4 x 8-1/2 x 22-1/4	20	(16) 7-13/16 x 8-3/8 x 2-7//8 (4) 7-13/16 x 8-3/8 x 4-1/8	1	30
344-95*	33-3/4 x 8-1/2 x 19-1/4	32	4 x 8-3/8 x 4-1/2	1	29
349-95*	33-3/4 x 8-1/2 x 22-1/4	40	(32) 3-3/16 x 8-3/8 x 2-7/8 (8) 3-13/16 x 8-3/8 x 4	1	34
350-95**	33-3/4 x 8-1/2 x 42	72	4 x 8-3/8 x 4-11/2	1	55


FOB TX



*Ships UPS

Adjustable Opening Bin

- · Constructed of prime cold rolled steel
- 23-3/4" wide design allows unit to fit perfectly on the end of back-to-back 12" deep shelving
- Fixed shelves are slotted to hold vertical dividers
- Vertical dividers are removable allowing the creation of multiple bins
- 1-1/4" high shelf fronts retain parts and provide areas to accommodate labels
- Compartment bottoms are angled to make part removal easy
- Keyhole slots in back panel allow wall mounting
- Durable gray powder coat finish



FOB TX





Model 314-95



^{**} units must ship by truck due to UPS ground size restrictions

BIN ACCESSORIES

FOR 9" & 12" DEEP PARTS BINS



Hinged Door Sets

- · Prime cold rolled steel
- Allows secure storage of parts
- Helps keep contents free from dust and dirt
- Full length piano hinges eliminate sagging
- Pad-lock hasp included (pad-lock not provided)
- Ship separately and attach easily to bins using sheet metal screws or pop rivets (fasteners not provided)
- · Durable gray powder coat finish

Model	Overall Dim: WxH (In.)	Fits modes	Carton	Ship Wt. (Lbs.)
365-95	33-3/4 x 42	348, 350, 351, 360, 361, 363, 397, 398, 399	1 set	21
366-95	33-3/4 X 23-78	329, 330, 356, 359, 396	1 set	12

FOB CT



Ships UPS

Bin Bases

- · Prime cold rolled steel
- Fits all 12" & 9" x 33-3/4" Parts Bins
- Raises bins 5-3/4" above the floor
- Legs attach easily using fasteners provided
- · Durable gray powder coat finish



Model	Overall Dim: WxDxH (In.)	Fits modes	Carton	Ship Wt. (Lbs.)
364-95	33-3/4 x 12-1/4 x 5-3/4	329, 330, 351, 353, 354, 356, 357, 359, 360, 361, 363, 396, 397, 398, 399, 725, 730, 735, 740, 745	1	13
382-95	33-3/4 x 9 x5-3/4	344, 349, 350, 393, 394	1	11

Model 364-95

FOB CT



Ships UPS

Bin Topper

- · Prime cold rolled steel
- Fits all 12" x 33-3/4" Parts Bins
- Keeps top of bin free of clutter
- Durable gray powder coat finish



Model	Overall Dim: WxDxH (In.)	Fits modes	Carton	Ship Wt. (Lbs.)	
379-95	33-3/4 x 12 x 8-5/8	329, 330, 351, 353, 354, 356,			
		357, 359, 360, 361, 363, 396,	1	6	
		397, 398, 399, 725, 730, 735,	_		
		740, 745			

Model 379-95 FOB CT



Ships UPS

For additional information visit our website: www.durhammfg.com

OI

Contact us at: info@durhammfg.com

DRAWER CABINETS SMALL PARTS STORAGE



Drawer Cabinets

- Prime cold rolled steel construction
- High density drawer cabinet; stores large quantities of small parts
- Drawers feature interlocking design for superior strength
- Each drawer includes 2 easy to label dividers, which are adjustable on 1" centers
- Drawers have full width handles and easy glide runners
- Cabinets can be stacked using mounting holes
- Optional base available for most units (see page 18)
- · Durable gray powder coat finish
- · Ships fully assembled

Model	Overall Dim: WxDxH (In.)	No. of Drawers	Drawer Dim: WxDxH (In.)	Carton	Ship Wt. (Lbs.)
Standard 2-3/4"	high drawer				
001-95	11-3/4 x 11-5/8 x 10-7/8	6	4-7/8 x 11-1/4 x 2-3/4	1	17
002-95	33-3/4 x 11-5/8 x 4	6	4-7/8 x 11-1/4 x 2-3/4	1	18
003-95	22-3/4 x 11-5/8 x 7-3/8	8	4-7/8 x 11-1/4 x 2-3/4	1	21
004-95	17-1/4 x 11-5/8 x 10-7/8	9	4-7/8 x 11-1/4 x 2-3/4	1	23
013-95	33-3/4 x 11-5/8 x 7-3/8	12	4-7/8 x 11-1/4 x 2-3/4	1	31
005-95	33-3/4 x 11-5/8 x 10-7/8	18	4-7/8 x 11-1/4 x 2-3/4	1	44
006-95	17-1/4 x 11-5/8 x 21-1/4	18	4-7/8 x 11-1/4 x 2-3/4	1	45
007-95	33-3/4 x 11-5/8 x 14-3/8	24	4-7/8 x 11-1/4 x 2-3/4	1	57
014-95**	33-3/4 x 11-5/8 x 17-3/4	30	4-7/8 x 11-1/4 x 2-3/4	1	70
lumbo 3-1/2" hi	gh drawer x 11-1/4 " deep				
030-95	33-3/4 x 11-3/4 x 12-7/8	18	4-7/8 x 11-1/4 x 3-1/2	1	52
031-95**	33-3/4 x 11-3/4 x 17	24	4-7/8 x 11-1/4 x 3-1/2	1	67
034-95**	33-3/4 x 11-3/4 x 21-1/8	30	4-7/8 x 11-1/4 x 3-1/2	1	82
lumbo 3-1/2" hi	gh drawer x 17" deep				
032-95**	33-3/4 x 17-1/4 x 12-7/8	18	4-7/8 x 17 x 3-1/2	1	68
033-95**	33-3/4 x 17-1/4 x 17	24	4-7/8 x 17 x 3-1/2	1	88
035-95**	33-3/4 x 17-1/4 x 21-1/8	30	4-7/8 x 17 x 3-1/2	1	109





Ships UPS

 $\ensuremath{^{\star\,\star}}$ units must ship by truck due to UPS ground size restrictions



DRAWER CABINET SYSTEMS

FULLY ASSEMBLED WITH BASE



Model 017-95



Model 019-95



Model 022-95







Model 025-95



Model 026-95

Drawer Cabinet System (Fully assembled with base)

- Prime cold rolled steel construction
- · High density drawer cabinet; easy to store large quantities of small parts
- Drawers feature interlocking design for superior strength
- Drawers have full width handles and easy glide runners
- Each drawer includes 2 dividers
- Dividers are movable on 1" centers and easy to label
- Vertical supports inside the cabinet provide added strength
- Fully welded base is included and raises unit 5-1/4" above the floor
- · Ships fully assembled
- Durable gray powder coat finish

Model	Overall Dim: WxDxH (In.)	Drawers	Drawer Dim: WxDxH (In.)	Carton	Ship Wt. (Lbs.)
2-3/4" high draw	vers				
017-95	34-1/8 x 12-1/4 x 33-3/4	48	4-7/8 x 11-1/4 x 2-3/4	1	140
019-95	34-1/8 x 12-1/4 x 48-1/8	72	4-7/8 x 11-1/4 x 2-3/4	1	202
022-95	34-1/8 x 12-1/4 x 62-1/2	96	4-7/8 x 11-1/4 x 2-3/4	1	254
3-1/2" high draw	vers				
024-95	34 x 12-1/4 x 26-1/4	30	4-7/8 x 11-1/4 x 3-1/2	1	114
027-95	34 x 17-3/4 x 26-1/4	30	4-7/8 X 17 X 3-1/2	1	131
025-95	34 x 12-1/4 x 47-3/8	60	4-7/8 x 11-1/4 x 3-1/2	1	192
028-95	34 x 17-3/4 x 47-3/8	60	4-7/8 X 17 X 3-1/2	1	246
026-95	34 x 12-1/4 x 68-3/8	90	4-7/8 x 11-1/4 x 3-1/2	1	269
029-95	34 x 17-3/4 x 68-3/8	90	4-7/8 X 17 X 3-1/2	1	310

FOB CT

DRAWER ACCESSORIES DIVIDERS, DRAWERS & TOPPER

Dividers and Drawers for 2 3/4"H and 3 1/2"H

- High Impact Plastic Dividers (sold separately in bags of 12)
- Dividers are adjustable on 1" centers
- Custom designed tabs hold dividers securely in place
- · Color; gray

Model	Overall Dim: WxDxH (In.)	For use with	Carton	Ship Wt. (Lbs.)
010-95	5-1/4 x 2-1/2	2-3/4" H drawers	12/bag	1
036-95	5-1/4 x 3-1/4	3-1/2" H drawers	12/bag	1

Model	Overall Dim: WxDxH (In.)	Drawer type	Carton	Ship Wt. (Lbs.)
023-95-DURHAM	5-3/8 x 11-5/8 x 2-3/4	2-3/4" H drawers	1	1
784-95-DURHAM	5-3/8 x 17-1/4 x 3-1/2	3-1/2" H drawers (17" Deep)	1	2
783-95-DURHAM	5-3/8 x 11-1/4 x 3-1/2	3-1/2" Drawers (11-1/4" deep)	1	2

FOB CT



Ships UPS



Drawer Cabinet Bases

- · Prime cold rolled steel
- Model 364-95 fits all 33-3/4"W x 11-3/4 x 11-5/8"D drawer cabinets
- Model 362-95 fits all 33-3/4"W x 17"D drawer cabinets
- Raise bins 5-3/4" above the floor
- Legs attach easily using fasteners provided
- Durable gray powder coat finish



Model	Overall Dim: WxDxH (In.)	For use with	Ship Wt. (Lbs.)	Carton
364-95	34 x 12-1/4 x 5-3/4	002, 005, 007, 013, 014, 030, 031, 034	13	1
362-95	34 x 17-3/4 x 5-1/4	032, 033, 035	19	1

FOB CT



Ships UPS



Drawer Topper

- · Prime cold rolled steel
- Fits all drawer models listed in the table
- Keeps top of bin free of clutter
- · Durable gray powder coat finish

Model	Overall Dim: WxDxH (In.)	Fits modes	Carton	Ship Wt. (Lbs.)
379-95	33-3/4 x 12 x 8-5/8	002, 005, 007, 013, 014, 030, 031, 034, 017, 019, 022, 024, 025, 026	1	6

FOB CT



Ships UPS



Model 379-95



DURHAM MFG[®] Est. 1922



- 17 "	, 28", 34",44" <mark>& 58" Diamet</mark>	er
21	44" Rotabin® Revolving	25
	Shelves	
22	58" Potahin® Pevolving	25
22	30 Rotabili Revolving	23
23 - 24	Merchandising Rotabin®	26
	21 22	21 44" Rotabin® Revolving Shelves 22 58" Rotabin® Revolving 23 - 24 Merchandising Rotabin®

ROTABIN® REVOLVING SHELVES SAVE SPACE, SAVE TIME, SAVE MONEY

Over 20 Different Size Configurations



17" Diameter 60 lbs. capacity per shelf (weight evenly distributed)



28" Diameter 500 lbs. capacity per shelf (weight evenly distributed)



34" Diameter 500 lbs. capacity per shelf (weight evenly distributed)



44" Diameter 625 lbs. capacity per shelf (weight evenly distributed)



58" Diameter 2000 lbs. capacity per shelf (weight evenly distributed)

ROTABIN® 17" REVOLVING SHELVES





1106-95





1108-95

Model 1110-95

4, 6, 8 or 10 shelf, 17" Rotabins®

- · All steel construction
- Fits in less than 3 sq. ft.
- 4 fixed dividers per shelf form 13"W x 7-1/2"D x 3-3/8"H permanent compartments
- . Optional dividers allow the creation of up to 16 compartments per shelf
- · Ideal for use on work benches

- · Revolving shelves make accessing parts easy
- Each shelf rotates independently on heavy duty ball
- Shelf capacity is 60 lbs. (evenly distributed)
- · Easy assembly using hardware provided
- · Durable gray powder coat finish

Model	Diameter (in.)	Height (In.)	Shelves	Total Cap. (Lbs.)	Carton	Ship Wt. (Lbs.)
1104-95	17	17-3/8	4	240	1	23
1106-95	17	25-3/8	6	360	1	30
1108-95	17	33-3/8	8	480	1	38
1110-95	17	41-3/8	10	600	1	45

FOB CT



Ships UPS

ACCESSORIES

FOR 17" REVOLVING SHELF ROTABINS®

Steel Divider for 17" Rotabin®

- Can be placed on 3-3/8" centers to create additional compartments
- · Flanged and punched for easy bolting to shelves
- · Easy to install using hardware provided
- · Durable gray powder coat finish



Model	Description	Dimensions LxW (In.)	Carton Pack	Ship Wt. (Lbs.)
1141-95-IND	Additional Steel Divider	7-5/16" x 3-1/32"	1	1

FOB CT



Ships UPS

Model 1141-95







1206-95





Model 1207-95

Model 1208-95

5, 6, 7, 8, 9 or 10 shelf, 28" Rotabins®

- · Sturdy all steel construction
- Shelf capacity; 500 lbs. (evenly distributed)
- (6) fixed dividers per shelf form (30) 14-1/2"W x 12"D x 5-3/4"H permanent compartments
- Optional dividers can be inserted to create up to 24 compartments per shelf
- 1-5/8"H bin fronts provide space for pressure sensitive labels
- Unit fits in otherwise unusable spaces including corners and at the ends of aisles
- Revolving shelves make accessing parts easy
- Each shelf rotates independently on heavy duty ball bearings
- Assembles easily using hardware provided
- · Durable gray powder coat finish

Model	Diameter (In.)	Height (In.)	Shelves	Total Cap. (Lbs.)	Carton	Ship Wt. (Lbs.)
1205-95	28	34-1/8	5	2,500	7	112
1206-95	28	40-3/8	6	3,000	8	129
1207-95	28	46-5/8	7	3,500	9	145
1208-95	28	52-7/8	8	4,000	10	161
1209-95	28	59-1/8	9	4,500	11	177
1210-95	28	65-1/2	10	5,000	12	193

FOB CT

ACCESSORIES FOR 28" REVOLVING SHELF ROTABINS®

Steel 28" Rotabin® Divider

- Sturdy all steel construction
- Bolt easily into place on 1" centers using hardware provided
- Allow the creation of up to 24 compartments per 28" diameter shelf
- Durable gray powder coat finish

Model	Description	Dimensions - LxW (In.)	Carton Pack	Ship Wt. (Lbs.)
1241-95-IND	Additional Steel Divider	11-7/8 x 5-15/32	1	1



FOB CT



Ships UPS

Model 1241-95



ROTABINS® 34" REVOLVING SHELVES









Model 1304-95

Model 1305-95

Model 1306-95

Model 1308-95

- Sturdy all steel construction
- Shelf capacity; 500 lbs. (evenly distributed)
- (5) fixed dividers per shelf form (20) 21"W x 15"D x 7"H permanent compartments
- Optional dividers can be inserted on 1" centers
- Optional plastic pans are available for transporting parts; 3 pans fit into each permanent compartment
- 2-3/8" high bin fronts provide Space for pressure sensitive labels
- · Unit fits in otherwise unusable spaces including corners and at the ends of aisles
- Revolving shelves make accessing parts easy; each shelf rotates independently on heavy duty ball bearings
- · Assembles easily using hardware provided
- · Durable gray powder coat finish

Model	Diameter (in.)	Height (In.)	Shelves	Total Cap. (Lbs.)	Cartons	Ship Wt. (Lbs.)
1304-95	34	34-1/8	4	2000	6	133
1305-95	34	42	5	2500	7	159
1306-95	34	49-3/4	6	3000	8	184
1307-95	34	57-1/2	7	3500	9	210
1308-95	34	65-1/2	8	4000	10	235

FOB CT



Model 1323-95

4 Shelf 34" Rotabin® with Bulk Shelves (2000 lbs. overall capacity)

- · Sturdy all steel construction
- · Shelf capacity; 500 lbs. (evenly distributed)
- (4) fixed dividers per shelf form (16) 26-1/2"W x 15"D x 7"H permanent compartments
- Optional dividers can be inserted on 1" centers
- 7" high bin fronts provide space for pressure sensitive labels and create more bin capacity
- · Higher bin fronts allow for storage of bulkier items that may not fit into tradional Rotabins®
- · Unit fits in otherwise unusable spaces including corners and at the ends of aisles
- · Revolving shelves make accessing parts easy; each shelf rotates independently on heavy duty ball bearings
- · Assembles easily using hardware provided
- · Durable gray powder coat finish

Model	Diameter (In.)	Height (In.)	Shelves	Cartons	Ship Wt. (Lbs.)
1323-95	34	65-1/2	4	6	171

FOB CT



Dividers for 34" Rotabins® with 2-3/8"H Bin Fronts

- · Sturdy all steel construction
- Bolt easily into place on 1" centers using hardware provided
- · Durable gray powder coat finish

Model	Description	Dimensions - LxH (In.)	Carton Pack	Ship Wt. (Lbs.)
1341-95-IND	Additional Steel Divider	15 x 6-9/16	1	1



FOB CT



Ships UPS

Model 1341-95

Steel Divider for 34" Bulk Shelf Rotabins®

- · Sturdy all steel construction
- Bolt easily into place on 1" centers using hardware provided
- 7"H at front to keep parts in place
- Sold individually
- · Durable gray powder coat finish



Model	Description	Dimensions - LxH (In.)	Carton Pack	Ship Wt. (Lbs.)
1342-95	Bulk steel shelf dividers for 1323-95	13-7/8 x 7	1	2

FOB CT



Ships UPS

Model 1342-95

Rotabin® Pans for 34" Rotabins®

- Durable molded plastic design
- Makes it easy to transport parts and store different items in the same shelf compartment
- Up to 3 pans fit in each fixed shelf compartment
- Sold in packages of 15
- · Color: Gray



ModelDescriptionCarton PackShip Wt. (Lbs.)15007-95Grey Rotabin® Pan1515

FOB CT



Ships UPS

Model 15007-95

For additional information visit our website: www.durhammfg.com

O

Contact us at: info@durhammfg.com

ROTABINS®

44" & 58" REVOLVING SHELVES









Model Model 1535-95 1506-95

4, 5 or 6 shelf, 44" Rotabin®

- · Sturdy all steel construction
- Shelf capacity is 625 lbs. (evenly distributed)
- Shelves are manufactured from one piece of steel with dividers welded into place
- 5 permanent compartments per shelf;
 20 total compartments
- Fits in otherwise unusable spaces including corners and at the ends of aisles
- Revolving shelves with rounded bottoms make accessing parts easy
- Each shelf rotates independently on heavy duty ball bearings
- · Assembles easily using hardware provided
- · Durable gray powder coat finish

Model	Diameter (in.)	Height (In.)	Shelves	Compartments per shelf	Total Cap. (Lbs.)	Carton	Ship Wt. (Lbs.)
1504-95	44	46-1/2	4	5	2,500	4	172
1505-95	44	57-1/2	5	5	3,125	7	206
1535-95	44	57-1/2	5	10	2,500	7	246
1506-95	44	69-1/2	6	5	3,750	8	241
1536-95	44	69-1/2	6	10	3 000	8	316

FOB CT



Model 1605-95

5 Shelf 58" Rotabin® (10,000 lbs. overall capacity)

- Sturdy all steel construction with 10,000 lbs overall capacity
- Shelf capacity is 2,000 lbs. (evenly distributed)
- Shelves are manufactured from one piece of steel with dividers welded into place
- 10 permanent compartments per shelf; 50 total compartments
- Fits in otherwise unusable spaces including corners and at the ends of aisles
- Revolving shelves with rounded bottoms make accessing parts easy
- Each shelf rotates independently on Heavy duty ball bearings
- Assembles easily using hardware provided
- Durable gray powder coat finish

Model	Diameter (In.)	Height (In.)	Shelves	Cartons	Ship Wt. (Lbs.)
1605-95	58	66-5/16	5	6	385

FOB CT



Multi-Sized Merchandising Rotabin®

- Sturdy all steel construction
- Total capacity of 2,650 lbs. (evenly distributed)
- Each shelf rotates independently on heavy duty ball bearings
- Optional dividers are available for 28" & 34" shelves
- Total of 26 compartments

- Fits in otherwise unusable space, including corners and aisle ends
- Assembles easily using hardware provided
- Bin fronts on the 28" and 34" shelves have 1-5/8" H space for labeling and pricing
- Durable gray powder coat finish




Model	Dia. (In.)	Height (In.)	Shelves (In.) / capacity (Lbs.)	Cartons	Ship Wt. (Lbs.)
1700.05	44 Bottom	05.074	1-28" (6 compartments) 500 lb. Cap	_	400
1700-95	34 Center	65-3/4	3-34" (5 compartments) 500 lb. Cap	7	163
	28 Top		1-44" (5 compartments) 650 lb. Cap		

Accessories for Multi-Sized Merchandising Rotabin®

Model	Description	Carton pk.	Ship Wt. (Lbs.)
15007-95	Gray Rotabin® Pan for 34" shelf	15	15
1241-95	Steel Divider for 28" shelf	20	14
1341-95	Steel Divider for 34" shelf	20	20

FOB CT



DURHAM MFG[®] Est. 1922



Metal & Plastic	Compa	rtment Box and Racks	
Large Compartment Boxes	28 - 29	Small Slide Racks	34
Large Slide Racks	30 - 31	Base for Small Slide Racks	34
Base for Large Slide Racks	30 - 31	Locking Hinge	32, 35
Plastic Inserts	31, 48	Small Plastic Compartment Boxes and Rack	36
Label Pouches	31, 35	Small Plastic Compartment Boxes and Rack	37
Small Compartment Boxes	33		

Durham Compartment Boxes are designed to be the perfect organizers, merchandisers and storage systems for small parts

LARGE COMPARTMENT BOXES

SCOOP BOX STYLE



Model 102-95



Model 107-95



Model 109-95



Model 111-95



Model 113-95



Model 115-95



Model 117-95



Model 125-95

Large Compartment Boxes

- Prime cold rolled steel outer shell
- Compartments have scooped bottoms to make part removal easy
- Full piano hinge on cover provides rigidity
- Handle allows for easy transport

- Positive pull-down catch keeps cover tightly closed to prevent part migration
- Racks, pouches and cover labels are available as accessories
- · Durable gray powder coat finish

Model	Overall Dim: WxDxH (In.)	Compartments	Carton Pack	Ship Wt. (Lbs.)
102-95	18 x 12 x 3	24	4	32
107-95	18 x 12 x 3	32	4	32
109-95	18 x 12 x 3	21	4	32
111-95	18 x 12 x 3	20	4	32
113-95	18 x 12 x 3	16	4	32
115-95	18 x 12 x 3	12	4	32
117-95	18 x 12 x 3	6 vertical	4	32
125-95	18 x 12 x 3	6 horizontal	4	32

FOB CT



Ships UPS

More Compartment Boxes on next page



LARGE COMPARTMENT BOXES

SCOOP BOX STYLE



Adjustable Compartment Large Horizontal Box

- · Prime cold rolled steel outer shell
- 6 horizontal compartments:
 1-7 /8" x 17-1/2" x 2-7 /8"
- 12 vertical dividers are included and adjust on 2-1/4" centers
- Full piano hinge on cover provides rigidity
- Positive pull-down catch keeps cover tightly closed to prevent part migration
- Handle allows for easy transport
- Racks, pouches and cover labels are available as accessories
- · Durable gray powder coat finish

Model	Overall Dim: WxDxH (In.)	Compartments	Carton Pack	Ship Wt. (Lbs.)
099-95	18 x 12 x 3	Variable/Adjustable	4	32
097-95	Dividers for 09	9-95 (straight)	Bag of 12	1





Ships UPS



Model 119-95

Adjustable Compartment Large Vertical Box

- Prime cold rolled steel outer shell
- Durable plastic with 4 fixed vertical compartments and 9 movable dividers adjustable on 1" centers
- Full piano hinge on cover provides rigidity
- Positive pull-down catch keeps cover tightly closed to prevent part migration
- Handle allows for easy transport
- Racks, pouches and cover labels are available as accessories
- Durable gray powder coat finish

Model	Overall Dim: WxDxH (In.)	Compartments	Ship Wt. (Lbs.)	Carton Pack
119-95	18 x 12 x 3	Variable/Adjustable	32	4
120-95	Scooped dividers for 119-95		1	Bag of 9

FOB CT



Ships UPS



Model 131-95

Adjustable Compartment Large Expando Box

- · Prime cold rolled steel outer shell
- Durable plastic insert
- 3 adjustable horizontal and 3 adjustable vertical dividers
- Full piano hinge on cover provides rigidity
- Positive pull-down catch keeps cover tightly closed to prevent part migration
- Handle allows for easy transport
- Racks, pouches and cover labels are available as accessories
- · Durable gray powder coat finish

Model	Overall Dim: WxDxH (In.)	Compartments	Carton Pack	Ship Wt. (Lbs.)
131-95	18 x 12 x 3	adjustable	4	32
132-95-EXL-H/DV	Dividers for 131-95 (horizontal)		1	1
133-95-EXL-V/DV	Dividers for 131-95 (vertical)		1	1

FOB CT



Ships UPS



Model 123-95

Large Empty Metal Shell

- · Prime cold rolled steel
- Full piano hinge on cover provides rigidity
- Positive pull-down catch keeps cover closed
- Handle allows easy transport
- Can be used with plastic inserts for large compartment boxes on Page 42
- Racks are also available as accessories
- Durable gray powder coat finish

Model	Overall Dim: WxDxH (In.)	Compartments	Carton Pack	Ship Wt. (Lbs.)
123-95	18 x 12 x 3	Large Empty Metal Shell	4	32

FOB CT



LARGE BEARING SLIDE RACKS & BASES

FOR USE WITH LARGE COMPARTMENT BOXES



Heavy Duty Bearing Slide Rack (Holds Large Compartment Boxes)

- Sturdy construction using prime cold-rolled steel
- Each cradle holds up to 75 lbs.
- Solid cradle extends beyond the opening of the unit when in the open position reducing the chance of drawer covers closing when not intended
- Slides can be replaced

- Positive closure feature keeps trays from sliding out unintentionally
- Punched holes for easy installation of locking hinge (locking hinge not included)
- · -DR model includes door and lock with 2 keys
- · Base is available as accessory
- Durable gray powder coat finish

Model	Overall Dim: WxDxH (In.)	Compartments	Ship Wt. (Lbs.)	Carton
303B-15.75-95	20-3/8 x 15-3/4 x 14-7/8	4	37	1
303B-16.75-95	20-3/8 x 16-3/4 x 14-7/8	4	39	1
302B-15.75-95	20 x 15-3/4 x 8-1/8	2	21	1
309B-95	20-3/8 x 12-5/8 x 8-1/8	2	19	1
310B-95	20 x 12-1/2 x 15	4	29	1
305B-95	20-1/2 X 12-1/2 x 21	5	40	1
321B-95	20-5/16 x 15-15/16 x 21-7/8	6	46	1
321B-95-DR	20-5/16 x 15-15/16 x 21-7/8	6 with locking door	50	1
Optional Bases				
304-95	20-9/16 x 16-1/8 x 15	For Models 302B-15.75, 303B-15.75, 321B	15	1
304-95-5.75/LEG	20-9/16 x 16-1/8 x 5-3/4	For Models 302B-15.75, 303B-15.75, 321B	11	1
304B-16.75-95	20-5/8 x 17-1/4 x 5-3/4	For Model 303B-16.75	11	1
311-95	20-5/8 x 12-5/8 x 15	For Models 309B, 310B	14	1

FOB CT



Ships UPS

See next page for more rack options



LARGE SLIDE RACKS

FOR LARGE COMPARTMENT BOXES



Model 303-95



Model 302-95

Easy Glide Slide Rack (Holds 2 or 4 Large Compartment Boxes)

- Sturdy construction using prime cold-rolled steel
- Each cradle holds up to 40 lbs
- Easy glide slides allow boxes to move in and out smoothly
- Center braces on cradles provide extra rigidity
- Reinforced rack keeps boxes level
- Boxes can be easily removed for transport to work areas
- Base and locking hinge are available as accessories
- · Durable gray powder coat finish

Model	Overall Dim: WxDxH (In.)	Compartments	Ship Wt. (Lbs.)	Carton
302-95	20 x 15-3/4 x 8-1/8	2	19	1
303-95	20 x 15-3/4 x 15	4	29	1
Optional Bases				
304-95	20-9/16 x 16-1/8 x 15	-	15	1
304-95-5.75/LEG	20-9/16 x 16-1/8 x 5-3/4	-	11	1

FOB CT



Ships UPS

Plastic Inserts Only for Large Compartment Boxes

- Molded from durable plastic
- Can be used independently or as replacements for other Large Compartment Box inserts
- Fits into model 123-95 Large Empty Metal Shell
- · Dividers are sold separately
- · Color; gray



Model 124-95-24

Model	Description	Dividers	Carton	Ship Wt. (Lbs.)
124-95-06/HOR-IND	6 Horizintal Compartment Insert	0	1	3
124-95-06/VERT-IND	6 Vertical Compartment Insert	0	1	3
124-95-12-IND	12 Compartment Insert	0	1	3
124-95-16-IND	16 Compartment Insert	0	1	3
124-95-20-IND	20 Compartment Insert	0	1	3
124-95-21-IND	21 Compartment Insert	0	1	3
124-95-24-IND	24 Compartment Insert	0	1	3
124-95-32-IND	32 Compartment Insert	0	1	3
124-95-ADL-IND	Variable Compartment Insert	9	1	3
124-95-ADLH-IND	Variable Compartment Insert	12	1	3
124-95-EXL-IND	Variable Compartment Insert	3 (H), 3 (V)	1	3

FOB CT



Ships UPS

Clear Plastic Label Pouch for Large Compartment Boxes



Model D853

(shown with optional cover label **installed**)

- Clear Plastic Pouch for inserting labels
- Peel and stick backing allows pouch to adhere to covers easily
- Keeps labels, plan-o-grams, inventory sheets, and instruction sheets clean
- Items being inserted can be easily changed

Model	Descriptions	Carton	Ship Wt. (Lbs.)
D853	Label Pouch for Large Compartment Box	1	1

FOB CT






Locking Hinge For Large Racks (2 or 4 Drawers)

- · All Steel for durability
- Holds boxes securely in place during transport
- · Attractive chrome plated finish
- Swivel pad-lock attachment allows units to be locked for security (pad-lock not included)
- Easy to install using pop rivets or sheet metal screws (fasteners not included)


Model	Fits Models	Dim: LxW (In.)	Ship Wt. (Lbs.)	Carton
312	303, 303B,310B	13-1/2 x 1-1/4	1	1
H302	302, 302B, 309B	6-5/8 x 1-15/32	1	1



FOB CT



Ships UPS



For additional information visit our website: www.durhammfg.com

OI

Contact us at: info@durhammfg.com

SMALL COMPARTMENT BOXES

SCOOP BOX STYLE



Small Compartment Boxes

- Prime cold rolled steel outer shell
- Compartments have scooped bottoms to make part removal easy
- Full piano hinge on cover provides rigidity
- Handle allows for easy transport

- Positive pull-down catch keeps cover tightly closed to prevent part migration
- Racks, pouches and cover labels are available as accessories
- · Durable gray powder coat finish

Model	Overall Dim: WxDxH (In.)	Compartments	Carton Pack	Ship Wt. (Lbs.)
202-95	13-3/8 x 9-1/4 x 2	24	6	24
204-95	13-3/8 x 9-1/4 x 2	21	6	24
206-95	13-3/8 x 9-1/4 x 2	20	6	24
227-95	13-3/8 x 9-1/4 x 2	17	6	24
209-95	13-3/8 x 9-1/4 x 2	16	6	24
211-95	13-3/8 x 9-1/4 x 2	12	6	24
213-95	13-3/8 x 9-1/4 x 2	8	6	24
215-95	13-3/8 x 9-1/4 x 2	Variable	6	24
216-95	Scoop Divide	rs for 215-95	Bag of 9	0.16
226-95	13-3/8 x 9-1/4 x 2	Small Empty Metal Shell	6	24

FOB CT



SMALL SLIDE RACKS FOR USE WITH SMALL COMPARTMENT BOXES









Optional Base Model 315-95

Model 306-95

Model 307-95

Model 308-95

Easy Glide Slide Rack (Holds Small Compartment Boxes)

- Sturdy construction using prime cold-rolled steel
- Accommodates small compartment boxes
- Easy glide slides allow boxes to move in and out smoothly
- Center braces on cradles provide extra rigidity
- · Reinforced rack keeps boxes level
- Boxes can be easily removed for transport to work areas
- · Base is available as an accessory
- · Durable gray powder coat finish

Model	Overall Dim: WxDxH (In.)	Compartments	Carton	Ship Wt. (Lbs.)	
306-95	15-1/4 x 11-3/4 x 6-1/4	2	1	12	
307-95	15-1/4 x 11-3/4 x 11-1/4	4	1	21	
308-95	15-1/4 x 11-3/4 x 16-3/8	6	1	28	
Optional Bases					
315-95	15-1/2 x 12-1/8 x 15-1/8	For Models: 306, 307, 308	1	12	

FOB CT



Ships UPS

ACCESSORIES FOR SMALL COMPARTMENT BOXES

Plastic Inserts for Small Compartment Boxes

- · Can be used independently or as replacements for other Small Compartment Box inserts
- Fits into model 226-95 Small Empty Metal Shell
- · Dividers are sold separately
- · Color; gray

Model	Description	Carton	Ship Wt. (Lbs.)
229-95-08-IND	8 Compartment insert	1	2
229-95-12-IND	12 Compartment insert	1	2
229-95-16-IND	16 Compartment insert	1	2
229-95-17-IND	17 Compartment insert	1	2
229-95-20-IND	20 Compartment insert	1	2
229-95-21-IND	21 Compartment insert	1	2
229-95-24-IND	24 Compartment insert	1	2
229-95-ADS-IND	Variable Compartment insert	1	2



Model 229-95-12


FOB CT





ACCESSORIES

FOR SMALL COMPARTMENT BOXES & RACKS



Locking Hinges (For Small Slide Racks)

- All steel for durability
- Sizes available to fit either the model 307 or 308
- Swivel pad-lock attachment allows units to be locked for security (pad-lock not included)
- Holds boxes securely in place during transport
- Easy to install using pop rivets or sheet metal screws (fasteners not included)
- · Attractive chrome plated finish
- Locking hasp has 3/8" diameter

Model	Fits Models	Dim: LxW (In.)	Ship Wt. (Lbs.)	Carton
312	308	13-1/2 x 1-1/4	1	1
313	307	10 x 1-7/16	1	1

FOB CT



Ships UPS



Model
D855
(shown with optional cover label installed)

Clear Plastic Label Pouch for Small Compartment Boxes

- Sturdy all steel construction
- Available for both the Easy Glide Racks and the Space Saver Rack
- Legs attach easily using fasteners provided
- · Durable gray powder coat finish

Model	Description	Carton	Ship Wt. (Lbs.)
D855	Label Pouch for Small Compartment Box	1	1

FOB CT





SMALL PLASTIC COMPARTMENT BOXES

DURABLE CLEAR PLASTIC



Small Compartment Plastic Box

- Molded from clear polypropylene resin which permits visibility of contents
- Heavy duty reinforced hinges
- Patented positive stops allow cover to be opened wide or remain in the upright open position making it easy to read content labels
- Two positive snap latches keep boxes securely closed and prevent parts from migrating between compartments
- Cover overlaps sides to keep out dust and dirt
- Optional rack is available with handle to carry up to 5 boxes

Model	Overall Dim: WxDxH (In.)	Comp. Dim: WxDxH (In.)	Carton	Ship Wt. (Lbs.)
SP6-CLEAR	10-13/16 x 6-3/4 x 1-3/4	3/16 x 6-3/4 x 1-3/4 1-11/16 x 6-1/8 x 1-9/16		7
SP12-CLEAR	10-13/16 x 6-3/4 x 1-3/4	1-11/16 x 3 x 1-9/16	10	7
SPOS12-CLR	10-13/16 x 6-3/4 x 1-3/4	(6) 1-11/16 x 4-1/6 x 1-9/16, (6) 1-11/16 x 2 x 1-9/16	10	7
SP13-CLEAR	10-13/16 x 6-3/4 x 1-3/4	(6) 1-11/16 x 1-7/8 x 1-9/16, (6) 1-11/16 x 1-5/16 x 1-9/16, (1) 10-1/2 x 2-13/16 x 1-9/16	10	7
SP18-CLEAR	10-13/16 x 6-3/4 x 1-3/4	(18) 1-11/16 x 2 x 1-9/16	10	7
SPADJ-CLEAR	10-13/16 x 6-3/4 x 1-3/4	(3) 10-1/2 x 2 x 1-9/16, (variable) 1-11/16 x 2 x 1-9/16 (2 fixed dividers and 15 adjustable dividers are included allowing the creation of up to 18 compartments)	10	7

FOB CT



Ships UPS

Rack for Small Plastic Compartment Box

- Constructed of prime cold rolled steel
- Model 290-95 holds 5 small boxes
- Flexible offset handle prevents boxes from sliding out during transport
- Part # 313 (locking hinge) available as accessory
- Keyhole slots in back allow mounting on walls or panels
- · Durable gray powder coat finish

Model	Description	Overall Dim: WxDxH (in.)	Ship Wt. (Lbs.)	Carton
290-95	Rack for 5 small Boxes	11-1/4 x 6-3/4 x 10-3/4	5	1

FOB CT



Ships UPS

Large plastic compartment boxes and Racks on the next page



LARGE PLASTIC COMPARTMENT BOXES

DURABLE CLEAR PLASTIC



Large Compartment Plastic Box

- Molded from clear polypropylene resin which permits visibility of contents
- · Heavy duty reinforced hinges
- Patented positive stops allow cover to be opened wide or remain in the upright open position making it easy to read content labels
- Two positive snap latches keep boxes securely closed and prevent parts from migrating between compartments
- *3 fixed dividers and 20 adjustable dividers are included allowing the creation of up to 24 compartments
- Cover overlaps sides to keep out dust and dirt
- Optional rack is available with handle to carry up to 5 boxes

Model	Overall Dim: WxDxH (In.)	Comp. Dim: WxDxH (In.)	Carton	Ship Wt. (Lbs.)
LP6-CLEAR	13-1/8 x 9 x 2-5/16	(6) 2-1/16 x 8-1/2 x 2-1/16	5	7
LP12-CLEAR	13-1/8 x 9 x 2-5/16	(12) 2-1/6 x 4-3/16 x 2-1/16	5	7
LP16-CLEAR	13-1/8 x 9 x 2-5/16	(16) 3-1/8 x 9 x 2-5/16	5	7
LP18-CLEAR	13-1/8 x 9 x 2-5/16	(12) 2-1/16 x 2-1/16 x 2-1/16, (6) 2-1/16 x 4-3/16 x 2-1/16	5	7
LP24-CLEAR	13-1/8 x 9 x 2-5/16	(24) 2-1/6 x 2-1/16 x 2	5	7
LPADJ-CLEAR	13-1/8 x 9 x 2-5/16	(4) 12-11/16 x 2-1/16 x 2-1/16, (Variable) 2-1/16 x 2-1/16 x 2-1/16	5	7

FOB CT



Ships UPS

Rack for Large Plastic Compartment Box

- · Constructed of prime cold rolled steel
- Model 291-95 holds 5 large boxes
- Flexible offset handle prevents boxes from sliding out during transport
- Part # 313 (locking hinge) available as accessory
- Keyhole slots in back allow mounting on walls or panels
- Durable gray powder coat finish

Model	Description	Overall Dim: WxDxH (in.)	Ship Wt. (Lbs.)	Carton
291-95	Rack for 5 Large Boxes	13-1/2 x 9-1/8 x 13-1/4	8	1

FOB CT





DURHAM MFG[®] Est. 1922



Truck/Van Storage,	Truck/Van Storage, Utility/Aerosol Cabinets and more			
Wall Mount Cabinets	39	Rod & Bar Rack		45
Utility / Aerosol	40 - 41	Hose Clamp Storage		46
Plastic Drawer Cabinets	40	Welding Rod Cabinet		46
Tilt-Out Tray Cabinet	41	Truck & Van Storage		47
Wire Storage	42	Heavy Duty Shelving		48
Mobile Wire Storage	42	Enclosed Shelving	48 -	-50
Hose Storage	43-44			

SPECIALTY STORAGE WALL MOUNTABLE CABINETS



Model 060-95-WSS

Wall Mountable Cabinet with Slotted Shelves

- Manufactured using prime cold rolled steel
- All-welded construction prevents warping and twisting
- Full piano hinges prevent doors from warping or sagging
- Units have Pre-installed lock and 2 keys are included
- Units have pockets on inside door to store MSDS sheets and or other forms
- Slotted shelf unit holds up to 88 standard aerosol cans
- Key hole slots in back of unit for wall mounting
- Durable gray powder coat finish

Model	Overall Dim: WxDxH (In.)	Ship Wt. (Lbs.)
060-95-WSS	33-3/4 x 11-7/8 x 23-7/8	40

FOB CT



Ships UPS

Wall Mountable Cabinet with Fixed Shelves



- Manufactured using prime cold rolled steel
- All-welded construction prevents warping and twisting
- Full piano hinges prevent doors from sagging
- Units have Pre-installed lock and 2 keys are included
- Units have pockets on inside door to store MSDS sheets and or other forms
- Key hole slots in back of unit for wall mounting
- · Durable gray powder coat finish

Model 060-95-WFS

Model	Overall Dim: WxDxH (In.)	Ship Wt. (Lbs.)
060-95-WFS	33-3/4 x 11-7/8 x 23-7/8	39

FOB CT



Ships UPS

Wall Mountable Cabinet with Adjustable Shelves



Model 061-95-ADJFS

- Manufactured using prime cold rolled steel
- All-welded construction prevents warping and twisting
- Full piano hinges prevent doors from sagging
- Unit has pad-lockable hasp (pad-lock not included)
- Key hole slots in back of unit for wall mounting
- Durable gray powder coat finish

Model	Overall Dim: WxDxH (In.)	Ship Wt. (Lbs.)
061-95-ADJFS	26-5/8 x 11-7/8 x 30	38

FOB CT





8 1/2" Deep Utility Cabinet with Lock

- Manufactured using prime cold rolled steel
- All-welded construction prevents warping and twisting
- · Full piano hinges prevent door sag
- 1 fixed shelf and center uprights divide cabinet into 4 equal sections
- Holes in top and bottom allow secure stacking
- Modular with 33-3/4"W x 9"D bins
- Pre-installed lock and 2 keys are included
- · Durable gray powder coat finish



Model 343-95

Model	Overall Dim: WxDxH (In.)	Sections	Carton	Ship Wt. (Lbs.)
343-95	33-3/4 x 8-1/2 x 22-1/4	4	1	33

FOB CT



Ships UPS

12" Deep Utility Cabinet

- Manufactured using prime cold rolled steel
- All-welded construction prevents warping and twisting
- Full piano hinges prevent door sag
- 1 fixed shelf and center uprights divide cabinet into 4 equal sections
- Holes in top and bottom allow secure stacking
- Modular with 33-3/4"W x 12"D bins
- Padlockable hasp (padlock not included)
- · Durable gray powder coat finish



Model 338-95

Model	Overall Dim: WxDxH (In.)	Sections	Carton	Ship Wt. (Lbs.)
338-95	33-3/4 x 12 x 23-7/8	4	1	41

FOB CT



Ships UPS

20 Plastic Drawer Cabinet

- · All welded steel cabinet
- Industrial strength clear polypropylene plastic drawers
- Drawers slide in and out smoothly
- Drawers have scooped bottoms to make part removal easy
- 2 dividers are included for each drawer
- Dividers lock into place to assure content separation
- Rear backstops keep drawers from being accidentally pulled out
- Durable gray powder coat finish

part removal casy		Darable gray	powaci co	at iiiioii
Model	Overall Dim: WxDxH (In.)	Bin Dim: WxDxH (In.)	Carton	Ship Wt. (Lbs.)
016-95	16-3/4 x 6-3/8 x 11-3/8	2-13/16 x 5-15/32 x 1-7/8	1	11

FOB CT



Ships UPS



64 Plastic Drawer Cabinet

- · All welded steel cabinet
- Industrial strength clear polypropylene plastic drawers
- Drawers slide in and out smoothly
- Drawers have scooped bottoms to make part removal easy
- 2 dividers are included for each drawer
- Dividers lock into place to assure content separation
- Rear backstops keep drawers from being accidentally pulled out
- Durable gray powder coat finish

Model	Overall Dim: WxDxH (In.)	Bin Dim: WxDxH (In.)	Carton	Ship Wt.
317-95	25-7/8 x 6-3/8 x 21-3/8	2-13/16 x 5-15/32 x 1-7/8	1	32

FOB CT





Model 317-95



SPECIALTY STORAGE

UTILITY/AEROSOL CABINETS AND CADDY



Model 055-95 & 056-95

Utility Cabinets

- · Prime cold rolled steel
- · All-welded construction
- · Full piano hinge
- · 2 adjustable shelves are included
- Keyhole slots in back allow wall hanging
- pad lock hasp (lock not included)
- Model 056-95 is modular with Durham Large Slide Rack Cabinets (see page 45).
- Durable gray powder coat finish

Model	Overall Dim: WxDxH (In.)	Sections	Ship Wt. (Lbs.)	Carton
055-95	13-3/4 x 12-3/4 x 30	adjustable	24	1
056-95	19-7/8 x 14-1/4 x 32-3/4	adjustable	35	1

FOB CT



Ships UPS

Aerosol Can Caddy

- · Sturdy one piece steel construction
- Holds up to 6 standard sized aerosol cans
- Pre-punched holes allow wall mounting or fastening to tool boxes
- Solid bottom allows use on shelves or counter tops
- Perfect for use in vans or trucks
- · Durable gray powder coat finish

Model 385-95

Model	Overall Dim: WxDxH (In.)	Carton	Ship Wt. (Lbs.)
385-95	21-1/2 x 3-1/8 x 5-1/4	1 & 12	2 & 18

FOB CT



Ships UPS



Model 300-95

Aerosol Storage Cabinet

- All welded steel cabinet
- Pre-installed lock and 2 keys are included
- Two independently sliding shelves, slide in and out easily on 75 lb capacity bearing slides.
- Each sliding shelf holds up to 24 standard sized aerosol cans.
- Modular with Durham Large Slide Rack Cabinets (see page 45).
- Durable gray powder coat finish

Model	Description	Overall Dim: WxDxH (In.)	Ship Wt. (Lbs.)	Carton
300-95	Storage Cabinet	20-5/16 x 15-15/16 x 21-7/8	45	1
304-95	Base	20-9/16 x 16-1/4 x 15	15	1
304-95-5.75/LEG	Base	20-9/16 x 16-1/8 x 5-3/4	11	1

FOB CT



Ships UPS

SPECIALTY STORAGE

TILT-OUT TRAY CABINET



Model 590-95

Tilt-Out Tray Dispensing Cabinet

- · Constructed using prime cold rolled steel
- (4) durable plastic tilt-out trays
- (28) adjustable dividers are included allowing the creation of from 4 to 32 compartments
- Back-up storage shelves are located behind hinged cover
- Ideal for the storage and organization of automotive bulbs, fuses, terminals, fasteners and more
- Cover provides ideal space for logos or signs
- Unit can be wall hung using keyholes punched in the back
- Durable gray powder coat finish

Model	Overall Dim: WxDxH (In.)	# of Bins	Carton	Ship Wt. (Lbs.)
590-95	19 x 4 x 26-3/4	4-32	1	21

FOB CT





SPECIALTY STORAGE WIRE STORAGE

Mobile Wire Spool Rack

- Heavy duty, all welded 14 gauge steel
- 1,200 lbs. total capacity
- 1-1/2" lip on top work surface prevents parts from falling off during transport
- Louvered panels on 2 ends, accommodate Hook-On-Bins® and metal Hook-On Trays (Bins and Trays sold separately)
- Heavy duty handle makes transport easy
- (8) 23" removable rods accommodate wire spools
- 7-1/2" between rods, larger spools can be accommodated if some rods are removed
- Recessed rods allow protection of spools during transport
- 4 wire guides hang below the work surface for ease in cutting wire
- (4) 5" x 1-1/4" polyurethane bolt on casters; (2) rigid and (2) locking swivel
- · Ships fully assembled
- Durable gray, textured powder coat finish

not molaucu	
1222327 203343	
)
	1
	2
112	
3.5	ğ
Carlot Market State of State o	
1,0	
Hook-On Trays	
nouk-on nays	

Hook-On-Bins®

Hook-On Trays

Model MWSR8-LP-95

Model	Overall Dim: WxDxH (In.)	Description	Ship Wt. (Lbs.)
MWSR8-LP-95	*26 x 18 x 46	8-Rod Mobile Wire Spool Rack w/2 sides of louvered panels	122
FOB TX	*Handle adds 6" to wid	dth	

For additional bin colors and dividers please see page 94

Wire and Terminal Storage Cabinet

- Features a 21 hole removable compartment box. 20 compartments for storing small parts and components and 1 compartment for storing tools
- 16 Rubberized wire grommets provided to keep wires free from tangling easily accessed
- Grommets accommodate up to 10 gauge wire
- Accommodates (24) 3-1/2" spools
- 6 rods for wire spools, perfect for maximizing your small wire storage
- · Ships fully assembled, ready for use
- Modular with Durham Small Slide Rack Cabinets
- Compatible with base 315-95 (see page 34)
- Durable gray powder coat finish

Model	Overall Dim: WxDxH (In.)	Carton	Ship Wt. (Lbs.)
297-95	15-3/16 x 11-7/8 x 16-7/16	1	23

FOB CT



Ships UPS



Wire Spool Racks

- Prime cold rolled steel construction
- Includes polished steel rods (5/8" Dia.)
- Easy to store different sized spools on the same rod
- 368-95 Can accommodate up to 10" diameter spools
- Punched side panels allow quick spool changes
- 383-95 has handle for easy transport
- Ruled decal is supplied making it easy to cut wire or tubing to the proper length
- Keyhole slots are provided for wall mounting
- Easy to assemble using fasteners provided
- Durable gray powder coat finish

Model	Overall Dim: WxDxH (In.)	Rods	Carton	Ship Wt (Lbs.)
368-95	26-1/8 x 5-7/8 x 36-1/2	4	1	16
384-95	26-1/8 x 5-7/8 x 21-1/2	2	1	12
383-95	26-1/8 x 5-7/8 x 14	1	1	10

FOB CT



Ships UPS

Model 368-95



Model 383-95



SPECIALTY STORAGE

HOSE STORAGE RACKS



Model 580-95

Wire, Hose & Tubing Dispenser

- Prime cold rolled steel construction
- Holds up to 6 reels of wire, hose or tubing
- 1" diameter grommets in front assure smooth, tangle free dispensing
- Sloped cover provides ideal space for signage
- Interior shelves keep enclosed reels organized
- Keyhole slots in back allow unit to be hung on walls or panels
- Ships fully assembled ready for use
- · Durable gray powder coat finish

Model	Overall Dim: WxDxH (in.)	Reel Capacity	Carton	Ship Wt. (Lbs.)
580-95	19-9/16 x 7-1/2 x 13-3/32 (back) 11-5/16 (front)	6	1	15

FOB CT



Ships UPS



Hose Cabinet (Adjustable Dividers)

- · Steel construction
- Perfect for storing larger diameter hose
- Dividers are removable or adjustable to create custom size compartments
- 6 durable steel dividers are included
- Easy assembly
- · Durable gray powder coat finish

Model	Overall Dim: WxDxH (In.)	Opening Dim: WxDxH (In.)	Carton	Ship Wt. (Lbs.)
575-95	36 x 20-1/8 x 27-15/16	Adjustable x 20 x 25-7/8	1	93

FOB CT



Model 303-25-95

Hose Cabinet (Fixed dividers)


- Heavy duty all steel construction
- Used for low pressure hydraulic and shop air hose.
- Mounting holes on top and bottom
- 2 durable steel dividers are welded into place
- · Durable gray powder coat finish

Model	Overall Dim: WxDxH (In.)	Opening Dim: WxDxH (In.)	Ship Wt. (Lbs.)	Carton
303-28-95	20 x 15-3/4 x 15	19-1/8 x 15-3/4 x 4-11/32	29	1

FOB CT



HYDRAULIC HOSE CABINETS



Hydraulic Hose Cabinets

- · Heavy duty cold rolled steel construction
- Used for low pressure hydraulic and shop air hose.
- Mounting holes on sides to bold units together securely
- · Durable gray powder coat finish

Base:

- Made of 18 Gauge steel
- Unit is adjustable and has 4 size configurations
- Durable gray powder coat paint

Letter	Model	Overall Dim: WxDxH (In.)	Carton	Ship Wt. (Lbs.)
Α	581-95	8-1/2 x 24-1/8 x 34-7/8	1	38
В	582-95	13-3/4 x 24-1/8 x 24	1	41
С	583-95	21-9/16 x 24-1/8 x 24	1	55
D	579-95	Adjustable Base, Up to 61-1/16 x 24-11/16 x 7-1/2	1	40

FOB CT



SPECIALTY STORAGE

KEY, ROD AND BAR RACKS



Keystock Rack

- Sturdy all steel body with high impact polystyrene inside
- Hold keystock up to 3/4" square
- Ten compartments

- Keyhole slots allow for wall mounting
- · Ships fully assembled
- · Durable gray powder coat finish

Model	Overall Dim: WxDxH (In.)	Compartments	Ship Wt. (Lbs.)	Carton
381-95	12-1/4 x 6-1/4 x 12	10	6	1

FOB CT



Ships UPS



Model 367-95

Threaded Rod Rack

- · Sturdy all steel construction
- Separates and protects threaded rods
- (18) 2-1/16" diameter openings accommodate different sizes
- · Ships fully assembled
- · Durable gray powder coat finish

Model	Overall Dim: WxDxH (In.)	Compartments	Ship Wt. (Lbs.)	Carton
367-95	q	18	16	1

FOB CT



Ships UPS



Model VBR-8436-95

Vertical Bar Rack

- All welded construction with 3000 lbs. capacity
- heavy duty angle iron frame and arms
- 14 gauge steel shelves
- 3 Shelves are 5-1/4"D x 36"W
- Pan base is 24 x 36 has retaining lip to hold parts in place
- Perfect for storing long parts like threaded rod, pipes or strut
- Ships fully assembled ready for use
- Durable gray textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Carton	Ship Wt. (Lbs.)
VBR-8436-95	36 x 24 x 84	1	125

FOB TX



Model HSR-303085-95 (two units shown)

Horizontal Storage Racks

- Heavy duty 14 gauge steel construction
- Use in pairs for ideal storage and access of long parts
- 2600 lbs. overall capacity, evenly distributed
- 9 storage levels per side

- 1-1/2" Angle iron arms
- Arms provide 9-1/2" of storage space on each side of frame
- Assembles easily with hardware provided
- Durable, gray, textured powder coat finish

			Ship Wt (Lbs.).
HSR-303085-95	30 x 30 x 85	2600	116



SPECIALITY STORAGEHOSE CLAMPS AND WELDING RODS

5 Loop Hose Clamp Rack

- · Constructed using heavy gauge wire
- Holds 5 sizes of clamp diameters;

#40 (2-1/16" to 3")

#48 (2-9/16" to 3 1/2")

#52 (2-13/16" to 3 3/4")

#56 (3-1/16" to 4")

#72 (4-1/16" to 5")

 Sign panel lists clamp diameters and hose I.D.s

- Space is provided on sign panel for label or company logo
- Clamps not included
- Can be set on counter tops or hung on walls and panels using built-in hanger loops
- Ships fully assembled
- Durable black powder coat finish with black & white sign panel



Model 905-08-\$702

Model	Overall Dim: WxDxH (In.)	Loops	Carton	Ship Wt. (Lbs.)
905-08-S702	23-1/4 x 5-3/8 x 16-1/8	5	1	5

FOB TX



Ships UPS

10 Loop Hose Clamp Rack

- · Constructed using heavy gauge wire
- Holds 10 different clamp diameters;

Mini-clamp (7/32" to 5/8") Mini-clamp (5/16" to 7/8")

#6 (3/8" to 7/8")

#10 (9/16" to 1-1/16")

#12 (9/16" to 1-1/4")

#16 (11/16" to 1-1/2")

#20 (3/4" to 1-3/4")

#28 (1-5/16" to 2-1/4")

#32 (1-9/16" to 2-1/2")

#36 (1-13/16" to 2-1/4")

• Sign pane	l lists clamp diameters a	and
hose I.D.s		

- Space is provided on sign panel for label or company logo
- Clamps not included
- Can be set on counter tops or hung on walls and panels using built-in hanger loops
- Ships fully assembled
- Durable black powder coat finish with black & white sign panel



Model 907-08-S129

Model	Overall Dim: WxDxH (In.)	Loops	Carton	Ship Wt. (Lbs.)
907-08-S129	23-1/4 x 5-3/8 x 16-1/8	10	1	5

FOB TX



Ships UPS

Welding Rod Cabinet

- · All steel construction
- (6) compartments; 5-1/4"W x 18-3/8"D x 4"H
- Holds welding rod up to 18" long
- Openings are 5-1/4 x 2-3/4
- Ships fully assembled
- Durable gray powder coat finish

Model	Overall Dim: WxDxH (In.)	Compartments	Carton	Ship Wt. (Lbs.)
921-95	16-1/8 x 18-1/2 x 8-1/8	6	1	17

FOB CT



Ships UPS




Model 921-95



SPECIALTY STORAGE

TRUCK AND VAN STORAGE



18 Drawer Cabinet (with 2-3/4"H Drawers)

- · Prime cold rolled steel construction
- Drawers feature interlocking design for superior strength
- Drawers have full width handles and easy glide runners
- · Drawers includes 2 easy to label dividers
- Dividers are adjustable on 1" centers
- Units can be stacked using mounting holes
- Modular with other 33-3/4" wide drawer cabinets and bins
- Ships fully assembled
- Other Drawer Cabinets are available; see pages 16-18)
- Durable gray powder coat finish

Model 005-95

Model	Overall Dim: WxDxH (In.)	Drawers	Carton	Ship Wt. (Lbs.)
005-95	33-3/4 x 11-5/8 x 10-7/8	18	1	44





Ships UPS

4 or 9 Drawer Cabinet

- · All welded steel construction
- · Drawers include high impact plastic inserts
- 611-95 has (9) dividers with each drawer; adjustable on 1" centers
- 610-95 has 4 spacious drawers that are ideal for storing tools and bulky items
- Locking hinge is included and keeps drawers securely in place even in moving vehicles
- · Ships fully assembled ready for use
- · Durable gray powder coat finish



Model 611-95

Model	Overall Dim: WxDxH (In.)	Trays	Carton	Ship Wt. (Lbs.)
610-95	12-5/8 x 12-1/8 x 24-1/2	4	1	30
611-95	12-5/8 x 12-1/8 x 24-1/2	9	1	51


FOB CT



Ships UPS

1 or 3 Row Door Tray





- Attaches easily to van doors or sides using sheet metal screws or pop rivets (fasteners not supplied)
- Positive pull-down latches prevent parts from falling out or migrating during transport
- Ships fully assembled ready for use
- Durable gray powder coat finish



Model 806-95

 Model
 Overall Dim: WxDxH (in.)
 Trays
 Carton
 Ship Wt. (Lbs.)

 802-95
 21 x 4-3/4 x 8
 1
 1
 6

 806-95
 21 x 4-3/4 x 21
 3
 1
 17

FOB CT



Ships UPS

4 Compartment Small Slide Rack

- Sturdy construction using prime cold-rolled steel
- Accommodates 4 Small Compartment Boxes
- Easy glide slides allow boxes to move in and out smoothly
- Center braces on cradles provide extra rigidity
- Reinforced slides keeps boxes level
- Boxes can be easily removed for transport to work areas
- Base, compartment boxes, locking hinge and other slide racks are available as accessories(see page 33-34)

Carton

1

1

1

Ship Wt. (Lbs.)

21

1 12

Durable gray powder coat finish

Compartments Boxes

Holds 4

Locking Hinge

Optional Base



Model 307-95 (Shown with optional base and drawers. See pages 33-34)

FOB CT

Model

307-95

313

315-95



Ships UPS



Overall Dim: WxDxH (In.)

15-1/4 x 11-3/4 x 11-1/4

10 x 1-7/16

15-1/2 x 12-1/8 x 15-1/8

SPECIALTY STORAGE HEAVY DUTY SHELVING / ENCLOSED SHELVING

Extra Heavy-Duty Shelving

- 12 gauge galvanized steel corner posts
- 14 gauge steel shelves with stiffeners welded to bottoms
- Shelves are adjustable on 1" centers
- Each shelf fastens to corner posts using 16 nuts and 16 bolts which are supplied
- Standard units include 5 shelves
- 3000 lbs. capacity per shelf (evenly distributed weight)
- · Additional shelves and uprights are available as accessories
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Ship Wt. (Lbs.)
HDS-184872-95	48 x 18 x 72	174
HDS-244872-95	48 x 24 x 72	204
HDS-246072-95	60 x 24 x 72	244
HDS-184896-95	48 x 18 x 96	190
HDS-244896-95	48 x 24 x 96	220
HDS-246096-95	60 x 24 x 96	260
HDS-1848-95	Additional Shelves for 48 x 18 units	30
HDS-2448-95	Additional Shelves for 48 x 24 units	36
HDS-2460-95	Additional Shelves for 60 x 24 units	44
HDS-HUP-72	Additional Uprights for all 72" high units	6
HDS-HUP-96	Additional Uprights for all 96" high units	10



Model HDS-184872-95



Stiffeners welded to shelf bottoms provide added strength

FOB CT

Heavy Duty 12 Gauge Enclosed Shelving

- Extra heavy duty all welded 12 gauge steel construction
- · Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- · 14 gauge heavy duty shelves
- · Ships fully assembled and ready for use
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	No. of Shelves (included)	Shelf capacity (Lbs.)	Ship Wt. (Lbs.)
5002-3S-95	36 x 18 x 60	3	1350	240
5003-4\$-95	36 x 18 x 72	4	1350	301
5006-3S-95	48 x 18 x 60	3	850	246
5007-4S-95	48 x 18 x 72	4	850	286
5010-3\$-95	36 x 24 x 60	3	1900	303
5011-48-95	36 x 24 x 72	4	1900	352
5014-3S-95	48 x 24 x 60	3	1200	352
5015-48-95	48 x 24 x 72	4	1200	411
5018-3S-95	60 x 24 x 60	3	1650	430
5019-48-95	60 x 24 x 72	4	1650	508
5022-3S-95	72 x 24 x 60	3	1525	519
5023-4S-95	72 x 24 x 72	4	1525	612
Optional Shelves				
HDC-SH-1836-95	33-15/16 x 15-27/32	1	1350	17
HDC-SH-1848-95	45-15/16 x 15-27/32	1	850	22
HDC-SH-2436-95	33-15/16 x 20-27/32	1	1900	21
HDC-SH-2448-95	45-15/16 x 20-27/32	1	1200	26
HDC-SH-2460-95	57-15/16 x 20-27/32	1	1650	37
HDC-SH-2472-95	69-15/16 x 20-27/32	1	1525	50



Model 5002-3S-95



Optional Shelves



SPECIALTY STORAGE ENCLOSED SHELVING WITH HOOK-ON-BINS®





Model 5014-30-1795



Model 5015-42-5295



Model 5018-42-95



Model 5019-54-1795



Model 5022-48-5295



Model 5023-72-95

Heavy Duty 12 Gauge Enclosed Shelving with Hook-On-Bins®

- Extra heavy duty all welded 12 gauge steel construction
- Hook-On-Bins® rest easily on louvered panel
- · Provisions for shelves allow you to add shelving
- Ships fully assembled and ready for use
- Durable, gray, textured powder coat finish





See page 48

Model	Overall Dim: (In.)	# of Bins	No. of Bins	Ship Wt. (lbs.)
5014-30	48 x 24 x 60	30	(12) 6 x 11 x 5 (12) 8 x 15 x 7 (6) 16 x 15 x 7	373
5015-42	48 x 24 x 72	42	(24) 6 x 11 x 5 (12) 8 x 15 x 7 (6) 16 x 15 x 7	511
5018-42	60 x 24 x 60	42	(24) 6 x 11 x 5 (12) 8 x 15 x 7 (6) 16 x 15 x 7	424
5019-54	60 x 24 x 72	54	(36) 6 x 11 x 5 (12) 8 x 15 x 7 (6) 16 x 15 x 7	508
5022-48	72 x 24 x 60	48	(12) 6 x 11 x 5 (24) 8 x 15 x 7 (12) 16 x 15 x 7	519
5023-72	72 x 24 x 72	72	(36) 6 x 11 x 5 (24) 8 x 15 x 7 (12) 16 x 15 x 7	612

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins

SPECIALTY STORAGE ENCLOSED SHELVING WITH HOOK-ON-BINS®



Model 5002-18-95



Model 5003-30-5295



Model 5010-30-1795



Model 5010-30-1795



Model 5006-30-5295



Model 5007-42-1795

Heavy Duty 12 Gauge Enclosed Shelving with Hook-On-Bins®

- Extra heavy duty all welded 12 gauge steel construction
- Hook-On-Bins® rest easily on louvered panel
- · Provisions for shelves allow you to add shelving
- Ships fully assembled and ready for use
- Durable, gray, textured powder coat finish

Model	Overall Dim: (In.)	# of Bins	No. of Bins	Ship Wt. (lbs.)
5002-18	36 x 18 x 60	18	(12) 8 x 15 x 7 (6) 16 x 15 x 7	268
5003-30	36 x 18 x 72	30	(12) 6 x 11 x 5 (12) 8 x 15 x 7 (6) 16 x 15 x 7	332
5010-30	36 x 24 x 60	30	(12) 6 x 11 x 5 (12) 8 x 15 x 7 (6) 16 x 15 x 7	331
5011-30	36 x 24 x 72	30	(12) 6 x 11 x 5 (12) 8 x 15 x 7 (6) 16 x 15 x 7	369
5006-30	48 x 18 x 60	30	(12) 6 x 11 x 5 (12) 8 x 15 x 7 (6) 16 x 15 x 7	246
5007-42	48 x 18 x 72	42	(24) 6 x 11 x 5 (12) 8 x 15 x 7 (6) 16 x 15 x 7	323





Optional Shelves See page 48

FOB TX

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins

DURHAM MFG® Est. 1922














Heavy Duty Storage Cabinets & Hook-On-Bins®					
Access Control Cabinets	53 - 54	Mobile Cabinets	55 - 57		
Specialty Cabinets	58 - 61				
16	6 Gauge C	abinets			
With Hook-On-Bins®	62 - 63	With Hook-On-Bins® & Shelves	63		
Shelf Cabinets	64				
14 Gauge Cabinets					
With Hook-On-Bins®	65 - 66	With Hook-On-Bins® & Shelves	67 - 69		
Shelf Cabinets	70	Empty Cabinets	71		
Ventilated Cabinets					
With Hook-On-Bins	72	With Hook-On-Bins® & Shelves	74 - 74		
Shelf Cabinets	74	Lockers	75		
12/14 Gauge	Cabinets	- Extra Heavy Duty			
Shelf Cabinets - Solid & Ventilated	76 - 78	Clearview Cabinets	78		
Double-Shift & Maintenance	79	Wardrobe Cabinets	80 - 81		
Drawer Cabinets	81 - 82	Pegboard and Shelf Cabinets	84		
Tilt-Bin Cabinets	83 - 84	Pegboard & Outdoor	85		
With Hook-On-Bins	86	With Hook-On-Bins® & Shelves	87 - 90		
Ventilated with Bins & Shelves	91 - 92	Ventilated with Hook-On-Bins®	93		
Hook-On-Bins®	94				

Heavy Duty, All Welded & Ready For Use





For use in:

- Schools
- Automotive Shops
- Manufacturing Facilities
- Warehouses
- Job Shops
- Tool Cribs
- Stock Rooms
- Home Garage
- Any location where storage, security, or organization is a priority

ELECTRONIC ACCESS WITH HOOK-ON-BINS®







The electronic access controlled lock allows for 250 users. Access is via personal identification numbers and or HID proximity cards. The lock operates with 6 AA batteries. The lock records 1500 access attempts (i.e. who entered, date and time). The Data from the lock can be downloaded to a computer with the provided software.

Model 3704CXC-54B-1795

- Heavy duty, all welded 14 gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- Double doors open at 180° for full access to product
- Available with solid door on right and a windowed door on the left, or with both solid doors
- Electronic lock has the ability to store audit trails
- Traceability has helped some users reduce inventory consumption by 30%

Model 3702CXC-30B-1795

- Hook-On-Bins® by Durham are included
- Fully welded louvered panels reinforce cabinet and hold Hook-On-Bins®
- Hook-On-Bins® installed easily with no tools required
- · Cabinets ship fully assembled
- 6"H legs, provide access for forklifts and have predrilled holes allowing for lagging to the floor. (Constructed of 3/16" steel)
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Hook-On-Bins® (In.)	Door Style	Ship Wt. (Lbs.)
3702CXC-30B	36 x 24 x 78	(12) 6 x 11 x 5, (12) 8 x 15 x 5, (6) 16 x 15 x 7	1 Clear	410
3703CXC-42B	48 x 24 x 78	(24) 6 X 11 X 5, (12) 8 X 15 X 5, (6) 16 X 15 X 7	1 Clear	472
3704CXC-54B	60 x 24 x 78	(36) 6 X 11 X 5, (12) 8 X 15 X 5, (6) 16 X 15 X 7	1 Clear	560

FOB TX

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins



ELECTRONIC ACCESS CONTROL WITH SHELVES





Model 3702CXC-BLP4S-95

Model 3702CX-BLP4S-95

- Heavy duty all welded 14 gauge steel construction
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Shelves bolt easily into place with the hardware that is provided
- Full height recessed doors with 7 gauge leaf hinges to prevent sagging
- Available with solid door on right and a windowed door on the left, or with both solid doors
- Electronic lock has the ability to store audit trails
- Traceability has helped some users reduce inventory consumption by 30%
- 6"H legs, provide access for forklifts and have predrilled holes allowing for lagging to the floor. (Constructed of 3/16" steel)
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelf capacity (Lbs.)	Door Style	No. of shelves	Ship Wt. (Lbs.)
3702CXC-BLP4S-95	36 x 24 x 78	1900	1 Clear, 1 Solid	4	427
3703CXC-BLP4S-95	48 x 24 x 78	1200	1 Clear, 1 Solid	4	508
3704CXC-BLP4S-95	60 x 24 x 78	1650	1 Clear, 1 Solid	4	650
Models with both Solid Doors					
3702CX-BLP4S-95	36 x 24 x 78	1900	2 Solid	4	427
3703CX-BLP4S-95	48 x 24 x 78	1200	2 Solid	4	508
3704CX-BLP4S-95	60 x 24 x 78	1650	2 Solid	4	650



MOBILE CABINETS

SHELF CABINETS



16 Gauge Mobile Cabinet with 4 Shelves (Shelf capacity 500 lbs.)

- Industrial duty, all welded 16 gauge steel
- 6" x 2" phenolic casters (2 rigid, 2 locking swivel)
- 3-point locking system with keyed handles and lock rods, 4 keys included
- Full height welded piano hinges for increased strength and rigidity of doors
- Shelves rest on louvered panels and go easily into place with no tools required adjust on 4" centers
- · Side handle for easy manuvering
- Double doors open at 180° for full access to product
- · Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (in.)	Shelves	Ship Wt. (Lbs.)
2501M-BLP-4S-95	36 x 24 x 80	4	378
2502M-BLP-4S-95	48 x 24 x 80	4	418

FOB TX

14 Gauge Mobile Cabinet with 4 Shelves (Shelf capacity 700 lbs.)



Model 3502M-BLP-4S-95

- Heavy duty, all welded 14 gauge steel
- 6" x 2" phenolic casters (2 rigid, 2 locking swivel)
- 3-point locking system with keyed handles and lock rods, 4 keys included
- Full height welded piano hinges for increased strength and rigidity of doors
- Shelves rest on louvered panels and go easily into place with no tools required adjust on 4" centers
- · Side handle for easy manuvering
- Double doors open at 180° for full access to product
- · Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (in.)	Shelves	Ship Wt. (Lbs.)
3501M-BLP-4S-95	36 x 24 x 80	4	416
3502M-BLP-4S-95	48 x 24 x 80	4	473

FOB TX

12 Gauge Mobile Cabinet with 4 Shelves (Shelf capacity 900 lbs.)



Model 3502M-BLP-4S-95

- Extra heavy duty, all welded 12-gauge steel
- 6" x 2" phenolic casters (2 rigid, 2 locking swivel)
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- · Side handle for easy manuvering
- Double doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- · Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (in.)	Shelves	Ship Wt. (Lbs.)
HDCM36-4S-95	36 x 24 x 80	4	544
HDCM48-4S-95	48 x 24 x 80	4	583

MOBILE CABINETS



WITH HOOK-ON-BINS® AND ADJUSTABLE SHELVES

16 Gauge Mobile Cabinet with Bins & 2 Shelves (Shelf capacity 500 lbs.)

- Industrial duty, all welded 16-gauge steel
- 6" x 2" phenolic casters (2 rigid, 2 locking swivel)
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Full height welded piano hinges for increased strength and rigidity of doors
- Double doors open at 180° for full access to product
- Side handle for easy manuvering

- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Adjustable shelves rest on louvered panels and adjust on 4" centers. No tools required for installation
- Hook-On-Bins® by Durham are included
- Hook-On-Bins® installed easily with no tools required
- · Cabinets ship fully assembled
- · Durable, gray, textured powder coat finish

Model	Dim: WxDxH (in.)	Bins Dim WxDxH (in.)	No. Of Shelves	Ship Wt. (Lbs.)
2501M-BLP-12-2S	36 x 24 x 80	(12) 8 x 15 x 7	(2) adjustable	360
2502M-BLP-18-2S	48 x 24 x 80	(12) 8 x 15 x 7 (6) 16 x 15 x 7	(2) adjustable	406



FOB TX

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins

14 Gauge Mobile Cabinet with Bins & 2 Shelves (Shelf capacity 700 lbs.)

- Industrial duty, all welded 14-gauge steel
- 6" x 2" phenolic casters (2 rigid, 2 locking swivel)
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Full height welded piano hinges for increased strength and rigidity of doors
- Double doors open at 180° for full access to product
- · Side handle for easy manuvering

- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Adjustable shelves rest on louvered panels and adjust on 4" centers. No tools required for installation
- Hook-On-Bins® by Durham are included
- Hook-On-Bins® installed easily with no tools required
- · Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

Model	Dim: WxDxH (in.)	Bins Dim WxDxH (in.)	No. Of Shelves	Ship Wt. (Lbs.)
3501M-BLP-12-2S	36 x 24 x 80	(12) 8 x 15 x 7	(2) adjustable	456
3502M-BLP-18-2S	48 x 24 x 80	(12) 8 x 15 x 7 (6) 16 x 15 x 7	(2) adjustable	514



Model 3502M-BLP-18-2S-5295

FOB TX

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins

12 Gauge Mobile Cabinet with Bins & 2 Shelves (Shelf capacity 900 lbs.)

- Extra heavy duty, all welded 12-gauge steel
- 6" x 2" phenolic casters (2 rigid, 2 locking swivel)
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- · Side handle for easy manuvering

- Fully welded louvered panels accommodate Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools
- Doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- · Durable, gray, textured powder coat finish



Model HDCM36-12-2S95

Model	Dim: WxDxH (in.)	Bins Dim WxDxH (in.)	No. Of Shelves	Ship Wt. (Lbs.)
HDCM36-12-2S	36 x 24 x 80	(12) 8 x 15 x 7	(2) adjustable	447
HDCM48-18-2S	48 x 24 x 80	(12) 8 x 15 x 7 (6) 16 x 15 x 7	(2) adjustable	573

FOB TX

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins

MOBILE CABINETS

WITH HOOK-ON-BINS®





Model 2502M-BLP-42-1795

Model

3501M-BLP-30-5295

Model HDCM48-42-95

16 Gauge Mobile Cabinet with Bins (Overall capacity of 2,800 lbs)

- Industrial duty, all welded 16-gauge steel
- 6" x 2" phenolic casters (2 rigid, 2 locking swivel)
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Full height welded piano hinges for increased strength and rigidity of doors
- Double doors open at 180° for full access to product
- · Side handle for easy manuvering
- Fully welded louvered panels reinforce back of unit and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included
- Hook-On-Bins® installed easily with no tools required
- · Cabinets ship fully assembled
- · Durable, gray, textured powder coat finish


Model	Overall Dim: WxDxH (In.)	Bins Dim WxDxH (In.)	Ship Wt. (Lbs.)
2501M-BLP-30	36 x 24 x 80	(12) 6 x 11 x 5 (12) 8 x 15 x 7 (6) 16 x 15 x 7	350
2502M-BLP-42	48 x 24 x 80	(24) 6 x 11 x 5 (12) 8 x 15 x 7 (6) 16 x 15 x 7	378

FOB TX

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins

14 Gauge Mobile Cabinet Bins (Overall capacity of 3,600 lbs)

- · Heavy duty, all welded 14 gauge steel
- 6" x 2" phenolic casters (2 rigid, 2 locking swivel)
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Full height welded piano hinges for increased strength and rigidity of doors
- Double doors open at 180° for full access to product
- · Side handle for easy manuvering
- Fully welded louvered panels reinforce back of unit and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included
- Hook-On-Bins® installed easily with no tools required
- · Cabinets ship fully assembled
- Durable, gray, textured powder coat finish



FOB TX Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins

12 Gauge Mobile Bin Cabinet (Overall capacity of 3,600 lbs)

- Extra heavy duty, all welded 12-gauge steel
- 6" x 2" phenolic casters (2 rigid, 2 locking swivel)
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- Side handle for easy manuvering
- Fully welded louvered panels reinforce back of unit and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools
- Doors open at 180° for full access to product
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Bins Dim WxDxH (In.)	Ship Wt. (Lbs.)
HDCM36-30	36 x 24 x 80	(12) 6 x 11 x 5 (12) 8 x 15 x 7 (6) 16 x 15 x 7	475
HDCM48-42	48 x 24 x 80	(24) 6 x 11 x 5 (12) 8 x 15 x 7 (6) 16 x 15 x 7	573

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins







SPECIALITY CABINETS

WITH DRAWERS, SHELVES AND HOOK-ON-BINS®







Model 3501524RDR-95

Model JCBDLP694RDR-5295

Cabinets with Hook-On-Bins, Shelves, Door Shelves & Drawers

- · Heavy duty, all welded, 14 gauge steel
- Drawers move in and out easily on ball bearing slides; 250 lbs. capacity
- 3-point locking system with keyed handle and lock rods,
 4 keys included
- Full height welded piano hinges for increased strength and rigidity of doors
- Double doors open at 180° for full access to product
- Adjustable shelves rest on louvered panels and adjust on 4" centers. No tools required for installation
- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and can be installed easily with no tools required
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Bins Dim: WxDxH (In.)	Drawer Dim: WxDxH (In.)	Shelf Dim: WxDxH (In.)	Ship Wt. (Lbs.)
4" Deep Box Style	Door - Main cabinet is 20"[); box style 4"D doors m	akes full cabinet depth 24"		
DCBDLP524RDR	36 x 24 x 72	(36) 4 x 5 x 3 (12) 6 x 11 x 5 (4) 8 x 15 x 7	(2) 28-13/16 X 14-11/16 X 2 (1) 28-13/14 X 14-11/16 X 4 (1) 28-13/14 X 14-11/16 X 5	(1) 35-1/2 x 16-3/8 (12) 12 x 4 door shelves	535
DCBDLP584RDR	36 x 24 x 72	(36) 4 x 5 x 3 (18) 6 x 11 x 5 (4) 8 x 15 x 7	(2) 28-13/16 X 14-11/16 X 2 (1) 28-13/14 X 14-11/16 X 4 (1) 28-13/14 X 14-11/16 X 5	(1) 35-1/2 x 16-3/8 (12) 12 x 4 door shelves	547
DCBDLP694RDR	48 x 24 x 72	(48) 4 x 5 x 3 (8) 6 x 11 x 5 (11) 8 x 15 x 7 (2) 16 x 15 x 7	(2) 40-13/16 X 14 11/16 X 3 (1) 40-13/16 X 14 11/16 X 5 (1) 40-13/16 X 14 11/16 X 6	(1) 47-1/2 x 16-3/8 (12) 18 x 4 door shelves	579
DCBDLP724RDR	48 x 24 x 72	(56) 4 x 5 x 3 (8) 6 x 11 x 5 (6) 8 x 15 x 7 (2) 16 x 15 x 7	(2) 40-13/16 X 14 11/16 X 3 (1) 40-13/16 x 14 11/16 X 5 (1) 40-13/16 x 14 11/16 X 6	(2) 47-1/2 x 16-3/8 *(12) 11-1/2 x 3-3/4 *door shelves	612
Flush Doors - Louve	ered Panel on Back and Do	oors			
3501524RDR	36 x 24 x 72	(36) 4 x 5 x 3 (12) 6 x 11 x 5 (4) 8 x 15 x 7	(2) 28-13/16 X 14-11/16 X 2 (1) 28-13/14 X 14-11/16 X 4 (1) 28-13/14 X 14-11/16 X 5	(1) 35-1/2 x 16-3/8 (12) 12 x 4 door shelves	482
3501584RDR	36 x 24 x 72	(36) 4 x 5 x 3 (18) 6 x 11 x 5 (4) 8 x 15 x 7	(2) 28-13/16 X 14-11/16 X 2 (1) 28-13/14 X 14-11/16 X 4 (1) 28-13/14 X 14-11/16 X 5	(1) 35-1/2 x 16-3/8 (12) 12 x 4 door shelves	486
Flush Doors - Louve	ered Panel on Back and Do	oors - 6"H base/legs whi	ich provide access for forklifts; pr	e-punched holes for lagging to t	he floor
JCBDLP694RDR	48 x 24 x 78	(48) 4 x 5 x 3 (8) 6 x 11 x 5 (11) 8 x 15 x 7 (2) 16 x 15 x 7	(2) 40-13/16 X 14 11/16 X 3 (1) 40-13/16 X 14 11/16 X 5 (1) 40-13/16 X 14 11/16 X 6	(1) 47-1/2 x 16-3/8 (12) 18 x 4 door shelves	450
JCBDLP724RDR	48 x 24 x 78	(56) 4 x 5 x 3 (8) 6 x 11 x 5 (6) 8 x 15 x 7 (2) 16 x 15 x 7	(2) 40-13/16 X 14-11/16 X 3 (1) 40-13/16 X 14-11/16 X 5 (1) 40-13/16 X 14-11/16 X 6	(1) 47-1/2 x 16-3/8 (12) 18 x 4 door shelves	462
Accessories					
FDC-SH-3618-95		for 36" wide cabinet - 1		35-1/2 x 16-3/8	17
DSH-124-95	Exti	ra Door Shelf for 36" wid	11-1/2 x 3-3/4 (6 per pkg.)	12	
FDC-SH-4818-95		f for 48" wide cabinet -		47-1/2 x 16-3/8	24
DSH-184-95	Exti	ra Door Shelf for 48" wid	de cabinet	17-1/4 x 3-3/4 (6 per pkg.)	16

FOB TX

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins



SPECIALTY CABINETS





Model DC-243636-48-2S-1795

Table High Cabinet with 48 Bins & 2 Shelves (4" Deep Box Door Style)

- · Heavy duty, all welded 14-gauge steel
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Full height welded piano hinges for increased strength and rigidity of doors
- Double doors open at 180° for full access to product
- Adjustable shelves rest on louvered panels and adjust on 4" centers. No tools required for installation
- Hook-On-Bins® by Durham are included
- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Hook-On-Bins® installed easily with no tools required
- Main cabinet is 20"D; box style 4"D doors make full cabinet depth 24"
- · Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Bins Dim: WxDxH (In.)	Shelf Dim: WxDxH (In.)	Ship Wt. (Lbs.)
DC-243636-48-2S	36 x 24 x 36	(48) 4 x 5 x 3	(4) 35-1/2 x 16-3/8	646
FDC-SH-3618-95	Extra Shelf - 1250 lbs. capacity		35-1/2 x 16-3/8	17

FOB TX

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins



Model JSC-602460-95

Job Site Storage Cabinet for Outdoor Use

- All welded, 14 gauge steel with 16 gauge steel back
- Heavy duty, secure storage for outside applications
- 3 full width shelves are welded in place
- Double doors have protected pad-lock attachment (Pad-lock not included)
- Skid plates allow access for forklift trucks
- Welded corners with drip shield to deflect rain provide protection from the elements
- · Side handles are included
- · Ships fully assembled ready for use
- Durable, gray, textured powder coat finish

Model	Dim: WxDxH (In.)	Shelf capacity (Lbs.)	Ship Wt. (Lbs.)
JSC-602460-95	61-1/8 x 26-5/16 x 62	1450	460

FOB TX

Table High Heavy Duty Secure Storage Cabinets



- Industrial duty, all welded 16 gauge steel
- Table height creates convenient work surface
- 1 fixed shelf is welded into place
- 6" legs make units fork liftable
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Back and end stops to prevent product from falling off
 - Narrow 24"D x 24"W unit fits into tighter spaces
- · Ships fully assembled, ready for use
- Durable, gray, textured powder coat finish

Model	Dim: WxDxH (In.)	Ship Wt. (Lbs.)
3010-95	24 x 24 x 33-5/8	128
3000-95	36 x 24 x 33-5/8	158



SPECIALTY CABINETS



36" Wide Heavy Duty, Space saving, High Security, Bi-Fold Door **Cabinets**

- Heavy duty, all welded 14 or 12 gauge construction
- Space-saving bi-fold doors
- Standard doors on a 36" cabinet swing out 18" while the Durham bi-fold door swings out a maximum of 9"
- Adjustable shelves rest on louvered uprights and adjust on 4" centers (no tools required)
- · Perfect for tight areas where most cabinets would not fit
- Magnets are included to keep doors in the open folded position

- Ultimate security features 8-point locking
- Two pad-lockable handles with four lock rods each ensure safety and security of items inside the cabinet
- Model 4050-3S-95 features 6"H base/ legs which provide access for foklifts; prepunched holes allow for lagging to the floor. (constructed of 3/16" steel)
- Durable, gray, textured powder coat finish



3950-3S-95


Model	Dim: WxDxH (In.)	No. Shelves	Shelf capacity (Lbs.)	Gauge	Ship Wt. (Lbs.)
3950-3S-95	36 x 18 x 72	3	1250	14	294
3952-4S-95	36 x 18 x 84	4	1250	14	314
FDC-SH-3618-95	16-3/8 x 35-1/2	Extra Shelf	1250	14	17
3951-38-95	36 x 24 x 72	3	1000	14	366
3953-48-95	36 x 24 x 84	4	1000	14	422
FDC-SH-3624-95	21-3/8 x 35-1/2	Extra Shelf	1000	14	21
4050-3S-95	36 x 24 x 78	3	1900	12	466
HDC-SH-2436-95	33-15/16 X 20-27/32	Extra Shelf	1900	12	21

FOB TX

Small Parts Storage & Security Cabinet with 112 Steel Pigeon Hole Bins & 96 Hook-On-Bins® (Flush Door Style)

- Heavy duty, all welded 14 gauge steel
- · 3-point locking system with keyed handle and lock rods, 4 keys included
- · Full height welded piano hinges for increased strength and rigidity of doors
- Doors open at full 180° for full access to product
- Fully welded louvered panels reinforce door and accomodate Hook-On-Bins®
- Hook-On-Bins® by Durham are included
- (112) 12" deep pigeon hole bins enclosed, perfect for storage of fasteners, high value small parts, etc.
- Durable, gray, textured powder coat finish

Model	Dim: WxDxH (In.)	Hook-On Bins® (In.)	Pigeon Hole Bins	Ship Wt. (Lbs.)
3501-DLP-72/40B-96-95	36 x 24 x 72	(96) 4 x 5 x 3	(112) 12 Depth	454



3501-DLP-72/40B-96-5295

FOB TX Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins

36"W Small Parts Storage & Security Cabinet with 60 Jumbo Drawers & 96 Hook-On-Bins® (Flush Door Style)

- Heavy duty, all welded 14-gauge steel
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Full height welded piano hinges for increased strength and rigidity of doors
- Double doors open at 180° for full access to product
- Adjustable shelves rest on louvered panels and adjust on 4" centers. No tools required for installation
- Hook-On-Bins® by Durham are included
- 60 Jumbo. 3.5"H drawers each with 2 dividers adjustable on 1" centers (extra dividers are available)
- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Hook-On-Bins® installed easily with no tools required
- Durable, gray, textured powder coat finish



Model 3501-DLP-60DR11-96-2S-95

Model	Dim: WxDxH (In.)	Shelves	Shelf Cap. (Lbs.)	Hook-On-Bins® (In.)	Drawers WxDxH (In.)	Ship Wt. (Lbs.)
3501-DLP-60DR11-96-2S-95	36 x 24 x 72	2	900	(96) 4 x 5 x 3	(60) 5.375 x 11.25 x 3.5	532

FOB TX

Use suffix 95 for Yellow Bins, 1795 for Red Bins and 5295 for Blue Bins



SPECIALITY CABINETS





Model 3500-HDL-95

Janitorial Cabinets with Wardrobe/Broom Storage, 1 Fixed Shelf & 4 Adjustable Shelves

- Heavy duty, all welded 14-gauge steel
- EMDC model doors and sides feature punched diamond pattern allowing for quick visibility and ventilation of contents
- Model 3500 has solid doors and sides
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Full height welded piano hinges for increased strength and rigidity of doors
- Double doors open at 180° for full access to product
- · Ample space for broom storage
- · Hanger bar for uniforms, jackets, etc...
- Adjustable shelves rest on louvered panels and adjust on 4" centers. No tools required for installation
- · Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

Model	Dim: WxDxH (In.)	Shelves	Shelf Cap. (Lbs.)	Ship Wt. (Lbs.)
EMDC-362484-HDL-95	36 x 24 x 84	5 (4 adj, 1 fixed)	300 (4), 900 (1)	358
3500-HDL-95	36 x 24 x 84	5 (4 adj, 1 fixed)	300 (4), 900 (1)	376

FOB TX



5-S Storage Cabinet with Steel Pegboard, 96 Bins & 2 Adjustable Shelves (Shelf capacity of 1,250 lbs.)

- Heavy duty, all welded 14 gauge steel
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Fully welded piano hinges for increased strength and rigidity of doors
- Fully welded louvered panels reinforce door and hold Hook-OnBins®
- Double doors open at 180° for full access to product
- Adjustable shelves rest on louvered uprights and adjust on 4" centers (no tools required)
- Pegboard holes are ¼" diameter and are punched on 1" centers They accommodate standard peg hooks. (peg hooks not included)
- · Durable, gray, textured powder coat finish

Model 3501-DLP-PB-96-2S-95

Model	Dim: WxDxH (In.)	Shelves	Hook-On Bins®	Peg Board Dim: WxH (In.)	Ship Wt. (Lbs.)
3501-DLP-PB-96-2S-95	36 x 24 x 72	2	(96) 4 x 5 x 3	36 x 24	431
FDC-SH-3618-95	35-1/2 x 16-3/8		1,250 lbs. capacity		17

FOB TX

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins



Ventilated 5-S Storage Cabinet with Steel Pegboard & 2 Adjustable Shelves (Shelf capacity 750 lbs.)

- Heavy duty, all welded 14 gauge steel
- Flush doors feature punched diamond pattern allowing for quick visibility an ventilation of contents
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Double doors open at 180° for full access to product
- Fully welded piano hinges for increased strength and rigidity of doors
- Adjustable shelves rest on louvered uprights and adjust on 4" centers (no tools required)
- Pegboard holes are ¼" diameter and are punched on 1" centers They accommodate standard peg hooks. (peg hooks not included)
- Durable, gray, textured powder coat finish

Model EMDC-482472-PB-2S-95

Model	Dim: WxDxH (In.)	Shelves	Peg Board Dim: WxH (In.)	Ship Wt. (Lbs.)
EMDC-482472-PB-2S-95	48 x 24 x 72	2	48 x 24	392
FDC-SH-4824-95	47-1/2 x 21-3/8	Extra	750 lbs. capacity	24





16 GAUGE CABINETS WITH HOOK-ON-BINS®

Cabinet with 126 Bins (Flush Door Style)

- Industrial duty, all welded 16-gauge steel
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Full height welded piano hinges for increased strength and rigidity of doors
- Double doors open at 180° for full access to product
- · Hook-On-Bins® by Durham are included
- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Hook-On-Bins® installed easily with no tools required
- · Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

Model	Dim: WxDxH (in.)	Bins Dim WxDxH (In.)	Ship Wt. (Lbs.)
2501-BDLP-126	36 x 24 x 72	(48) 4 x 5 x 3 (48) 4 x 7 x 3 (12) 6 x 11 x 5 (12) 8 x 15 x 7 (6) 16 x 15 x 7	354

FOB TX

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins



Model 2501-BDLP-126-1795

Cabinet with 156 Bins (Flush Door Style)

- Industrial duty, all welded 16-gauge steel
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Full height welded piano hinges for increased strength and rigidity of doors
- Double doors open at 180° for full access to product
- Hook-On-Bins® by Durham are included
- Fully welded louvered panels reinforce door and accomodate Hook-On-Bins®
- Hook-On-Bins® installed easily with no tools required
- · Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

Model	Dim: WxDxH (In.)	Bins Dim WxDxH (In.)	Ship Wt. (Lbs.)
2603-156B	36 x 18 x 84	(96) 4 x 5 x 3 (60) 6 x 11 x 5	283

FOB TX

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins



Modei 2603-156B-95

Cabinet with 138 Bins (Flush Door Style)

- Industrial duty, all welded 16-gauge steel
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Full height welded piano hinges for increased strength and rigidity of doors
- Double doors open at 180° for full access to product
- Hook-On-Bins® by Durham are included
- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Hook-On-Bins® installed easily with no tools required
- · Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

Model	Dim: WxDxH (in.)	Bins Dim WxDxH (In.)	Ship Wt. (Lbs.)
		(48) 4 x 5 x 3	
		(48) 4 x 7 x 3	
2500-138B	36 x 24 x 84	(24) 6 x 11 x 5	364
		(12) 8 x 15 x 7	
		(6) 16 x 15 x 7	

FOB TX


Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins



Model 2500-138B-5295

WITH HOOK-ON-BINS® AND ADJUSTABLE SHELVES





Cabinet with 102 Bins & 3 Shelves (Flush Door Style)

- Industrial duty, all welded 16-gauge steel
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Full height welded piano hinges for increased strength and rigidity of doors
- Double doors open at 180° for full access to product
- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Adjustable shelves rest on louvered panels and adjust on 4" centers. No tools required for installation
- Hook-On-Bins® by Durham are included
- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Hook-On-Bins® installed easily with no tools required
- · Cabinets ship fully assembled
- · Durable, gray, textured powder coat finish

Model	Dim: WxDxH (In.)	Shelves	Shelf Cap. (Lbs.)	Bins Dim WxDxH (In.)	Ship Wt. (Lbs.)
2501-BDLP-102-3S	36 x 24 x 72	3	1250	(48) 4 x 5 x 3 (48) 4 x 7 x 3 (6) 16 x 15 x 7	384
FDC-SH-3618-95	35-1/2 x 16-3/8	Extra	1250		17

FOB TX Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins

Cabinet with 186 Bins (Flush Door Style)

- Industrial duty, all welded 16-gauge steel
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Full height welded piano hinges for increased strength and rigidity of doors
- Double doors open at 180° for full access to product
- Hook-On-Bins® by Durham are included
- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Hook-On-Bins® installed easily with no tools required
- Cabinets ship fully assembled
- · Durable, gray, textured powder coat finish



FOB TX

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins

2502-186-1795

Model

Cabinet with 138 Bins & 3 Shelves (Flush Door Style)



Model 2502-138-3S-95

- Industrial duty, all welded 16-gauge steel
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Full height welded piano hinges for increased strength and rigidity of doors
- Double doors open at 180° for full access to product
- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Adjustable shelves rest on louvered panels and adjust on 4" centers. No tools required for installation
- Hook-On-Bins® by Durham are included
- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Hook-On-Bins® installed easily with no tools required
- · Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

Model	Dim: WxDxH (In.)	Bins Dim WxDxH (In.)	Shelf Dim WxDxH (In.)	Ship Wt. (Lbs.)
2502-138-3\$	48 x 24 x 72	(48) 4 x 5 x 3 (72) 4 x 7 x 3 (12) 8 x 15 x 7 (6) 16 x 15 x 7	(3) 47-1/2 x 16-3/8	490
FDC-SH-4818-95	Extra Shelf - 750 lbs. capcity		47-1/2 x 16-3/8	24

FOB TX

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins



WITH ADJUSTABLE SHELVES



Model 2501-4S-95



Cabinets with Adjustable Shelves (Flush Door Style)

- Industrial duty, all welded 16-gauge steel
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Full height welded piano hinges for increased strength and rigidity of doors
- Adjustable shelves rest on louvered panels and adjust on 4" centers. No tools required for installation
- Double doors open at 180° for full access to product
- 2505 & 2506 models have 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor. (Constructed of 3/16" steel)
- · Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelves	Shelf Cap. (Lbs.)	Ship Wt. (Lbs.)
2600-2S-95	36 x 18 x 48	2	700	218
2601-3S-95	36 x 18 x 60	3	700	254
2602-4S-95	36 x 18 x 72	4	700	304
2603-4S-95	36 x 18 x 84	4	700	309
FDC-SH-3618-95	35-1/2 x 16-3/8	Extra Shelf	700	17
2503-2S-95	36 x 24 x 42	2	700	245
2501-4S-95	36 x 24 x 72	4	700	354
2500-4S-95	36 x 24 x 84	4	700	371
FDC-SH-3624-95	35-1/2 x 21-3/8	Extra Shelf	700	21
2502-4S-95	48 x 24 x 72	4	500	394
2505-4S-95	48 x 24 x 78	4	500	444
2504-4S-95	48 x 24 x 84	4	500	440
FDC-SH-4824-95	47-1/2 x 21-3/8	Extra Shelf	500	24
2506-4S-95	60 x 24 x 84	4	300	554
FDC-SH-6024-95	59-1/2 x 21-3/8	Extra Shelf	300.	36

FOB TX

WITH HOOK-ON-BINS®











Model 3602-BLP-36-1795

Model 3603-156B-5295

Model DC-BDLP-132-95

Model JC-171-95

Cabinet with Hook-On-Bins®

- Heavy duty, all welded 14-gauge steel
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Full height welded piano hinges for increased strength and rigidity of doors
- Double doors open at 180° for full access to product
- Hook-On-Bins® by Durham are included
- Fully welded louvered panels reinforce cabinet and hold Hook-On-Bins®
- Hook-On-Bins® installed easily with no tools required
- · Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Bins Dim: WxDxH (In.)	Ship Wt. (Lbs.)			
Flush Doors - Louvered Panel on Back	(
3602-BLP-36	36 x 18 x 72	(18) 6 x 11 x 5 (12) 8 x 15 x 7 (6) 16 x 15 x 7	413			
Flush Doors - Louvered Panel on Back	Flush Doors - Louvered Panel on Back and Doors					
3501-BDLP-132	36 x 24 x 72	(48) 4 x 5 x 3 (48) 4 x 7 x 3 (18) 6 x 11 x 5 (12) 8 x 15 x 7 (6) 16 x 15 x 7	422			
3500-138B	36 x 24 x 84	(48) 4 x 5 x 3 (48) 4 x 7 x 3 (24) 6 x 11 x 5 (12) 8 x 15 x 7 (6) 16 x 15 x 7	397			
3603-156B	36 x 18 x 84	(96) 4 x 5 x 3 (60) 6 x 11 x 5	376			
4" Deep Box Style Door - Main cabine	t is 20"D; box style 4"D doors makes full o	cabinet depth 24"				
DC-BDLP-132	36 x 24 x 72	(48) 4 x 5 x 3 (48) 4 x 7 x 3 (18) 6 x 11 x 5 (12) 8 x 15 x 7 (6) 16 x 15 x 7	546			
Flush Doors - Louvered Panel on Back	and Doors - 6"H base/legs which provide	access for forklifts; pre-punched	holes for lagging to the floor			
JC-171	48 x 24 x 78	(64) 4 x 5 x 3 (64) 4 x 7 x 3 (24) 6 x 11 x 5 (13) 8 x 15 x 7 (6) 16 x 15 x 7	540			

FOB TX Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins



14 GAUGE CABINETS WITH HOOK-ON-BINS®







Model 3502-186-5295

Model DC48-176-1795

Model SSC-722484-BDLP-264-95

Cabinet with Hook-On-Bins®

- Heavy duty, all welded 14-gauge steel
- 3-point locking system with chrome keyed handle and 5/16" diameter lock rods. SSC units have a chrome handle with a padlockable hasp
- Full height welded piano hinges for increased strength and rigidity of doors
- Double doors open at 180° for full access to product
- Hook-On-Bins® by Durham are included
- Fully welded louvered panels reinforce cabinet and hold Hook-On-Bins®
- Hook-On-Bins® installed easily with no tools required
- · Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Bins Dim: WxDxH (In.)	Ship Wt. (Lbs.)
Flush Doors - Louvered Panel on Back	and Doors		
3502-186	48 x 24 x 72	(48) 4 x 5 x 3 (96) 4 x 7 x 3 (24) 6 x 11 x 5 (12) 8 x 15 x 7 (6) 16 x 15 x 7	416
Flush Doors - Louvered Panel on Back	and Doors - 6"H base/legs which provide	access for forklifts; pre-punched	holes for lagging to the floor
SSC-227 SSC-227-NL (no legs)	60 x 24 x 84 60 x 24 x 78	(80) 4 x 5 x 3 (90) 4 x 7 x 3 (30) 6 x 11 x 5 (18) 8 x 15 x 7 (9) 16 x 15 x 7	827 803
SSC-722484-BDLP-264	72 x 24 x 84	(96) 4 x 5 x 3 (96) 4 x 7 x 3 (36) 6 x 11 x 5 (24) 8 x 15 x 7 (12) 16 x 15 x 7	889
4" Deep Box Style Door - Main cabine	t is 20"D; box style 4"D doors makes full c	abinet depth 24"	
DC48-176	48 x 24 x 72	(64) 4 x 5 x 3 (64) 4 x 7 x 3 (24) 6 x 11 x 5 (18) 8 x 15 x 7 (6) 16 x 15 x 7	546
SJC-BDLP-192	48 x 24 x 84	(72) 4 x 5 x 3 (72) 4 x 7 x 3 (24) 6 x 11 x 5 (18) 8 x 15 x 7 (6) 16 x 15 x 7	579

FOB TX Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins

WITH HOOK-ON-BINS® AND ADJUSTABLE SHELVES











Model DC36-642S6DS-5295 Model DC48-128-4S-95 Model DC-DLP-96-4S-1795 Model DC48-842S6DS-95

Cabinets with Hook-On-Bins, Shelves & Door Shelves (4" Deep Box Door Style)

- Heavy duty, all welded 14-gauge steel
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Full height welded piano hinges for increased strength and rigidity of doors
- Double doors open at 180° for full access to product
- Adjustable shelves rest on louvered panels and adjust on 4" centers. No tools required for installation
- . Hook-On-Bins® by Durham are included
- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Hook-On-Bins® installed easily with no tools required
- Main cabinet is 20"D; box style 4"D doors make full cabinet depth 24"
- Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Bins Dim: WxDxH (In.)	Shelf Dim: WxDxH (In.)	Ship Wt. (Lbs.)	
DC-DLP-96-4S	36 x 24 x 72	(96) 4 x 5 x 3	(4) 35-1/2 x 16-3/8	428	
DC36-642S6DS	36 x 24 x 72	(48) 4 x 7 x 3	(2) 35-1/2 x 16-3/8	464	
	30 / 2 : /	(16) 8 x 15 x 7	(6) 11-1/2 x 3-3/4		
DC36-78-6DS-95	48 x 24 x 72	(48) 4 x 7 x 3 (18) 6 x 11 x 5 (12) 8 x 15 x 7 (6) 16 x 15 x 7	(6) 12 x 4	546	
DC36-48-4S6DS	36 x 24 x 72	(48) 4 x 5 x 3	(4) 47-1/2 x 16-3/8	427	
DC30-48-430D3	30 x 24 x 72	(46) 4 X 3 X 3	(6) 11-1/2 x 3-3/4	421	
DC48-128-4S	48 x 24 x 72	(128) 4 x 5 x 3	(4) 47-1/2 x 16-3/8	516	
DC48-842S6DS	48 x 24 x 72	(64) 4 x 7 x 3	(2) 47-1/2 x 16-3/8	543	
0046-8423003	46 X 24 X 12	(20) 8 x 15 x 7	(6) 17-1/4 x 3-3/4	545	
DC48-114-6DS	48 x 24 x 72	(72) 4 x 7 x 3 (24) 6 x 11 x 5 (12) 8 x 15 x 7 (6) 16 x 15 x 7	(6) 17-1/4 x 3-3/4	550	
DC48-724S6DS	DC48-724S6DS 48 x 24 x 72 (72) 4 x 5 x 3	(72) 4 x 5 x 3	(4) 47-1/2 x 16-3/8	525	
DC46-7 2430D3	46 X 24 X 72	(12) 4 X 5 X 5	(6) 17-1/4 x 3-3/4	525	
Accessories					
FDC-SH-3618-95	Extra Shelf for 36" wide ca	binet - 1250 lbs. capacity	35-1/2 x 16-3/8	17	
DSH-124-95	Extra Door Shelf for 36" wide cabinet		11-1/2 x 3-3/4 (6 per pkg.)	12	
FDC-SH-4818-95	Extra Shelf for 48" wide ca	abinet - 750 lbs. capacity	47-1/2 x 16-3/8	24	
DSH-184-95	Extra Door Shelf for	48" wide cabinet	17-1/4 x 3-3/4 (6 per pkg.)	16	

FOB TX

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins

For additional information visit our website: www.durhammfg.com

Contact us at: info@durhammfg.com





14 GAUGE CABINETS WITH HOOK-ON-BINS® AND ADJUSTABLE SHELVES



Cabinets with Hook-On-Bins & Shelves (Flush Door Style)

- · Heavy duty, all welded 14-gauge steel
- 3-point locking system with chrome keyed handle and 5/16" diameter lock rods. SSC units have a chrome handle with a padlockable hasp
- Full height welded piano hinges for increased strength and rigidity of doors
- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Hook-On-Bins® installed easily with no tools required
- Hook-On-Bins® by Durham are included
- Double doors open at 180° for full access to product
- Adjustable shelves rest on louvered panels and adjust on 4" centers. No tools required for installation
- · Cabinets ship fully assembled
- · Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Bins Dim WxDxH (In.)	Shelf Dim WxDxH (In.)	Ship Wt. (Lbs.)
Louvered Panel on Back				
3602-BLP-14-2S	36 x 18 x 72	(12) 8 x 15 x 7 (2) 16 x 15 x 7	(2) 35-1/2 x 16-3/8	417
Louvered Panel on Back and	d Doors			
3501-BDLP-102-3S	36 x 24 x 72	(48) 4 x 5 x 3 (48) 4 x 7 x 3 (6) 16 x 15 x 7	(3) 35-1/2 x 16-3/8	468
3502-138-3\$	48 x 24 x 72	(48) 4 x 5 x 3 (72) 4 x 7 x 3 (12) 8 x 15 x 7 (6) 8 x 15 x 7	(3) 35-1/2 x 16-3/8	416
Louvered Panel on Back and	d Doors - 6"H base/legs which p	rovide access for forklifts; pre-	punched holes for lagging to the floo	r
JC-137-3S	48 x 24 x 78	(64) 4 x 5 x 3 (64) 4 x 7 x 3 (3) 8 x 15 x 7 (6) 16 x 15 x 7	(3) 47-1/2 x 16-3/8	570
SSC-185-3S SSC-185-3S-NL (no legs)	60 x 24 x 84 60 x 24 x 78	(80) 4 x 5 x 3 (90) 4 x 7 x 3 (9) 8 x 15 x 7 (6) 16 x 15 x 7	(3) 59-1/2 x 16-3/8	710 686
SSC-722484-BDLP-212-3S	72 x 24 x 84	(96) 4 x 5 x 3 (96) 4 x 7 x 3 (8) 8 x 15 x 7 (12) 16 x 15 x 7	(3) 71-1/2 x 16-3/8	856
Accessories				
FDC-SH-3618-95	Extra Shelf for 36" wide ca	binet - 1250 lbs. capacity	35-1/2 x 16-3/8	17
FDC-SH-4818-95	Extra Shelf for 48" wide ca	abinet - 750 lbs. capacity	47-1/2 x 16-3/8	24
FDC-SH-6018-95	Extra Shelf for 60" wide ca	abinet - 500 lbs capacity	59-1/2 x 16-3/8	30
FDC-SH-7218-95	Extra Shelf for 72" wide ca	abinet - 500 lbs capacity	71-1/2 x 16-3/8	31

FOB TX Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins



WITH HOOK-ON-BINS® AND ADJUSTABLE SHELVES





Cabinet with 16 Hook-On-Bins® & 3 Shelves (Recessed Door Style)

- Extra heavy duty, all welded 14-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools

- Doors open at 180° for full access to product
- · Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor. (Constructed of 3/16" steel)
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Bins Dim: WxDxH (In.)	Shelf capacity (Lbs.)	Ship Wt. (Lbs.)
3702-16-3S	36 x 24 x 78	(16) 8 x 15 x 7	1750	443
HDC-SH-1836-95	33-15/16 x 15-27/32	-	1750 - Extra Shelf	21

FOB TX

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins



Cabinet with 132 Hook-On-Bins® (Recessed Door Style)

- Extra heavy duty, all welded 14-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included

- and are easily installed without tools
- Doors open at 180° for full access to product
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor. (Constructed of 3/16" steel)
- · Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Bins Dim: WxDxH (In.)	Ship Wt. (Lbs.)
3702-132	36 x 24 x 78	(96) 4 x 5 x 3 (36) 8 x 15 x 7	472

FOB TX

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins

VALUE ADDED SERVICES FROM DURHAM

To make doing business easier and more efficient

- EDI (Electric Data Interchange) ordering and invoicing
- Automated Order Receipt and **Shipment Acknowledgement**
- Special Product Customization **Involving Colors, Company Names** and Logos. (Minimums apply)
- Online portal give you 24 hour access
 Other Information: to pricing, order entry, order status, invoicing and most tracking
- Email Orders: orders@durhammfg.com
- info@durhammfg.com

Easily Accessible Online Marketing Material including Catalogs and PDF Sell Sheets Available at: www.durhammfg.com/catalogs



14 GAUGE CABINETS WITH ADJUSTABLE SHELVES

Cabinets with Adjustable Shelves (Flush Door Style)

- Heavy duty, all welded 14 gauge steel
- Full height welded piano hinges for increased strength and rigidity of doors
- 3-point locking system with chrome keyed handle and 5/16" diameter lock rods. SSC units have a chrome handle with a padlockable hasp
- Choose from 42", 72" or 84" high cabinets
- Choose from units with 2, 3 or 4 shelves
- Adjustable shelves rest on louver uprights and adjust on 4" centers (no tools required)
- Doors open at 180° for full access
- · Durable, gray, textured powder coat finish



Model 3501-4S-95



Model JC-482478-5S-95

•				
Model	Overall Dim: WxDxH (In.)	Shelves	Shelf Cap. (Lbs.)	Ship Wt. (Lbs.)
3600-95	36 x 18 x 48	2	1250	232
3601-95	36 x 18 x 60	3	1250	289
3602-95	36 x 18 x 72	4	1250	334
3603-95	36 x 18 x 84	4	1250	376
FDC-SH-3618-95	35-1/2 x 16-3/8	Extra Shelf	1250	17
3500-95	36 x 24 x 84	3	1000	397
3501-95	36 x 24 x 72	3	1000	366
3501-4S-95	36 x 24 x 72	4	1000	385
3503-95	36 x 24 x 42	2	1000	249
FDC-SH-3624-95	35-1/2 x 21-3/8	Extra Shelf	1000	21
3502-95	48 x 24 x 72	3	750	394
3502-4S-95	48 x 24 x 72	4	750	416
FDC-SH-4824-95	47-1/2 x 21-3/8	Extra Shelf	750	24
Units with 6" High Box I	_egs/Base			
JC-482478-3S-95	48 x 24 x 78	3	750	416
JC-482478-4S-95	48 x 24 x 78	4	750	440
JC-482478-5S-95	48 x 24 x 78	5	750	464
FDC-SH-4824-95	47-1/2 x 21-3/8	Extra Shelf	750	24
SSC-602484-3S-95	60 x 24 x 84	3	500	540
SSC-602484-4S-95	60 x 24 x 84	4	500	564
SSC-602484-5S-95	60 x 24 x 84	5	500	587
FDC-SH-6024-95	59-1/2 x 21-3/8	Extra Shelf	500	36

FOB TX

Cabinet with Shelves and Door Shelves (4" Deep Box Door Style)

- · Heavy duty, all welded 14-gauge steel
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Full height welded piano hinges for increased strength and rigidity of doors
- Main cabinet is 20"D; box style 4"D doors make full cabinet depth 24"
- Double doors open at 180° for full access to product
- Adjustable shelves rest on louvered panels and adjust on 4" centers. No tools required for installation
- Fully welded louvered panels reinforce door and hold door shelves or Hook-On-Bins®
- · Cabinets ship fully assembled
- · Durable, gray, textured powder coat finish



SJC-DLP-4S-14DS-95

Model	Overall Dim: WxDxH (In.)	Shelf Dim: WxDxH (In.)	Shelf capacity (Lbs.)	Ship Wt. (Lbs.)
DC36-4S12DS-95	36 x 24 x 72	(4) 35-1/2 x 16-3/8 Door Shelves: (12) 11-1/2 x 3-3/4	1250	416
FDC-SH-3618-95	Extra Shelf	35-1/2 x 16-3/8	1250	17
DSH-124-95	Extra Door Shelf	11-1/2 X 3-3/4 (pkg of 6)	-	12
DC48-4S12DS-95	48 x 24 x 72	(4) 47-1/2 x 16-3/8 Door Shelves: (14) 18x4	750	523
SJC-DLP-4S-14DS-95	48 x 24 x 84	(4) 47-1/2 x 16-3/8 Door Shelves: (14) 18x4	750	544
FDC-SH-4818-95	Extra Shelf	47-1/2 x 16-3/8	750	24
DSH-184-95	Extra Door Shelf	18 x 4	-	16

CUSTOMIZABLE WITH NO BINS OR SHELVES







JC-482478-BDLP-95



Model 3602-BLP-95



SSC-602484-BDLP-95

Customizable Cabinet with No Bins or Shelves (Flush Door Style)

- Heavy duty, all welded 14-gauge steel
- 3-point locking system with chrome keyed handle and 5/16" diameter lock rods. SSC units have a chrome handle with a padlockable hasp
- Full height welded piano hinges for increased strength and rigidity of doors
- Double doors open at 180° for full access to product
- Fully welded louvered panels reinforce door and hold Hook-On-Bins® (accessory)
- Hook-On-Bins[®] installed easily with no tools required
- · Cabinets ship fully assembled
- Optional Shelves or Hook-On-Bins® available as accessory
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelf capacity (Lbs.)	Shelves	Ship Wt. (Lbs.)			
Flush Doors - Louvered Panel on Back and Doors							
3501-BDLP-95	36 x 24 x 72	-	Empty Cabinet	337			
3602-BLP-95	36 x 18 x 72	-	Empty Cabinet	361			
FDC-SH-3618-95	35-1/2 x 16-3/8	1250	Extra Shelf	17			
Flush Doors - Louvered Panel on Back and Doors - 6"H base/legs which provide access for forklifts; pre-punched holes for lagging to the floor							
JC-482478-BDLP-95	48 x 24 x 78	-	Empty Cabinet	445			
FDC-SH-4818-95	47-1/2 x 16-3/8	750	Extra Shelf	24			
SSC-602484-BDLP-95	60 x 24 x 84	-	Empty Cabinet	581			
FDC-SH-6018-95	59-1/2 x 16-3/8	500	Extra Shelf	30			
4" Deep Box Style Door - Main cabinet is 20"D; box style 4"D doors makes full cabinet depth 24"							
DC-482472-BDLP-95	48 x 24 x 72		Empty Cabinet	426			
SJC-BDLP-95	48 x 24 x 84		Empty Cabinet	481			
FDC-SH-4818-95	47-1/2 x 16-3/8	750	Extra Shelf	24			

FOB TX



- Manufactured by Durham MFG.
- Available in 3 Colors, 5 Sizes
- Dividers can be placed horizontally or vertically
- Made of durable Polypropylene

SEE PAGE 94 FOR FULL SELECTION OF HOOK-ON-BINS® AND DIVIDERS

WITH HOOK-ON-BINS®

Ventilated Cabinets with 45 Bins (Flush Door Style)

- Heavy Duty, all welded 14-gauge steel
- Punched diamond pattern in doors allows content visibility and ventilation
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Full height welded piano hinges for increased strength and rigidity of doors
- Double doors open at 180° for full access to product
- Fully welded louvered panels accommodate Hook-On-Bins®
- · Cabinets ship fully assembled
- Durable, gray, textured powder coat finish



Model EMDC361845B1795

	0.00	all Dim: WxDxH (In.)	Bins Dim WxDxH (In.)	Ship Wt. (Lbs.)
EMDC36184	.5B	36 x 18 x 72	(45) 6 x 11 x 5	334

FOB TX

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins

Ventilated Cabinets with 30 Bins (Flush Door Style)

- Heavy Duty, all welded 14-gauge steel
- Punched diamond pattern in doors allows content visibility and ventilation
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Full height welded piano hinges for increased strength and rigidity of doors
- Double doors open at 180° for full access to product
- Fully welded louvered panels accommodate Hook-On-Bins®
- · Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Bins Dim WxDxH (In.)	Ship Wt. (Lbs.)
EMDC-361872-30B	36 x 18 x 72	(12) 6 x 11 x 5 (12) 8 x 15 x 7 (6) 16 x 15 x 7	310
EMDC-362472-30B	36 x 24 x 72	(12) 6 x 11 x 5 (12) 8 x 15 x 7 (6) 16 x 15 x 7	335



Model EMDC-361872-30B-5295

FOB TX

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins

Ventilated Cabinets with 42 Bins (Flush Door Style)

- Heavy Duty, all welded 14-gauge steel
- Punched diamond pattern in doors allows content visibility and ventilation
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Full height welded piano hinges for increased strength and rigidity of doors
- Double doors open at 180° for full access to product
- Fully welded louvered panels accommodate Hook-On-Bins®
- Cabinets ship fully assembled
- · Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Bins Dim WxDxH (In.)	Ship Wt. (Lbs.)
EMDC-481872-42B	48 x 18 x 72	(24) 6 x 11 x 5 (12) 8 x 15 x 7 (6) 16 x 15 x 7	350
EMDC-482472-42B	48 x 24 x 72	(24) 6 x 11 x 5 (12) 8 x 15 x 7 (6) 16 x 15 x 7	406



Model EMDC-481872-42B-95

FOB TX Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins

WITH HOOK-ON-BINS® AND ADJUSTABLE SHELVES





Model EMDC36182S15B1795

Ventilated Cabinets with 15 Bins & 2 Shelves (Flush Door Style)

- Heavy duty all welded 14 gauge steel construction
- Punched diamond pattern in doors allows content visibility and ventilation
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Full height welded piano hinges for increased strength and rigidity of doors
- Double doors open at 180°
- Adjustable shelves rest on louvered uprights and adjust on 4" centers (no tools required)
- Fully welded back louvered panels accommodate Hook-On-Bins®
- · Shelves and bins hook easily into place
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelf capacity (Lbs.)	Hook-On Bins® (In.)	Ship Wt. (Lbs.)
EMDC36182S15B	36 x 18 x 72	(2) 1250	15 - 6 x 11 x 7	318
FDC-SH-3618-95	35-1/2 x 16-3/8	Extra Shelf 1250	-	17
EMDC36242S15B	36 x 24 x 72	(2) 1250	15 - 6 x 11 x 7	352
FDC-SH-3624-95	35-1/2 x 21-3/8	Extra Shelf 1250	-	21

FOB TX

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins

Model EMDC-362472-18B-2S-5295

Model EMDC-481872-6B-3S-95

Ventilated Cabinets with 18 Bins & 2 Shelves (Flush Door Style)

- Heavy duty all welded 14 gauge steel construction
- Punched diamond pattern in doors allows content visibility and ventilation
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Full height welded piano hinges for increased strength and rigidity of doors
- Double doors open at 180°
- Adjustable shelves rest on louvered uprights and adjust on 4" centers (no tools required)
- Fully welded back louvered panels accommodate Hook-On-Bins®
- · Shelves and bins hook easily into place
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelf capacity (Lbs.)	Hook-On Bins® (In.)	Ship Wt. (Lbs.)
EMDC-361872-18B-2S	36 x 18 x 72	(2) 1250	(12) 8 x 15 x 7 (6) 16 x 15 x 7	310
FDC-SH-3618-95	35-1/2 x 16-3/8	Extra Shelf - 1250	-	17
EMDC-362472-18B-2S	36 x 24 x 72	(2) 1250	(12) 8 x 15 x 7 (6) 16 x 15 x 7	388
FDC-SH-3624-96	35-1/2 x 21-3/8	Extra Shelf - 1250	-	21

FOB TX

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins

Ventilated Cabinets with 6 Bins & 3 Shelves (Flush Door Style)

- Heavy duty all welded 14 gauge steel construction
- Punched diamond pattern in doors allows content visibility and ventilation
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Full height welded piano hinges for increased strength and rigidity of doors
- Double doors open at 180°
- Adjustable shelves rest on louvered uprights and adjust on 4" centers (no tools required)
- Fully welded back louvered panels accommodate Hook-On-Bins®
- Shelves and bins hook easily into place
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelf capacity (Lbs.)	Hook-On-Bins® (In.)	Ship Wt. (Lbs.)
EMDC-481872-6B-3S	48 x 18 x 72	(3) 750	(6) 16 x 15 x 7	350
FDC-SH-4818-95	47-1/2 x 16-3/8	Extra Shelf - 750	-	24
EMDC-482472-6B-3S	48 x 24 x 72	(3) 750	(6) 16 x 15 x 7	406
FDC-SH-4824-95	47-1/2 x 21-3/8	Extra Shelf - 750	-	24

FOB TX

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins





WITH HOOK-ON-BINS® AND ADJUSTABLE SHELVES

Ventilated Cabinets with 24 Bins & 2 Shelves (Flush Door Style)

- Heavy duty all welded 14 gauge steel construction
- Punched diamond pattern in doors allows content visibility and ventilation
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Full height welded piano hinges for increased strength and rigidity of doors
- Double doors open at 180°
- Adjustable shelves rest on louvered uprights and adjust on 4" centers (no tools required)
- Fully welded back louvered panels accommodate Hook-On-Bins®
- Shelves and bins hook easily into place
- · Cabinets ship full assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelf capacity (Lbs.)	Hook-On-Bins® (In.)	Ship Wt. (Lbs.)
EMDC-481872-24B-2S	48 x 18 x 72	(2) 750	(24) 8 x 15 x 7	350
FDC-SH-4818-95	47-1/2 x 16-3/8	Extra Shelf 750	-	24
EMDC-482472-24B-2S	48 x 24 x 72	(2) 750	(24) 8 x 15 x 7	406
FDC-SH-4824-95	47-1/2 x 21-3/8	Extra Shelf 750	-	30



Model EMDC-482472-24B-2S-95

FOB TX

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins

VENTILATED CABINETS

WITH ADJUSTABLE SHELVES

Heavy duty Ventilated Cabinets with 2, 3 & 4 Adjustable Shelves

(Flush Door Style)

- Heavy duty all welded 14 gauge steel construction
- Punched diamond pattern in doors allows content visibility and ventilation
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Full height welded piano hinges for increased strength and rigidity of doors
- Double doors open at 180°
- Adjustable shelves rest on louvered uprights and adjust on 4" centers (no tools required)
- · Shelves and bins hook easily into place
- · Cabinets ship full assembled
- · Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelves	Shelf capacity (Lbs.)	Ship Wt. (Lbs.)
EMDC-361848-95	36 x 18 x 48	2	1250	194
EMDC-361860-95	36 x 18 x 60	3	1250	229
EMDC-361872-95	36 x 18 x 72	4	1250	310
EMDC-361884-95	36 x 18 x 84	4	1250	334
FDC-SH-3618-95	Extra Shelf for 36 x 18	3 cabinets	1250	17
EMDC-362442-95	36 x 24 x 42	2	1000	234
EMDC-362472-95	36 x 24 x 72	3	1000	335
EMDC-362472-4S-95	36 x 24 x 72	4	1000	388
EMDC-362484-95	36 x 24 x 84	3	1000	374
FDC-SH-3624-95	Extra Shelf for 36 x 24	1 cabinets	1000	21
EMDC-481872-95	48 x 18 x 72	3	750	350
FDC-SH-4818-95	Extra Shelf for 48 x 18	3 cabinets	750	24
EMDC-482472-95	48 x 24 x 72	3	750	406
FDC-SH-4824-95	Extra Shelf for 48 x 24	1 cabinets	750	30



Model EMDC-361884-95

SPECIALITY VENTILATED CABINETS

LOCKER, 16 GAUGE, JANITORIAL



Visible Storage Locker (Flush Door Style)

- Industrial duty all welded 16 gauge steel construction
- Punched diamond pattern in doors allows content visibility and ventilation
- 3-point locking system with pad-lockable handle (Pad-lock not included)
- Full height welded piano hinges for increased strength and rigidity of door
- Adjustable shelves rest on louvered uprights and adjust on 4" centers (no tools required)
- Shelves install easily with no tools required
- Durable 6"H legs allow for floor lagging
- · Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelf capacity (Lbs.)	Ship Wt. (Lbs.)
VSC-242478-95	24 x 24 x 78	(4) 300	242

FOB TX



Model EMDC-2602-BLP-2S-95

16 Gauge Industrial Storage Cabinet (Flush Door Style)

- Industrial duty all welded 16 gauge steel construction
- Punched diamond pattern in doors allows content visibility
- 3-point locking system with pad-lockable handle (Pad-lock not included)
- Full height welded piano hinges for increased strength and rigidity of doors
- Double doors open at 180° for full access to product
- Double doors open at 180° for full access to product
- Adjustable shelves rest on louvered uprights and adjust on 4" centers (no tools required)
- · Cabinet ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelf capacity (Lbs.)	Ship Wt. (Lbs.)
EMDC-2600-BLP-95	36 x 18 x 48	=	190
EMDC-2602-BLP-2S-95	36 x 18 x 72	(2) 700	290

FOB TX

Model EMDC-2602-HDL-BLP-95

Janitorial Cabinets with Wardrobe/Broom Storage, 1 Fixed Shelf & 4 Adjustable Shelves (Flush Door Style)

- Industrial duty all welded 16 gauge steel construction
- Punched diamond pattern in doors allows content visibility
- 3-point locking system with keyed handle and lock rods, 4 keys included
- Full height welded piano hinges for increased strength and rigidity of doors
- Double doors open at 180°

- Adjustable shelves rest on louvered uprights and adjust on 4" centers (no tools required)
- Adjustable shelves have 300 lbs capacity, fixed shelf has 700 lbs. capacity (all weights evenly distributed)
- Ample space for broom storage
- Hanger bar for uniforms, jackets, etc...
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelves	Shelf Cap. (Lbs.)	Ship Wt. (Lbs.)
EMDC-2602-HDL-BLP-95	36 x 18 x 72	5 (4 adj, 1 fixed)	(4) 300, (1) 700	288



14 GAUGE CABINETS HEAVY DUTY WITH ADJUSTABLE SHELVES

Heavy Duty Lockable Storage Cabinets (Recessed Door Style)

- Heavy duty, all welded 14-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- Double doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for foklifts; pre-punched holes allow for lagging to the floor. (constructed of 3/16" steel)
- · Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelf capacity (Lbs.)	Ship Wt. (Lbs.)
3700-2S-95	36 x 24 x 42	(2) 1900	272
3701-3S-95	36 x 24 x 60	(3) 1900	347
3702-48-95	36 x 24 x 78	(4) 1900	396
HDC-SH-2436-95	33-15/16 x 20-27/32	Extra Shelf - 1900	21
3703-4\$-95	48 x 24 x 78	(4) 1200	468
HDC-SH-2448-95	45-15/16 x 20-27/32	Extra Shelf - 1200	26
3704-48-95	60 x 24 x 78	(4) 1650	564
HDC-SH-2460-95	57-15/16 x 20-27/32	Extra Shelf - 1650	37



FOB TX

12 GAUGE CABINETS

EXTRA HEAVY DUTY

Extra Heavy Duty Lockable Storage Cabinets (Recessed Door Style)

- Extra heavy duty, all welded 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- Double doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for foklifts; pre-punched holes allow for lagging to the floor. (constructed of 3/16" steel)
- Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (in.)	Shelf capacity (Lbs.)	Ship Wt. (Lbs.)
HDC-203678-4S95	36 x 20 x 78	(4) 1900	435
HDC-SH-2036-95	33-15/16 x 16-27/32	Extra Shelf - 1900	17
HDC-243666-3S95	36 x 24 x 66	(3) 1900	406
HDC-243678-4S95	36 x 24 x 78	(4) 1900	425
HDC-SH-2436-95	33-15/16 x 20-27/32	Extra Shelf - 1900	21
HDC-244866-3S95	48 x 24 x 66	(3) 1200	489
HDC-244878-4S95	48 x 24 x 78	(4) 1200	560
HDC-SH-2448-95	45-15/16 x 20-27/32	Extra Shelf - 1200	26
HDC-246066-3S95	60 x 24 x 66	(3) 1650	595
HDC-246078-4S95	60 x 24 x 78	(4) 1650	692
HDC-SH-2460-95	57-15/16 x 20-27/32	Extra Shelf - 1650	37
HDC-247266-3S95	72 x 24 x 66	(3) 1525	726
HDC-247278-4S95	72 x 24 x 78	(4) 1525	856
HDC-SH-2472-95	69-15/16 x 20-27/32	Extra Shelf - 1525	50



HDC-244878-4S95

EXTRA HEAVY DUTY COUNTER TOP



Model HDC-203636-2S95

Heavy Duty Counter Top Height Cabinets (Recessed Door Style)

- · Heavy duty, all welded 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- Double doors open at 180° for full access to product - 24" wide model only has one door
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- Cabinets ship fully assembled
- · Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelf capacity (Lbs.)	Ship Wt. (Lbs.)
HDC-202436-2S95	24 x 20 x 36	(2) 1900	184
HDC-SH-2024-95	21-15/16 x 16-27/32	Extra Shelf - 1900	17
HDC-203636-2S95	36 x 20 x 36	(2) 1900	242
HDC-203642-2S95	36 x 20 x 42	(2) 1900	266
HDC-SH-2036-95	33-15/16 x 16-27/32	Extra Shelf - 1900	17
HDC-243636-2S95	36 x 24 x 36	(2) 1900	267
HDC-243642-2S95	36 x 24 x 42	(2) 1900	292
HDC-SH-2436-95	33-15/16 x 20-27/32	Extra Shelf - 1900	21
HDC-244842-2S95	48 x 24 x 42	(2) 1200	355
HDC-SH-2448-95	45-15/16 x 20-27/32	Extra Shelf - 1200	26

FOB TX

EXTRA HEAVY DUTY CABINETS

VENTILATED SHELF CABINETS



Model HDCV243678-4S95

Extra Heavy Duty Lockable Ventilated Storage Cabinets

(Recessed Door Style)

- Extra heavy duty, all welded 12-gauge
- · Punched diamond pattern in doors allows content visibility and ventilation
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- Double doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for foklifts; pre-punched holes allow for lagging to the floor. (constructed of 3/16"
- · Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelf Capicity (Lbs.)	Ship Wt. (Lbs.)
HDCV243678-4S95	36 x 24 x 78	(4) 1900	470
HDC-SH-2436-95	33-15/16 x 20-27/32	Extra Shelf - 1900	21
HDCV244878-4S95	48 x 24 x 78	(4) 1200	548
HDC-SH-2448-95	45-15/16 x 20-27/32	Extra Shelf - 1200	26
HDCV246078-4S95	60 x 24 x 78	(4) 1650	666
HDC-SH-2460-95	57-15/16 x 20-27/32	Extra Shelf - 1650	37

EXTRA HEAVY DUTY CLEARVIEW W/ LEXAN DOORS

Extra Heavy Duty Clearview Lockable Storage Cabinets

(Recessed Door Style)

- Extra heavy duty, all welded 12-gauge steel
- Lexan doors allows content to be visible while protecting products from dust and the environment
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- Double doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for foklifts; pre-punched holes allow for lagging to the floor. (constructed of 3/16" steel)
- · Cabinets ship fully assembled
- · Durable, gray, textured powder coat finish

	1	
		Ų

Model HDCC244878-4\$95

Model	Overall Dim: WxDxH (In.)	Shelf capacity (Lbs.)	Ship Wt. (Lbs.)
HDCC244866-3S95	48 x 24 x 66	(3) 1200	487
HDCC244878-4S95	48 x 24 x 78	(4) 1200	571
HDC-SH-2448-95	45-15/16 x 20-27/32	Extra Shelf - 1200	26
HDCC246078-4S95	60 x 24 x 78	(4) 1650	699
HDC-SH-2460-95	57-15/16 x 20-27/32	Extra Shelf - 1650	37

FOB TX

EXTRA HEAVY DUTY CABINETS CLEARVIEW COUNTER TOP CABINET W/ LEXAN

Extra Heavy Duty Clearview Counter Top Lockable Storage Cabinets

(Recessed Door Style)

- Extra heavy duty, all welded 12-gauge steel
- Lexan doors allows content to be visible while protecting products from dust and the environment
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- Double doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- · Cabinets ship fully assembled
- Durable, gray, textured powder coat finish



Model	Overall Dim: WxDxH (In.)	Shelf capacity (Lbs.)	Ship Wt. (Lbs.)
HDCC202436-2S95	24 x 20 x 36	(2) 1900	182
HDC-SH-2024-95	21-15/16 x 16-27/32	(2) 1900	12
HDCC203636-2S95	36 x 20 x 36	(2) 1900	240
HDCC203642-2S95	36 x 20 x 42	(2) 1900	264
HDC-SH-2036-95	33-15/16 x 16-27/32	Extra Shelf - 1900	17
HDCC243636-2S95	36 x 24 x 36	(2) 1900	265
HDCC243642-2S95	36 x 24 x 42	(2) 1900	290
HDC-SH-2436-95	33-15/16 x 20-27/32	Extra Shelf - 1900	21
HDCC244842-2S95	48 x 24 x 42	(2) 1200	353
HDC-SH-2448-95	45-15/16 x 20-27/32	Extra Shelf - 1200	26

Model HDCC202436-2\$95

EXTRA HEAVY DUTY DOUBLE SHIFT

Extra Heavy Duty Lockable Double Shift Storage Cabinets

(Recessed Door Style)



- Double shift cabinet allows one shifts valuables to be stored while another is on duty
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- Double doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for foklifts; pre-punched holes allow for lagging to the floor. (constructed of 3/16" steel)
- · Cabinets ship fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelf Cap. (Lbs.)	Ship Wt. (Lbs.)
HDDS243666-6S95	36 x 24 x 66	(6) 950	462
HDDS243678-8S95	36 x 24 x 78	(8) 950	544
HDC-SH-2418-95	20-27/32 x 15-9/16	Extra Shelf - 950	13
HDDS244866-6S95	48 x 24 x 66	(6) 1900	547
HDDS244878-8S95	48 x 24 x 78	(8) 1900	642
HDC-SH-2024-95	21-15/16 X 16-27/32	Extra Shelf - 1900	17
HDDS246066-6S95	60 x 24 x 66	(6) 2000	630
HDDS246078-8S95	60 x 24 x 78	(8) 2000	740
HDC-SH-2430-95	27-9/16 x 20-27/32	Extra Shelf - 2000	19
HDDS247266-6S95	72 x 24 x 66	(6) 1900	713
HDDS247278-8S95	72 x 24 x 78	(8) 1900	838
HDC-SH-2436-95	33-15/16 x 20-27/32	Extra Shelf - 1900	21

FOB TX

EXTRA HEAVY DUTY CABINETS

MAINTENANCE CABINET

Extra Heavy Duty Lockable Maintenance Cabinets

(Recessed Door Style)



Model HDDS246078-8S95

Model HDJC243678-4S95

- Extra heavy duty, all welded 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- Double doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- Maintenance cabinets include 4 adjustable 1/2 shelves.
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor. (Constructed of 3/16" steel)
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelf capacity (Lbs.)	Ship Wt. (Lbs.)
HDJC243678-4S95	36 x 24 x 78	(4) 950 lbs.	502
HDC-SH-2418-95	15-9/16 x 20-27/32	Extra Shelf - 950 lbs.	13
HDJC244878-4S95	48 x 24 x 78	(4) 2000	590
HDC-SH-2430-95	27-9/16 x 20-27/32	Extra Shelf - 2000	19
HDJC246078-4S95	60 x 24 x 78	(4) 1250	669
HDC-SH-2442-95	39-9/16 x 20-27/32	Extra Shelf - 1250	24

EXTRA HEAVY DUTY CABINETS MAINTENANCE CABINET WITH HOOK-ON-BINS®

Maintenance Cabinets with Hook-On-Bins & Shelves

(Recessed Door Style)

- Extra heavy duty all welded 12 gauge steel construction
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Doors with 7 gauge leaf hinges to prevent sagging
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- Doors open at 180 degrees for full access to product

- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools
- Hook-On-Bins® by Durham are included and are easily installed without tools
- 6" high base /legs which provide access for forklifts; pre-punched holes allow for lagging to the floor. (constructed of 3/16" steel)
- Durable, gray, textured powder coat finish



Model HDJC243678-60-4**S**95

Model	Overall Dim: WxDxH (In.)	Bins Dim: WxDxH (In.)	Shelf capacity (Lbs.)	Ship Wt. (Lbs.)
HDJC243678-60-4S95	36 x 24 x 78	(48) 4 x 5 x 3 (12) 8 x 15 x 7	1900	516
HDJC244878-156-4S	36 x 24 x 78	(120) 4 x 7 x 3 (24) 6 x 11 x 5 (12) 8 x 15 x 7	1900	590

FOB TX

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins

EXTRA HEAVY DUTY CABINETS

WARDROBE CABINET

Extra Heavy Duty Wardrobe Cabinets with Shelves

(Recessed Door Style)

- Extra heavy duty, all welded 12-gauge steel Shelves bolt into place easily using
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- Doors open at 180° for full access to product
- Includes 4 adjustable shelves, 1 storage compartment and a rod for hanging apparel
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor. (Constructed of 3/16" steel)
- Durable, gray, textured powder coat finish



Model HDWC244878-5\$95

Model	Overall Dim: WxDxH (In.)	Shelves	Shelf Cap. (Lbs.)	Ship Wt. (Lbs.)
HDWC243678-5S95	36 x 24 x 78	(4) 20-5/16 x 27-9/16 x 1-1/8 (1) 18 x 19-5/16 x 1-5/8	950	511
HDC-SH-2418-95	15-9/16 x 20-27/32	Extra Shelf	950	13
HDWC244878-5S95	48 x 24 x 78	(4) 20-5/16 x 27-9/16 x 1-1/8 (1) 18 x 19-5/16 x 1-5/8	2000	604
HDC-SH-2430-95	27-9/16 x 20-27/32	Extra Shelf	2000	19
HDWC246078-5S95	60 x 24 x 78	(4) 20-5/16 x 39-3/16 x 1-1/8 (1) 18 x 19-5/16 x 1-5/8	1250	697
HDC-SH-2442-95	39-9/16 x 20-27/32	Extra Shelf	1250	24

WARDROBE CABINET WITH SHELVES & DRAWERS



Model HDWC244878-7M95

Extra Heavy Duty Wardrobe Cabinets with Shelves & Drawers

(Recessed Door Style)

- Extra heavy duty, all welded 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- Doors open at 180° for full access to product
- Bearing slide drawers glide smoothly and have a 400 lb. capacity
- Cabinets include 3 shelves, 2 fixed, one adjustable, one storage compartment and a rod for hanging apparel
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor. (Constructed of 3/16" steel)
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Drawers (In.)	Shelf Cap. (Lbs.)	Ship Wt. (Lbs.)
HDWC243678-7M95	36 x 24 x 78	(7) 20-1/8 x 11-3/16 x 4	950	715
HDC-SH-2418-95	15-9/16 x 20-27/32	-	Extra Shelf - 950	13
HDWC244878-7M95	48 x 24 x 78	(7) 20-1/8 x 23-1/4 x 4	2000	839
HDC-SH-2430-95	27-9/16 x 20-27/32	-	Extra Shelf - 2000	19
HDWC246078-7M95	60 x 24 x 78	(7) 20-1/8 x 35-1/4 x 4	1250	993
HDC-SH-2442-95	39-9/16 x 20-27/32	-	Extra Shelf - 1250	24

FOB TX

12 GAUGE CABINETS

WITH HOOK-ON-BINS®, 1 SHELF & DRAWERS



Model HDCD243678-120-4M95

Cabinet with 120 Hook-On-Bins®, 1 Shelf & 4 Drawers

(Recessed Door Style)

- Extra heavy duty, all welded 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools

- Doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor. (Constructed of 3/16" steel)
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Bins Dim: WxDxH (In.)	Shelf capacity (Lbs.)	Drawers Dim: WxDxH (In.)	Ship Wt. (Lbs.)
HDCD243678-120-4M95	36 x 24 x 78	(96) 4 x 7 x 3 (12) 6 x 11 x 5 (12) 8 x 15 x 7	1750	(2) 36 X 14 X 4 (2) 36 X 14 X 4	822
HDC-SH-1836-95	(3) 33-15/16 x 15-27/32	-	1750 - Extra Shelf		21

EXTRA HEAVY DUTY, DRAWER & SHELF CABINETS











Extra Heavy Duty Cabinet with Drawers & Shelves (Recessed Door Style)

- Extra heavy duty, all welded 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- Doors open at 180° for full access to product
- Bearing slide drawers glide smoothly and have a 400 lb. capacity
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; prepunched holes allow for lagging to the floor. (Constructed of 3/16" steel)
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Drawers (In.)	Shelf capacity (Lbs.)	Ship Wt. (Lbs.)
HDCD243678-3B95	36 x 24 x 78	(3) 29-3/4 x 20-1/8 x 6	(4) 1900	646
HDC-SH-2436-95	33-15/16 x 20-27/32	-	Extra Shelf - 1900	21
HDCD243678-3M95	36 x 24 x 78	(1) 29-3/4 x 20-1/8 x 4 (2) 29-3/4 x 20-1/8 x 6	(3) 1900	629
HDC-SH-2436-95	33-15/16 x 20-27/32	-	Extra Shelf - 1900	21
HDCD244878-6B95	48 x 24 x 78	(6) 17-3/4 x 20-1/8 x 6	(4) 1200	917
HDC-SH-2448-95	45-15/16 x 20-27/32	-	Extra Shelf - 1200	26
HDCD246078-6B95	60 x 24 x 78	(6) 23-3/4 x 20-1/8 x 6	(4) 1650	1079
HDC-SH-2460-95	57-15/16 x 20-27/32	-	Extra Shelf - 1650	37
HDCD247278-6B95	72 x 24 x 78	(6) 29-3/4 x 20-1/8 x 6	(4) 1525	1267
HDC-SH-2472-95	69-15/16 x 20-27/32	-	Extra Shelf - 1525	50
HDCD243678-7B95	36 x 24 x 78	(4) 29-3/4 x 20-1/8 x 4 (3) 29-3/4 x 20-1/8 x 6	(2) 1900	828
HDC-SH-2436-95	33-15/16 x 20-27/32	-	Extra Shelf - 1900	21
HDCD243678-8M95	36 x 24 x 78	(4) 29-3/4 x 20-1/8 x 4 (4) 29-3/4 x 20-1/8 x 6	(1) 1900	836



TILT-BINS CABINETS

WITH SHELVES AND HOOK-ON BINS®







12 Gauge Tilt-Bin Cabinet with Shelves & Hook-On Bins® (4" Deep Box Door Style)

- Extra heavy duty, all welded 12-gauge steel construction
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Main cabinet is 30" deep; box style 6" deep doors make full cabinet depth 36"
- · Doors with 7 gauge leaf hinges to prevent sagging
- 5" x 1-1/4" polyurethane casters under each door to prevent sagging
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- Doors open at 180 degrees for full access to product
- 6" high base /legs which provide access for forklifts; prepunched holes allow for lagging to the floor. (constructed of 3/16" steel)
- The tilt-out bins open at a 50° degree angle
- · Cabinet ships fully assembled
- · Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Bins Dim: WxDxH (In.)	Shelves Dimensions	Shelf capacity (Lbs.)	Ship Wt. (Lbs.)
HDC36-24DC24TB2S95	36 x 36 x 78	(12) 8 x 15 x 7 (24) 15 x 5-3/4 x 6-1/2	(2) 33-15/16 x 20-27/32	1900	595
HDC36-DC12TB4S95	36 x 36 x 78	(12) 15 x 5-3/4 x 6-1/2	(4) 33-15/16 x 20-27/32 (6) 12 x 4 Door Shelves	1900	621
HDC36-DC24TB4S95	36 x 36 x 78	(24) 15 x 5-3/4 x 6-1/2	(4) 33-15/16 x 20-27/32	1900	593

FOB TX



Model HDJ36-12DC24TB4S95

12 Gauge Tilt-Bin Cabinet with Shelves & Hook-On-Bins®

(4" Deep Box Door Style)

- Extra heavy duty all welded 12 gauge steel construction
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Main cabinet is 30" deep; box style 6" deep doors make full cabinet depth 36"
- Doors with 7 gauge leaf hinges to prevent sagging
- 5" x 1-1/4" polyurethane casters under each door to prevent sagging

- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- Doors open at 180 degrees for full access to product
- 6" high base /legs which provide access for forklifts; pre-punched holes allow for lagging to the floor. (constructed of 3/16" steel)
- The tilt-out bins open at a 50 degree angle
- Cabinet ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Bins Dim: WxDxH (In.)	Shelves Dimensions (In.)	Shelf capacity (Lbs.)	Ship Wt. (Lbs.)
HDJ36-12DC24TB4S95	36 x 36 x 78	(12) 8 x 15 x 7	(1) 33-15/16 x 20-27/32	900	617
	30 X 30 X 70	(24) 15 x 5-3/4 x 6-1/2	(3) 15-9/16 x 20-27/32	300	017



TILT-BINS CABINETS

WITH SHELVES, DRAWERS AND HOOK-ON BINS®

12 Gauge Tilt-Bin Cabinet with Shelves, Drawers & Hook-On Bins®

(4" Deep Box Door Style)

- Extra heavy duty all welded 12 gauge steel construction
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Main cabinet is 30" deep; box style 6" deep doors make full cabinet depth 36"
- Doors with 7 gauge leaf hinges to prevent sagging
- 5" x 1-1/4" polyurethane casters under each door to prevent sagging
- Drawers have a 400 lb. capacity

- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- Doors open at 180 degrees for full access to product
- 6" high base /legs which provide access for forklifts; pre-punched holes allow for lagging to the floor. (constructed of 3/16" steel)
- The tilt-out bins open at a 50 angle
- · Cabinet ships fully assembled
- Durable, gray, textured powder coat finish



Model
HDC36-DC16TB4DR2S95

Model	Overall Dim: WxDxH (In.)	Bins Dim: WxDxH (In.)	Shelves Dimensions (In.)	Drawers (In.)	Ship Wt. (Lbs.)
HDC36-DC16TB4DR2S95	36 x 36 x 78	(24) 15 x 5-3/4 x 6-1/2	(4) 33-15/16 x 20-27/32 (6) 12 x 4	(2) 30-1/16 X 20-1/8 X 4 (2) 30-1/16 X 20-1/8 X 6	

FOB TX



12 Gauge Tilt-Bin Cabinet with Shelves, Drawers & Hook-On Bins®

(4" Deep Box Door Style)

- Extra heavy duty all welded 12 gauge steel construction
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Main cabinet is 30" deep; box style 6" deep doors make full cabinet depth 36"
- Doors with 7 gauge leaf hinges to prevent sagging
- 5" x 1-1/4" polyurethane casters under each door to prevent sagging
- Drawers have a 400 lb. capacity

- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- Doors open at 180 degrees for full access to product
- 6" high base /legs which provide access for forklifts; prepunched holes allow for lagging to the floor. (constructed of 3/16" steel)
- The tilt-out bins open at a 50 degree angle
- · Cabinet ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Bins Dim: WxDxH (In.)	Shelves Dimensions (In.)	Drawers (In.)	Ship Wt. (Lbs.)
HDC60-72DC18TB5B95	60 x 36 x 78	(18) 15 x 5-3/4 x 6-1/2 (60) 4 x 5 x 3	(-,,, -	(2) 30-1/16 X 20-1/8 X 4 (2) 30-1/16 X 20-1/8 X 6	u.).)



EXTRA HEAVY DUTY SHELF & PEGBOARD CABINET



Model HDCP244878-4S95

Extra Heavy Duty Pegboard & Shelf Cabinet

(Recessed Door Style)

- Extra heavy duty, all welded 12-gauge
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- Full height flush doors with 7 gauge leaf hinges to prevent sagging
- Doors open at 180° for full access to product
- Pegboard holes are punched on 1" centers and accommodate standard peg hooks
- 16 gauge steel pegboard are welded to both doors
- 6"H base/legs which provide access for forklifts: pre-punched holes allow for lagging to the floor. (constructed of 3/16" steel)
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelf capacity (Lbs.)	Ship Wt. (Lbs.)
HDCP243678-4S95	36 x 24 x 78	(4) 1900	525
HDC-SH-2436-95	33-15/16 x 20-27/32	Extra Shelf - 1900	21
HDCP244878-4S95	48 x 24 x 78	(4) 1200	615
HDC-SH-2448-95	45-15/16 x 20-27/32	Extra Shelf - 1200	26
HDCP246078-4S95	60 x 24 x 78	(4) 1650	705
HDC-SH-2460-95	57-15/16 x 20-27/32	Extra Shelf - 1650	37

FOB TX

EXTRA HEAVY DUTY CABINETS

OUTDOOR CABINET



Extra Heavy Duty Outdoor Shelf Cabinet (Recessed Door Style)

- Extra heavy duty, all welded 12-gauge
- Weather resistant, includes sloped top, a rain guard, gasket sealed doorframes and filtered vents to keep out moisture and dust.
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Full height flush doors with 7 gauge leaf hinges to prevent sagging

- Doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4"
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor. (constructed of 3/16" steel)
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelf capacity (Lbs.)	Ship Wt. (Lbs.)
HDC0243678-4S95	36 x 24 x 78	(4) 1900	528
HDC-SH-2436-95	33-15/16 x 20-27/32	Extra Shelf - 1900	21
HDC0244878-4S95	48 x 24 x 78	(4) 1200	623
HDC-SH-2448-95	45-15/16 x 20-27/32	Extra Shelf - 1200	26
HDC0246078-4S95	60 x 24 x 78	(4) 1650	768
HDC-SH-2460-95	57-15/16 x 20-27/32	Extra Shelf - 1650	37







Model HDC36-126-1795 Model HDC48-162-5295 Model HDC60-198-95 Model HDC72-240-1795

Cabinet with Hook-On-Bins® (Recessed Door Style)

- Extra heavy duty, all welded 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools
- Doors open at 180° for full access to product
- 6"H base/legs which provide access for forklifts; prepunched holes allow for lagging to the floor. (Constructed of 3/16" steel)
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (ln.)	Bins Dim WxDxH (In.)	Ship Wt. (Lbs.)
HDC36-126	36 x 24 x 78	(48) 4 x 5 x 3 (48) 4 x 7 x 3 (12) 6 x 11 x 5 (12) 8 x 15 x 7 (6) 16 x 15 x 7	512
HDC36-126PB240-95	36 x 24 x 78	(96) 4 x 7 x 3 (30) 8 x 15 x 7	515
HDC48-162	48 x 24 x 78	(60) 4 x 5 x 3 (60) 4 x 7 x 3 (24) 6 x 11 x 5 (12) 8 x 15 x 7 (6) 16 x 15 x 7	598
HDC48-192-95	48 x 24 x 78	(60) 4 x 5 x 3 (84) 4 x 7 x 3 (24) 6 x 11 x 5 (24) 8 x 15 x 7	604
HDC60-198	60 x 24 x 78	(72) 4 x 5 x 3 (72) 4 x 7 x 3 (36) 6 x 11 x 5 (12) 8 x 15 x 7 (6) 16 x 15 x 7	732
HDC72-240	72 x 24 x 78	(84) 4 x 5 x 3 (84) 4 x 7 x 3 (36) 6 x 11 x 5 (24) 8 x 15 x 7 (12) 16 x 15 x 7	874

FOB TX

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins









Model HDC36-60-2S6D5295



Model HDC48-84-2S6D95

Cabinet with Hook-On-Bins®, 2 Shelves & 6 Door Shelves

(Recessed Door Style)

- Extra heavy duty, all welded 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools
- Doors open at 180° for full access to product
- · Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; prepunched holes allow for lagging to the floor. (Constructed of 3/16" steel)
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Bins Dim WxDxH (In.)	Shelf capacity (Lbs.)	Ship Wt. (Lbs.)
36" Wide Model - 60 Hook-On-	-Bins, 2 Shelves, 6 Door Shelves			
HDC36-60-2S6D	36 x 24 x 78	(48) 4 x 7 x 3 (12) 8 x 15 x 7	1750 25	518
HDC-SH-1836-95	33-15/16 x 15-27/32	-	Extra Shelf 1750 lbs. capacity	21
DSH-124-95	Extra Door Shelf for 36" wide cabinet		11-1/2 x 3-3/4 (6 per pkg.)	12
48" Wide Model - 84 Hook-On-	-Bins, 2 Shelves, 6 Door Shelves			
HDC48-84-2S6D	48 x 24 x 78	(60) 4 x 7 x 3 (24) 8 x 15 x 7	1000 25	621
FDC-SH-4818-95	Extra Shelf for 48" wide cabinet - 750 lbs. capacity		47-1/2 x 16-3/8	24
DSH-184-95	Extra Door Shelf for	r 48" wide cabinet	17-1/4 x 3-3/4 (6 per pkg.)	16

For additional information visit our website: www.durhammfg.com

Contact us at: info@durhammfg.com



WITH HOOK-ON-BINS® AND ADJUSTABLE SHELVES



Model HDC36-108-3S95



Model HDC48-144-4S95

Cabinet with Hook-On-Bins® & Shelves (Recessed Door Style)

- Extra heavy duty, all welded 12-gauge steel
- · 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily
- installed without tools
- Doors open at 180° for full access to product
- 6"H base/legs which provide access for forklifts; prepunched holes allow for lagging to the floor. (Constructed of 3/16" steel)
- · Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Bins Dim WxDxH (In.)	Shelf capacity (Lbs.)	Ship Wt. (Lbs.)
HDC36-108-3S	36 x 24 x 78	(48) 4 x 7 x 3 (16) 8 x 15 x 7	1900	520
HDC-SH-1836-95	(3) 33-15/16 x 15-27/32	-	1750 - Extra Shelf	21
HDC48-144-4S95	48 x 24 x 78	(120) 4 x 5 x 3 (24) 4 x 7 x 3	1000	624
HDC-SH-1848-95	45-15/16 x 15-27/32	-	Extra Shelf - 1000	26

FOB TX

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins

VALUE ADDED SERVICES FROM DURHAM

To make doing business easier and more efficient

- EDI (Electric Data Interchange) ordering and invoicing
- Automated Order Receipt and **Shipment Acknowledgement**
- Special Product Customization **Involving Colors, Company Names** and Logos. (Minimums apply)
- Online portal give you 24 hour access
 Other Information: to pricing, order entry, order status, invoicing and most tracking
- Email Orders: orders@durhammfg.com
- info@durhammfg.com

Easily Accessible Online Marketing Material including Catalogs and PDF Sell Sheets Available at: www.durhammfg.com/catalogs

WITH HOOK-ON-BINS® AND ADJUSTABLE SHELVES





Cabinet with 96 Bins & 4 Shelves (Recessed Door Style)

- Extra heavy duty, all welded 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools

- Doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor. (Constructed of 3/16" steel)
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Bins Dim WxDxH (In.)	Shelf capacity (Lbs.)	Ship Wt. (Lbs.)
HDC36-96-4S	36 x 24 x 78	(96) 4 x 5 x 3	(4) 1750	510
HDC-SH-1836-95	33-15/16 x 15-27/32	-	Extra Shelf - 1750	21

FOB TX

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins



Model HDC36-102-3\$5295

Cabinet with 102 Bins & 3 Shelves (Recessed Door Style)

- Extra heavy duty, all welded 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools

- Doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor. (Constructed of 3/16" steel)
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Bins Dim WxDxH (In.)	Shelf capacity (Lbs.)	Ship Wt. (Lbs.)
HDC36-102-3S	36 x 24 x 78	(48) 4 x 5 x 3 (48) 4 x 7 x 3 (6) 16 x 15 x 7	(3) 1750	514
HDC-SH-1836-95	33-15/16 x 15-27/32	-	Extra Shelf - 1750	21

FOB TX

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins



Model HDC48-120-4S95

Cabinet with 120 Bins & 4 Shelves (Recessed Door Style)

- Extra heavy duty, all welded 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools

- Doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor. (Constructed of 3/16" steel)
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Bins Dim WxDxH (In.)	Shelf capacity (Lbs.)	Ship Wt. (Lbs.)
HDC48-120-4S	48 x 24 x 78	(120) 4 x 5 x 3	(4) 1000	618
HDC-SH-1848-95	45-15/16 x 15-27/32	-	Extra Shelf - 1000	26

FOB TX

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins



WITH HOOK-ON-BINS® AND ADJUSTABLE SHELVES

Cabinet with 134 Bins & 3 Shelves (Recessed Door Style)

- Extra heavy duty, all welded 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools

- Doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor. (Constructed of 3/16" steel)
- Durable, gray, textured powder coat finish



Model HDC48-134-3\$1795

Model	Overall Dim: WxDxH (In.)	Bins Dim WxDxH (In.)	Shelf capacity (Lbs.)	Ship Wt. (Lbs.)
HDC48-134-3S	48 x 24 x 78	(60) 4 x 5 x 3 (60) 4 x 7 x 3 (8) 8 x 15 x 7 (6) 16 x 15 x 7	(3) 1000	632
HDC-SH-1848-95	45-15/16 x 15-27/32	-	Extra Shelf - 1000	26

FOB TX

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins

Cabinet with 156 Bins & 3 Shelves (Recessed Door Style)

- Extra heavy duty, all welded 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools

- Doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor. (Constructed of 3/16" steel)
- · Durable, gray, textured powder coat finish

Times.			-
	-1-		
		4	

Model HDC60-156-3\$5295

Model	Overall Dim: WxDxH (In.)	Bins Dim WxDxH (In.)	Shelf capacity (Lbs.)	Ship Wt. (Lbs.)
HDC60-156-3S	60 x 24 x 78	(72) 4 x 5 x 3 (72) 4 x 7 x 3 (12) 8 x 15 x 7	(3) 750	786
HDC-SH-1860-95	57-15/16 x 15-27/32	-	Extra Shelf - 750	37

FOB TX

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins

Cabinet with 192 Bins & 3 Shelves (Recessed Door Style)

- Extra heavy duty, all welded 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools

- Doors open at 180° for full access to product
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor. (Constructed of 3/16" steel)
- Durable, gray, textured powder coat finish



Model HDC72-192-3S95

and are easily in	and are easily installed without tools				
Model	Overall Dim: WxDxH (In.)	Bins Dim WxDxH (In.)	Shelf capacity (Lbs.)	Ship Wt. (Lbs.)	
HDC72-192-3S	72 x 24 x 78	(84) 4 x 5 x 3 (84) 4 x 7 x 3 (12) 8 x 15 x 7 (12) 16 x 15 x 7	(3) 750	924	
HDC-SH-1872-95	69-15/16 x 15-27/32	-	Extra Shelf - 750	48	

FOB TX

Use suffix -95 for Yellow Bins, -1795 for Red Bins and -5295 for Blue Bins

WITH HOOK-ON-BINS® AND ADJUSTABLE SHELVES





Model HDCV36-6B-3S1795

Cabinet with 6 Bins & 3 Shelves (Recessed Door Style)

- Extra heavy duty, all welded 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools

- Doors open at 180° for full access to product
- · Diamond punched doors allow visibility
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor. (Constructed of 3/16" steel)
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Bins Dim WxDxH (In.)	Shelf capacity (Lbs.)	Ship Wt. (Lbs.)
HDCV36-6B-3S	36 x 24 x 78	(6) 16 x 15 x 7	(3) 1900	470
HDC-SH-2436-95	33-15/16 x 20-27/32	-	Extra Shelf - 1900	21

FOB TX

Use suffix 95 for Yellow Bins, 1795 for Red Bins and 5295 for Blue Bins



Model HDCV36-12B-2S5295

Cabinet with 12 Bins & 2 Shelves (Recessed Door Style)

- Extra heavy duty, all welded 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools

- Doors open at 180° for full access to product
- · Diamond punched doors allow visibility
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor. (Constructed of 3/16" steel)
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Bins Dim WxDxH (In.)	Shelf capacity (Lbs.)	Ship Wt. (Lbs.)
HDCV36-12B-2S	36 x 24 x 78	(12) 8 x 15 x 7	(2) 1900	470
HDC-SH-2436-95	33-15/16 x 20-27/32	-	Extra Shelf - 1900	21

FOB TX

Use suffix 95 for Yellow Bins, 1795 for Red Bins and 5295 for Blue Bins



Model HDCV48-18B-3S95

Cabinet with 18 Bins & 3 Shelves (Recessed Door Style)

- Extra heavy duty, all welded 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools

- Doors open at 180° for full access to product
- · Diamond punched doors allow visibility
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor. (Constructed of 3/16" steel)
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Bins Dim WxDxH (In.)	Shelf capacity (Lbs.)	Ship Wt. (Lbs.)
HDCV48-18B-3S	48 x 24 x 78	(12) 8 x 15 x 7 (6) 16 x 15 x 7	(3) 1200	548
HDC-SH-2448-95	45-15/16 x 20-27/32	-	Extra Shelf - 1200	26

FOB TX

Use suffix 95 for Yellow Bins, 1795 for Red Bins and 5295 for Blue Bins





WITH HOOK-ON-BINS® AND ADJUSTABLE SHELVES

Cabinet with 24 Bins & 2 Shelves (Recessed Door Style)

- Extra heavy duty, all welded 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- · Flush doors with 7 gauge leaf hinges to prevent sagging
- · Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools

- Doors open at 180° for full access to product
- Diamond punched doors allow visibility
- Shelves bolt into place easily using fasteners provided and adjust on 2-1/4" centers
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor. (Constructed of 3/16" steel)
- · Durable, gray, textured powder coat finish



HDCV48-24B-2S1795

Model	Overall Dim: WxDxH (In.)	Bins Dim WxDxH (In.)	Shelf capacity (Lbs.)	Ship Wt. (Lbs.)
HDCV48-24B-2S	48 x 24 x 78	(24) 8 x 15 x 7	(2) 1200	548
HDC-SH-2448-95	45-15/16 x 20-27/32	-	Extra Shelf - 1200	26

FOB TX

Use suffix 95 for Yellow Bins, 1795 for Red Bins and 5295 for Blue Bins

Cabinet with 12 Bins & 3 Shelves (Recessed Door Style)

- Extra heavy duty, all welded 12-gauge
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- · Hook-On-Bins® by Durham are included and are easily installed without tools

- Doors open at 180° for full access to product
- Diamond punched doors allow visibility
- · Shelves bolt into place easily using fasteners provided and adjust on 2-1/4"
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor. (Constructed of 3/16" steel)
- Durable, gray, textured powder coat finish



Model HDCV60-12B-3S95

Model	Overall Dim: WxDxH (In.)	Bins Dim WxDxH (In.)	Shelf capacity (Lbs.)	Ship Wt. (Lbs.)
HDCV60-12B-3S	60 x 24 x 78	(12) 16 x 15 x 7	(3) 1650	666
HDC-SH-2460-95	57-5/16 x 20-27/32	-	Extra Shelf - 1650	37

FOB TX

Use suffix 95 for Yellow Bins, 1795 for Red Bins and 5295 for Blue Bins

VALUE ADDED SERVICES FROM DURHAM

To make doing business easier and more efficient

- EDI (Electric Data Interchange) ordering and invoicing
- Automated Order Receipt and **Shipment Acknowledgement**
- Special Product Customization **Involving Colors, Company Names** and Logos. (Minimums apply)
- Online portal give you 24 hour access
 Other Information: to pricing, order entry, order status, invoicing and most tracking
- Email Orders: orders@durhammfg.com
 - info@durhammfg.com

Easily Accessible Online Marketing Material including Catalogs and PDF Sell Sheets Available at: www.durhammfg.com/catalogs

WITH HOOK-ON-BINS®





Cabinet with 30 Bins (Recessed Door Style)

- Extra heavy duty, all welded 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools
- Doors open at 180° for full access to product
- · Diamond punched doors allow visibility
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor. (Constructed of 3/16" steel)
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Bins Dim WxDxH (In.)	Ship Wt. (Lbs.)
HDCV36-30B	36 x 24 x 78	(12) 6 x 11 x 5 (12) 8 x 15 x 7 (6) 16 x 15 x 7	470

FOB TX

Use suffix 95 for Yellow Bins, 1795 for Red Bins and 5295 for Blue Bins



Model HDCV48-42B-5295

Cabinet with 42 Bins (Recessed Door Style)

- Extra heavy duty, all welded 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools
- Doors open at 180° for full access to product
- Diamond punched doors allow visibility
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor. (Constructed of 3/16" steel)
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Bins Dim WxDxH (In.)	Ship Wt. (Lbs.)
HDCV48-42B	48 x 24 x 78	(24) 6 x 11 x 5 (12) 8 x 15 x 7 (6) 16 x 15 x 7	548

FOB TX

Use suffix 95 for Yellow Bins, 1795 for Red Bins and 5295 for Blue Bins



Model HDCV60-54B-95

Cabinet with 54 Bins (Recessed Door Style)

- Extra heavy duty, all welded 12-gauge steel
- 3-point locking system with pad-lockable cast steel locking handle (pad-lock not included)
- Flush doors with 7 gauge leaf hinges to prevent sagging
- Fully welded louvered panels reinforce door and hold Hook-On-Bins®
- Hook-On-Bins® by Durham are included and are easily installed without tools
- Doors open at 180° for full access to product
- Diamond punched doors allow visibility
- 6"H base/legs which provide access for forklifts; pre-punched holes allow for lagging to the floor. (Constructed of 3/16" steel)
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Bins Dim WxDxH (In.)	Ship Wt. (Lbs.)
HDCV60-54B	60 x 24 x 78	(36) 6 x 11 x 5 (12) 8 x 15 x 7 (6) 16 x 15 x 7	666

FOB TX

Use suffix 95 for Yellow Bins, 1795 for Red Bins and 5295 for Blue Bins



HOOK-ON-BINS® BY DURHAM MFG



- Manufactured by Durham MFG.
- Available in 3 Colors, 5 Sizes
- Dividers can be placed horizontally or vertically
- Made of durable polypropylene

Hook-On Bins®

- Molded using durable polypropylene plastic
- Back tabs allow Hook-On-Bins to hang from louvered panels
- Specially molded top edges allow stacking on any shelf
- Angled front edge makes it easy to see contents and to pick parts
- Additional ribbing and double wall front is incorporated in the design for increased rigidity and to prevent warping.
- Slots in front hold identification tags, cards or labels
- Molded finger grips make handling easy and comfortable
- Model PB30250 has slots for 3 dividers; all other models can accommodate 1 divider
- · Dividers can be placed horizontally or vertically
- Divider break away features allow sizing of the dividers so you can access all products when bins are stacked
- · Fit neatly on other cabinet and shelving brands
- · Optional lengthwise dividers are available

Model	Overall Dim: WxDxH (In.)	Weight capacity (Lbs.)	Carton	Color	Ship Wt. (lbs.)
PB30210-21	4 x 5 x 3	10	24	Yellow	5
PB30220-21	4 x 7 x 3	10	24	Yellow	7
PB30230-21	6 x 11 x 5	30	12	Yellow	11
PB30240-21	8 x 15 x 7	60	12	Yellow	20
PB30250-21	16 x 15 x 7	75	6	Yellow	16
PB30210-17	4 x 5 x 3	10	24	Red	5
PB30220-17	4 x 7 x 3	10	24	Red	7
PB30230-17	6 x 11 x 5	30	12	Red	11
PB30240-17	8 x 15 x 7	60	12	Red	20
PB30250-17	16 x 15 x 7	75	6	Red	16
PB30210-52	4 x 5 x 3	10	24	Blue	5
PB30220-52	4 x 7 x 3	10	24	Blue	7
PB30230-52	6 x 11 x 5	30	12	Blue	11
PB30240-52	8 x 15 x 7	60	12	Blue	20
PB30250-52	16 x 15 x 7	75	6	Blue	16
PB30161-08	4-7/8 x 2-1/2 - Vertical divider for PB30210-21	-	6	Black	1
PB30166-08	6-7/8 x 2-1/2 - Vertical divider for PB30220-21	-	6	Black	1
PB30171-08	10-1/4 x 4-15/16 - Vertical divider for PB30230-21	-	6	Black	1
PB30176-08	13-5/6 x 6-1/4 - Vertical divider for PB30240-21 & PB30250-21	-	6	Black	2
PB30162-08	2-1/2 x 3-1/2 - Horizontal divider for PB30210-21 & PB30220-21	-	6	Black	2
PB30172-08	4-3/8 x 4-1/2 - Horizontal divider for PB30230-21	-	6	Black	1
PB30177-08	6-5/8 x 6-1/4 - Horizontal divider for PB30240-21	-	6	Black	2
PB30178-08	14-7/8 x 6-1/4 - Horizontal divider for PB30250-21	-	6	Black	2

DURHAM MFG[®] Est. 1922



Workbenches, Workstations & Mobile Cabinets				
Work Tables	97	Mobile Work Tables	98	
Folding Leg Workbenches	99	Heavy Duty Workbenches	100 - 101	
Mobile Heavy Duty Workbenches	102	Extra Heavy Duty Workbenches	103	
Super Heavy Duty Workbenches	104	Stationary Workstations	105	
Mobile Workstations	106 -108	Optional Drawer	99, 102, 104	

Workbenches from 2,000 to 14,000 lbs. capacity



STATIONARY WORK TABLE

MEDIUM & HEAVY DUTY





Model MTD243624-2K195



Model MT243630-2K395

Medium Duty Machine Tables - Top Shelf Only (2,000 lbs. capacity)

- 1-1/2" x 1/8" angle iron frame
- 14 gauge shelves with stiffeners
- Provisions for optional drawer Model # 177-DRAWER-95
- Foot pad is pre-punched with 5/16" and 3/8" hole for lagging to the floor
- Ships fully assembled and ready for use
- Durable, gray, textured powder coat finish

, 8 . , , , ,			•
Model	Over	all Dim: WxDxH (In.)	Ship Wt. (Lbs.)
MT182418-2K195		24 x 18 x 18	74
MT182424-2K195		24 x 18 x 24	
MT182430-2K195		24 x 18 x 30	
MT182436-2K195		24 x 18 x 36	
MT182442-2K195		24 x 18 x 42	
MT243618-2K195		36 x 24 x 18	87
MT243624-2K195		36 x 24 x 24	90
MT243630-2K195		36 x 24 x 30	92
MT243636-2K195		36 x 24 x 36	94
MT243642-2K195		36 x 24 x 42	96
MT244818-2K195		48 x 24 x 18	96
MT244824-2K195		48 x 24 x 24	98
MT244830-2K195		48 x 24 x 30	101
MT244836-2K195		48 x 24 x 36	103
MT244842-2K195		48 x 24 x 42	105
lodels including drawers			
MTD182418-2K195		24 x 18 x 18	94
MTD182424-2K195		24 x 18 x 24	96
MTD182430-2K195		24 x 18 x 30	99
MTD182436-2K195		24 x 18 x 36	101
MTD182442-2K195		24 x 18 x 42	103
MTD243618-2K195		36 x 24 x 18	107
MTD243624-2K195		36 x 24 x 24	110
MTD243630-2K195		36 x 24 x 30	112
MTD243636-2K195		36 x 24 x 36	114
MTD243642-2K195		36 x 24 x 42	116
MTD244818-2K195		48 x 24 x 18	116
MTD244824-2K195		48 x 24 x 24	118
MTD244830-2K195		48 x 24 x 30	121
MTD244836-2K195		48 x 24 x 36	123
MTD244842-2K195		48 x 24 x 42	125
shelf units			
Model	Overall Dim: WxDxH (In.)	Shelf Clearance (In.)	Ship Wt. (Lbs.)
MT183630-2K295	36 x 18 x 30	22-1/4	100
MT243630-2K295	36 x 24 x 30	22-1/4	110
MT244830-2K295	48 x 24 x 30	22-1/4	125
MT246030-2K295	60 x 24 x 30	22-1/4	157
shelf units			
MT183630-2K395	36 x 18 x 30	8-11/16	118
MT243630-2K395	36 x 24 x 30	8-11/16	132

Heavy Duty Machine Tables - 2 Shelves (3,000 lbs. capacity)

- 1-1/2" x 3/16" angle iron frame
- 12 gauge shelves with stiffeners
- Provisions for optional drawer Model # 177-DRAWER-95
- All welded construction
- Foot pad is pre-punched with 5/16" and 3/8" hole for lagging to the floor
- · Ships fully assembled and ready for use
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelf Clearance (In.)	Ship Wt. (Lbs.)
MT244836-3K295	48 x 24 x 36	28-1/4	150
MT304836-3K295	48 x 30 x 36	28-1/4	166
MT364836-3K295	48 x 36 x 36	28-1/4	179
MT367236-3K295	72 x 36 x 36	28-1/4	256



MOBILE WORK TABLES

MEDIUM & HEAVY DUTY

Mobile Medium Duty Machine Tables (2,000 lbs. capacity)

- 1-1/2" x 1/8" angle iron frame
- 14 gauge shelves with stiffeners
- Provisions for optional drawer
 Model # 177-DRAWER-95
- (4) 3" Locking phenolic swivel casters
- Ships fully assembled and ready for use
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Ship Wt. (Lbs.)
MTM182418-2K195	24 x 18 x 18	98
MTM182424-2K195	24 x 18 x 24	100
MTM182430-2K195	24 x 18 x 30	103
MTM182436-2K195	24 x 18 x 36	105
MTM182442-2K195	24 x 18 x 42	107
MTM243618-2K195	36 x 24 x 18	111
MTM243624-2K195	36 x 24 x 24	114
MTM243630-2K195	36 x 24 x 30	116
MTM243636-2K195	36 x 24 x 36	118
MTM243642-2K195	36 x 24 x 42	120
MTM244818-2K195	48 x 24 x 18	120
MTM244824-2K195	48 x 24 x 24	122
MTM244830-2K195	48 x 24 x 30	125
MTM244836-2K195	48 x 24 x 36	127
MTM244842-2K195	48 x 24 x 42	130

MTM244836-2K195	48 x 24 x 36	127
MTM244842-2K195	48 x 24 x 42	130
Models including drawers		
MTDM182418-2K195	24 x 18 x 18	98
MTDM182424-2K195	24 x 18 x 24	100
MTDM182430-2K195	24 x 18 x 30	103
MTDM182436-2K195	24 x 18 x 36	109
MTDM182442-2K195	24 x 18 x 42	107
MTDM243618-2K195	36 x 24 x 18	111
MTDM243624-2K195	36 x 24 x 24	114
MTDM243630-2K195	36 x 24 x 30	116
MTDM243636-2K195	36 x 24 x 36	118
MTDM243642-2K195	36 x 24 x 42	120
MTDM244818-2K195	48 x 24 x 18	120
MTDM244824-2K195	48 x 24 x 24	122
MTDM244830-2K195	48 x 24 x 30	125
MTDM244836-2K195	48 x 24 x 36	127
MTDM244842-2K195	48 x 24 x 42	129

2 shelf units			
Model	Overall Dim: WxDxH (In.)	Shelf Clearance (In.)	Ship Wt. (Lbs.)
MTM183630-2K295	36 x 18 x 30	22-1/4	104
MTM243630-2K295	36 x 24 x 30	22-1/4	114
MTM244830-2K295	48 x 24 x 30	22-1/4	129
MTM246030-2K295	60 x 24 x 30	22-1/4	148
3 Shelf Units			
MTM183630-2K395	36 x 18 x 30	8-11/16	122
MTM243630-2K395	36 x 24 x 30	8-11/16	136



Model MTM243624-2K195



Model MTDM243630-2K195



Model MTM243630-2K395

Mobile Heavy Duty Machine Tables - 2 Shelves (3,000 lbs. capacity)

- 1-1/2" x 3/16" angle iron frame
- 12 gauge shelves with stiffeners
- All welded construction
- (4) 3" locking phenolic swivel casters
- Provisions for optional drawer Model # 177-DRAWER-95
- Ships fully assembled and ready for use
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelf Clearance (In.)	Ship Wt. (Lbs.)
MTM244836-3K295	48 x 24 x 36	26-1/8	152
MTM304836-3K295	48 x 30 x 36	26-1/8	167
MTM364836-3K295	48 x 36 x 36	26-1/8	184
MTM367236-3K295	72 x 36 x 36	26-1/8	265



FOB TX

ERGONOMIC WORKBENCHES

FOLDING LEG STYLE





Model WB-SHELF-96-95

Optional shelf



Model 177-DRAWER-95 Optional drawer

Adjustable Height, Folding Leg Work Bench (2,000 lbs. capacity)

- 14 gauge steel top with formed channel on all 4 sides
- WBF-TH models are 14 gauge steel top covered with a durable tempered hard board
- Designed with no stringers making it easy to work from both sides
- Legs are adjustable on 1" centers
- Provisions for optional drawer Model # 177-DRAWER-95
- · Easy to assemble

- Optional shelf sits 10" off of the floor
- Bench height can be adjusted from 28" to 43" above the ground
- Hinged legs are welded to the top using full length piano hinges
- Legs can be easily folded allowing benches to be stored in less space
- 7 gauge steel corner gussets for added strength
- Easy assembly using fasteners provided
- · Durable, gray, textured powder coat finish

Model	Overall Dimensions WxD (in.)	Ship Wt. (Lbs.)
WBF-3060-95	60 x 30	128
WBF-3660-95	60 x 36	160
WBF-3072-95	72 x 30	164
WBF-3672-95	72 x 36	198
WBF-3084-95	84 X 30	192
WBF-3684-95	84 X 36	204
WBF-3096-95	96 x 30	218
WBF-3696-95	96 x 36	254
WBF-4884-95	84 X 48	248
WBF-4896-95	96 x 48	292
WBF-30120-95	120 x 30	286
WBF-36120-95	120 x 36	314
WBF-48120-95	120 x 48	358
Models Including Tempered	Hard Board over Steel Top	
WBF-TH-3060-95	60 x 30	141
WBF-TH-3660-95	60 x 36	176
WBF-TH-3072-95	72 x 30	180
WBF-TH-3672-95	72 x 36	217
WBF-TH-3096-95	96 x 30	239
WBF-TH-3684-95	84 x 48	226
WBF-TH-3696-95	96 x 36	279
WBF-TH-4896-95	96 x 48	326
WBF-TH-30120-95	120 x 30	313
WBF-TH-36120-95	120 x 36	346
WBF-TH-48120-95	120 x 48	401
Optional Shelf - Sits 15" off t	he Floor	
WB-SHELF-60-95	60 x 12	24
WB-SHELF-72-95	72 x 12	29
WB-SHELF-96-95	96 x 12	35
WB-SHELF-120-95	120 x 12	84
Optional Drawer		
177-DRAWER-95	12-1/2 x 18-1/2 x 4-3/4	20

FOB TX

Drawer has 100 lbs. capacity.

For additional information visit our website: www.durhammfg.com

or

Contact us at: info@durhammfg.com

SPECIALTY WORKBENCHES

SPECIALITY WORKBENCHES - MOBILE & STATIONARY

Heavy Duty Workbenches (4,000 lbs. capacity)

- Top is 12 gauge thick reinforced steel
- Angle iron stiffener under work surface and 2" x 2"x 1/4" angle iron legs.
- Mobile units include (4) 3" phenolic, locking swivel casters
- All models include a 12 gauge steel lower shelf with 500 lbs. capacity
- · -BE- units include back and end stops
- Provisions for optional drawer Model # 177-DRAWER-95
- Foot pads with predrilled holes allow lagging to the floor
- · Ships fully assembled ready for use
- Durable, gray, textured powder coat finish



Model
DWB-3672-177-95
(shown with optional drawer)



Model DWBM-3060-BE-95



FOB TX

Heavy Duty Workbench with Lips Up & Peg Board (4,000 lbs. capacity)

- Top is 12 gauge thick reinforced steel
- Angle iron stiffener under work surface and 2" x 2"x 1/4" angle iron legs.
- Mobile units include (4) 3" phenolic, locking swivel casters
- Pegboard holes are ¼" diameter and are punched on 1" centers They accommodate standard peg hooks. (peg hooks not included)
- Provisions for optional drawer Model # 177-DRAWER-95
- Back and end stops
- Work surfaces are 34" above the floor
- All models include a 12 gauge steel lower shelf with 500 lbs. capacity
- Foot pads with predrilled holes allow lagging to the floor
- · Ships fully assembled ready for use
- Durable, gray, textured powder coat finish



Model DWB-3072-BE-PB-95

Model	Overall Dim: WxDxH (In.)	Peg Board Dim: WxH (In.)	Ship Wt. (Lbs.)		
DWB-3060-BE-PB-95	60 x 30 x 58	60 x 24	227		
DWB-3072-BE-PB-95	72 x 30 x 58	72 x 24	264		
Mobile Units					
DWBM-3048-BE-PB-95	48 x 30 x 62	48 x 24	197		
DWBM-3060-BE-PB-95	60 x 30 x 62-1/2	60 x 24	256		
Mobile Unit with Lips Up - Includes Power Strip - 6 Outlets					
DWBM-3048-BE-PB-PS-95	48 x 30 x 62	48 x 24	199		
	•		•		



DWBM-3060-BE-PB-95

SPECIALTY WORKBENCHES

SPECIALITY WORKBENCHES - MOBILE & STATIONARY

Model

DWB-3072-BE-LP-95

Top is 12 gauge thick reinforced steel

- Angle iron stiffener under work surface and 2" x 2"x 1/4" angle iron legs.
- Mobile units include (4) 3" phenolic, locking swivel casters
- Louvered panel accommodates all sizes of Hook-On Bins[®].
- · Back and end stops

- Provisions for optional drawer Model # 177-DRAWER-95
- Work surfaces are 34" above the floor
- All models include a 12 gauge steel lower shelf with 500 lbs. capacity
- Foot pads with predrilled holes allow lagging to the floor
- Ships fully assembled ready for use
- · Durable, gray, textured powder coat finish

Туре	Overall Dim: WxDxH (In.)	Louvered Panel Dim: WxH (In.)	Ship Wt. (Lbs.)
Stationary	60 x 30 x 58	60 x 24	227
Stationary	72 x 30 x 58	72 x 24	264
Mobile	60 x 30 x 62-1/2	60 x 24	231
Mobile	60 x 36 x 62-1/2	60 x 24	236
	Stationary Stationary Mobile	Stationary 60 x 30 x 58 Stationary 72 x 30 x 58 Mobile 60 x 30 x 62-1/2	Stationary 60 x 30 x 58 60 x 24 Stationary 72 x 30 x 58 72 x 24 Mobile 60 x 30 x 62-1/2 60 x 24

Heavy Duty Workbench with Lips Up & Louvered Panel (4,000 lbs. capacity)

FOB TX



Model
DWBM-3060-BE-LP-95

Heavy Duty Workbench with Riser (4,000 lbs. capacity)



- Angle iron stiffener under work surface and 2" x 2"x 1/4" angle iron legs.
- Mobile units include (4) 3" phenolic, locking swivel casters
- Riser is 16H x 13D and includes 10 yellow Hook-On Bins® PB30230-21 (6 x 11 x 5)
- Electrical strip with 5 outlets included
- Choose from 60" and 72" widths

- Back and end stops
- · Work surfaces are 34" above the floor
- All models include a 12 gauge steel lower shelf with 500 lbs. capacity
- Provisions for optional drawer Model # 177-DRAWER-95
- Foot pads with predrilled holes allow lagging to the floor
- Ships fully assembled ready for use
- Durable, gray, textured powder coat finish



Model

DWB-3072-BE-RSR-95

Model DWBM-3060-BE-RSR-95

Model	Overall Dim: WxDxH (In.)	Ship Wt. (Lbs.)
DWB-3060-BE-RSR-95	60 x 30 x 50	235
DWB-3072-BE-RSR-95	72 x 30 x 50	273
Mobile Unit		
DWBM-3060-BE-RSR-95	60 x 30 x 54-1/4	235

ACCESSORY OPTIONAL DRAWER FOR DURHAM WORKBENCHES

Optional Drawer for Workbench

- · All steel construction
- Attaches to underside of work surface using predrilled holes
- Opens and closes easily on ball bearing slides
- · Recessed handle
- Lock and 2 keys provided
- Drawer is fully enclosed in a 14-5/16"W x 19-13/16"D x 6-3/16"H case
- · 100 lbs capacity
- Durable, gray, textured powder coat finish

Model	Internal Dim: WxDxH (In.)	Ship Wt. (Lbs.)
177-DRAWER-95	12-1/2 x 18-1/2 x 4-3/4	20



Model 177-DRAWER-95

FOB TX

WORKBENCHES EXTRA HEAVY DUTY MOBILE WORKBENCHES

Mobile Heavy Duty Workbench (5,0000 lbs. capacity)

- 7 gauge steel construction
- · Bottom surface has back stop
- 8" phenolic bolt-on casters;(2) swivel with side brakes and (2) rigid
- Convenient sturdy work surface
- Provisions for optional drawer Model # 177-DRAWER-95
- · Ships fully assembled
- · Durable, gray, textured powder coat finish



Model HDWBM-3660-8PHSB-95

Model	Overall Dim: WxDxH (In.)	Ship Wt. (Lbs.)
HDWBM-3660-8PHSB-95	36 x 60 x 44	319
HDWBM-3672-8PHSB-95	36 x 72 x 44	334

FOB TX

Mobile Heavy Duty Workbench

- 7 gauge steel construction
- Bottom surface has back stop
- Units includes a floor lock to keep the workbench in place while working
- · Convenient sturdy work surface
- Provisions for optional drawer Model # 177-DRAWER-95
- Ships fully assembled
- · Durable, gray, textured powder coat finish



Model HDWBMFL-3036-6PH-95

iviodei	Overali Dim: WXDXH (in.)	Type of Caster	capacity (ibs.)	Snip Wt. (Lbs.)
HDWBMFL-3036-6PH-95	36 x 30 x 42	6" Phenolic Caster	3,600	240
HDWBMFL-3048-6PH-95	48 x 30 x 42	6" Phenolic Caster	3,600	274
HDWBMFL-3060-6PH-95	60 x 30 x 42	6" Phenolic Caster	3,600	308
HDWBMFL-3072-6PH-95	72 x 30 x 42	6" Phenolic Caster	3,600	344
HDWBMFL-3660-6PH-95	60 x 36 x 42	6" Phenolic Caster	3,600	305
HDWBMFL-3672-6PH-95	72 x 36 x 42	6" Phenolic Caster	3,600	378
HDWBMFL-4284-6PH-95	84 x 42 x 42	6" Phenolic Caster	3,600	453
HDWBMFL-3036-8PH-95	36 x 30 x 44	8" Phenolic Caster	5,000	252
HDWBMFL-3048-8PH-95	48 x 30 x 44	8" Phenolic Caster	5,000	293
HDWBMFL-3060-8PH-95	60 x 30 x 44	8" Phenolic Caster	5,000	314
HDWBMFL-3660-8PH-95	60 x 36 x 44	8" Phenolic Caster	5,000	340
HDWBMFL-3672-8PH-95	72 x 36 x 44	8" Phenolic Caster	5,000	386
HDWBMFL-4284-8PH-95	84 x 42 x 44	8" Phenolic Caster	5,000	461
Models Including Drawers				
HDWBMFL-3036-6PH-177-95	36 x 30 x 42	6" Phenolic Caster	3,600	275
HDWBMFL-3048-6PH-177-95	48 x 30 x 42	6" Phenolic Caster	3,600	294
HDWBMFL-3060-6PH-177-95	60 x 30 x 42	6" Phenolic Caster	3,600	328
HDWBMFL-4284-6PH-177-95	84 x 42 x 42	6" Phenolic Caster	3.600	473



HDWBMFL-3036-6PH-177-95



SPECIALITY WORKBENCHES

EXTRA HEAVY DUTY SPECIALITY WORK BENCHES



Model HDWB-3672-95

(shown with optional drawer)

Extra Heavy Duty Workbench (12,000 lbs. capacity)

- Top is 3/16" thick reinforced steel
- Provisions for optional drawer Model # 177-DRAWER-95
- Lower shelf has 500 lbs. capacity
- Legs are 2" x 2" x 1/4" solid steel angle iron Foot pads with pre-punched holes allow lagging to the floor
 - · Ships fully assembled ready for use
 - Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Ship Wt. (Lbs.)
HDWB-3048-95	48 x 30 x 34	232
HDWB-3660-95	60 x 36 x 34	282
HDWB-3672-95	72 x 36 x 34	338
Includes Maple Top		
HDWB-MT-3672-95	72 x 36 x 36	495

FOB TX



Heavy Duty Workbench with Riser (12,000 lbs. capacity)

- Top is 3/16" thick reinforced steel
- Legs are 2" x 2" x 1/4" solid steel angle iron
- · Lower shelf has 500 lbs. capacity
- Foot pads with pre-punched holes allow lagging to the floor
- Bottom surface has back stop
- Ships fully assembled
- Convenient sturdy work surface
- Durable, gray, textured powder coat finish



FOB TX

Model	Overall Diffi: WXDXH (III.)	Drawers Diffi. WXDAH (III.)	Top Surface	Stilp Wt. (LDS.)
HDWB3660RS6DR95	60 x 36 x 51	(6) 23-3/4 x 20-1/8 x 6	Steel	465
HDWBMT3672RS6DR95	72 x 36 x 51	(6) 20-1/8 x 11-3/16 x 4	Maple Top	674
HDWB3672RS6DR95	72 x 36 x 51	(6) 23-3/4 x 20-1/8 x 6	Steel	558
HDWBMT3696RS2DR95	96 x 36 x 51	(2) 20-1/8 x 11-3/16 x 4	Maple Top	799

Heavy Duty Workbench with Drawers (12,000 lbs. capacity)



- Legs are 2" x 2" x 1/4" solid steel angle
- Lower shelf has 500 lbs. capacity
- · Foot pads with pre-punched holes allow lagging to the floor
- · Bottom surface has back stop
- Ships fully assembled
- · Convenient sturdy work surface
- · Durable, gray, textured powder coat finish



Model **HDWBMT36932DR95**

Model	Overall Dim: WxDxH (In.)	Drawers Dim. WxDXH (In.)	Top Surface	Ship Wt. (Lbs.)
HDWBUHMW36604DR95	60 x 36 x 35	(4) 23-3/4 x 20-1/8 x 6	Polyethylene	570
HDWBABS36604DR95	60 x 36 x 34	(4) 23-3/4 x 20-1/8 x 6	ABS Plastic	468
HDWB36723DR95	72 x 36 x 34	(3) 23-3/4 x 20-1/8 x 6	Steel	470
HDWBMT36722DR95	72 x 36 x 36	(2) 20-1/8 x 11-3/16 x 4	Maple Top	551
HDWBMT36723DR95	72 x 36 x 36	(3) 20-1/8 x 11-3/16 x 4	Maple Top	574
HDWB36724DR95	72 x 36 x 34	(4) 23-3/4 x 20-1/8 x 6	Steel	500
HDWBMT36962DR95	96 x 36 x 36	(2) 20-1/8 x 11-3/16 x 4	Maple Top	720

Super Heavy Duty Workbench (14,000 lbs. capacity)

- Top is 1/4" thick steel plate welded to 3" channel frame
- Legs are 3" x 3" x 3/16" solid steel angle iron
- All models include a 29-1/4" deep shelf which sits 10" above the floor
- Provisions for optional drawer Model # 177-DRAWER-95
- · Ships fully assembled ready for use
- · Durable, gray, textured powder coat finish



Model HWB-3672-95

(shown with optional drawer)

Model	Overall Dim: WxDxH (In.)	Ship Wt. (Lbs.)
HWB-3648-95	48 x 36 x 34	288
HWB-3660-95	60 x 36 x 34	352
HWB-3672-95	72 x 36 x 34	400

FOB TX

Super Heavy Duty Machine Tables - Top Shelf Only

(14,000 lbs. capacity)

- Top is 1/4" thick steel plate welded to 3" channel frame
- Legs are 3" x 3" x 3/16" solid steel angle iron
- Provisions for optional drawer Model # 177-DRAWER-95
- 4" x 4-1/2" foot pad is pre-punched with 5/16" and 3/8" hole for lagging to the floor
- · Ships fully assembled ready for use
- · Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Ship Wt. (Lbs.)
HWBMT-364824-95	48 x 36 x 24	325
HWBMT-364830-95	48 x 36 x 30	333
HWBMT-364834-95	48 x 36 x 34	338
HWBMT-366024-95	60 x 36 x 24	338
HWBMT-366030-95	60 x 36 x 30	385
HWBMT-366034-95	60 x 36 x 34	390
HWBMT-367224-95	72 x 36 x 24	437
HWBMT-367230-95	72 x 36 x 30	444
HWBMT-367234-95	72 x 36 x 34	465



FOB TX

Optional Drawer for Workbench

- · All steel construction
- Attaches to underside of work surface using predrilled holes
- Opens with recessed handle and closes easily on ball bearing slides
- · Lock and 2 keys provided
- Drawer is fully enclosed in a 14-5/16"W x 19-13/16"D x 6-3/16"H case
- 100 lbs capacity
- Durable, gray, textured powder coat finish



Model 177-DRAWER-95

Model	Internal Dim: WxDxH (In.)	Ship Wt. (Lbs.)
177-DRAWER-95	12-1/2 x 18-1/2 x 4-3/4	20

WORKSTATIONS STATIONARY



Model -95

Stationary Workstation with 1 Shelf (2,000 lbs. capacity)

- 14 gauge all welded steel construction
- 48"W x 24"D cabinet with a welded 12 gauge 12" vice support.
- Double doors have 3-point locking handle and 4 keys
- · Back and end stops

- 6"H 3/16" thick base/legs with prepunched holes provided for lagging to floor
- 14 gauge shelf 21-1/8" x 24-7/8 with 11-5/16" clearance
- · Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Ship Wt. (Lbs.)
3403-95	48* x 24 x 36-1/4	246

FOB TX

*60" width including vice grip shelf. (Vice not included)

Stationary Workstation with 4 or 5 Drawers (2,000 lbs. capacity)

- 14 gauge all welded steel construction
- 48"W x 24"D cabinet with a welded 12" vice support; overall width is 60"
- Full extension drawers each have 100 lbs. capacity
- Drawers move smoothly on ball bearing slides
- Back and end stops
- 6"H 3/16" thick base/legs with prepunched holes provided for lagging to floor
- Door has 3-point locking handle with cylinder lock and 4 keys
- Ships fully assembled
- · Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Drawers Dim: WxDxH (In.)	Ship Wt. (Lbs.)
3404-95	48* x 24 x 36-1/4	(4)20-7/16 x 14-11/16 x 5-7/8	274
3405-95	48* x 24 x 36-1/4	(2) 20-7/16 x 14-11/16 x 5-7/8 (3) 20-7/16 x 14-11/16 x 3-7/8	279

Model 3405-95

*60" width including vice grip shelf. (Vice not included)



SFWS-392955-95

Stationary File Work Station and Stand Up Desk

- · Heavy 16 gauge steel construction
- 2 file drawers and 2 storage drawers are 18 gauge steel
- Drawers have riveted ball bearing slides, recessed handles, cylinder locks and 4 keys
- All drawers are keyed alike

- Smooth writing surface is 42" above the floor
- Horizontal literature rack is included and easily bolts to top of work surface
- An 18"D x 23"W shelf is located 7" above the floor
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Ship Wt. (Lbs.)	
SFWS-392955-95	39 x 29 x 55	260	

FOB TX

WORKSTATIONSMOBIL F

Mobile Shop Desk

- Heavy duty all welded 16 gauge steel construction
- Provides an organized work area that easily moves anywhere you need it
- 500 lbs. capacity
- Drawer has ball bearing slides and includes a cylinder lock and 4 keys
- (4) 3" soft rubber swivel rubber plug in casters
- Sloped work surface has a pencil rest lip
- 2 storage compartments are located above work surface
- Half shelf for additional storage is located 15" above the floor
- · Durable, gray, textured powder coat finish



Model	Overall Dim: WxDxH (in.)	Ship Wt. (Lbs.)
MSD-2023-95	23 x 20 x 47-3/4	89

FOB TX

Mobile Shop Desk

- Heavy duty 16 gauge steel construction
- Provides an organized work area that easily moves anywhere you need it
- 500 lbs. capacity
- Drawers have ball bearing slides and include a cylinder lock and 4 keys
- Lower storage compartment has a single point locking handle and 2 keys
- Space below drawers = 23" x 20" x 21"
- Drawer cylinder locks and lower compartment handle are keyed alike
- 2 storage compartments are located above work surface
- Sloped work surface has a pencil rest lip
- (4) 3" soft rubber swivel rubber plug in casters
- Durable, gray, textured powder coat finish



Model FED-2023-95

Model	Overall Dim: WxDxH (in.)	Ship Wt. (Lbs.)
FED-2023-95	23 x 20 x 51	125

FOB TX

3 or 4 Shelf Portable Shop Desks (with or without Drawer)

- Heavy duty 14 gauge steel construction
- Provide an organized work area that easily moves anywhere it is needed
- 1200 lbs capacity
- Top shelf has a 1-1/2" lip on 3 sides and creates an ideal work surface 36" above the floor
- Bottom shelves have 1-1/2" lips on all 4 sides
- (4) 5" x 1-1/4" Polyurethane bolt-on caster (2 swivel with side brakes and 2 rigid)
- Drawer included with model PSD-2430-3-D-95 & PSD-2430-4-D-95 has a recessed handle, ball bearing slides and includes a lock and 2 keys
- · Desk ships fully assembled
- Drawer (where included) ships separately and is easy to attach using fasteners provided
- Model 177-DRAWER-95 can also be added later (See page 104)
- · Durable, gray, textured powder coat finish



Model	
PSD-2430-4-D-95	

Model	Overall Dim: WxDxH (in.)	Description	Ship Wt. (Lbs.)	
PSD-2430-3-95	30 x 24 x 37-3/16	3 Shelves Unit	110	
PSD-2430-3-D-95	30 x 24 x 37-3/16	3 Shelves Unit with Drawer	129	
PSD-2430-4-95	30 x 24 x 55-3/4	4 Shelves Unit	126	
PSD-2430-4-D-95	30 x 24 x 55-3/4	4 Shelves Unit with Drawer	150	
PSD-2436-3-2D-95	36 x 24 x 54-1/8	3 Shelves Unit with 2 Drawers	168	



WORKSTATIONS

MOBILE







Model RSC-2448-3-PB-95



Model RSC-2436-2-LP-2DR-32B-95

2 & 3 Shelves Stock Cart with Pegboard or Louvered Panel (1,200 lbs. capacity)

- Heavy duty 14 gauge steel construction
- 1-1/2" x 1/8" angle iron frame for added stregnth
- 5" polyurethane bolt-on casters; (2) swivel with side brakes and (2) rigid
- · Top surface has lips down
- Pegboard holes are 1/4" diameterand are punched on 1" centers They accommodate standard peg hooks. (peg hooks not included)
- Louvered panels accommodate Hook-on Bins®. 32 Hook-On Bins® included; 4" x 7" x 3"
- Locking drawers, have 100 lbs capacity, move easily on ball bearing slides and includes locks and 2 keys
- · Sturdy tubular push handle
- · Durable, gray, textured powder coat finish
- · Ships fully assembled

Model	Overall Dim: WxDxH (In.)	Pegboard Dim: HxW (In.)	Drawers Dim: WxDxH (In.)	Ship Wt. (Lbs.)
Pegboard Units with 2 Shelves				
RSC-2436-2-PB-95	*36 x 24 x 68	28 x 36	-	125
RSC-2448-2-PB-95	*48 x 24 x 65	23 x 48	-	141
Pegboard Units with 3 Shelves				
RSC-2436-3-PB-95	*36 x 24 x 68	28 x 36	-	155
RSC-2448-3-PB-95	*48 x 24 x 65	23 x 48	-	167
Pegboard Units with 2 Shelves	and Drawers			
RSC-2436-2-PB-1DR-95	*36 x 24 x 65	28 x 36	(1) 14-25/32 x 19-19/32 x 6-11/32	144
RSC-2436-2-PB-2DR-95	*36 x 24 x 65	28 x 36	(2) 14-25/32 x 19-19/32 x 6-11/32	166
RSC-3036-2-PB-2DR-95	*36 x 30 x 65	28 x 36	(2) 14-25/32 x 19-19/32 x 6-11/32	182
RSC-2448-2-PB-2DR-95	*48 x 24 x 65	23 x 48	(2) 14-25/32 x 19-19/32 x 6-11/32	186
Louvered Panel Unit including Hook-On-Bins® and Drawers				
Model	Overall Dim: WxDxH (In.)	Louvered Panel Dim: WxH (in.)	Drawers Dim: WxDxH (In.)	Ship Wt. (Lbs.)
RSC-2436-2-LP-2DR-32B-95	*36 x 24 x 37-3/4	27 x 36	(2) 14-25/32 x 19-19/32 x 6-11/32	174

FOB TX

*Handle adds 6" to width

For additional information visit our website: www.durhammfg.com

or

Contact us at: info@durhammfg.com

WORKSTATIONS

Mobile Workstation with Lockable Storage Compartment (1,200 lbs. capacity)

- 16 gauge all welded steel construction
- · Convenient sturdy work surface
- · Back and end stops on the work surface prevents parts from falling during transport
- 5" x 1-1/4" polyurethane casters (2) swivel and (2) rigid
- Tubular handle for ease of mobility
- Cabinet compartment is equipped with an adjustable shelf and locking handle that has a 3 point locking handle with 4
- Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (in.)	Compartment Dim: WxDxH (in.)	Ship Wt. (Lbs.)
2210A-LU-95	*36 x 18 x 37-7/32	34 x 18 x 27-5/16	160



Model 2210A-LU-95

Mobile Workstation with Lockable Storage Compartment and Pegboard Panel (1,200 lbs. capacity)

*Handle adds 6" to width

- 16 gauge all welded steel construction
- Convenient sturdy work surface
- · Back and end stops on the work surface prevents parts from falling during transport
- Pegboard holes are punched on 1" centers and accomodate standard peg hooks
- · Tubular handle for ease of mobility
- 5" x 1-1/4" polyurethane casters (2) swivel and (2) rigid
- Cabinet compartment is equipped with an adjustable shelf and locking handle that has a 3 point locking handle with 4 keys
- · Ships fully assembled
- Durable, gray, textured powder coat finish

J	(8.7)			
			8	
	M	odel		

	MO	aeı		
2210	A-P	B-L	U-9	5

Model	Overall Dim: WxDxH (in.)	Compartment Dim: WxDxH (in.)	Ship Wt. (Lbs.)
2210A-PB-LU-95	*36 x 18 x 65-3/4	34 x 18 x 27-5/16	184

FOB TX

FOB TX

Mobile Workstation with Lockable Storage Compartment, Louvered Panel and 32 Hook-On® Bins (1,200 lbs. capacity)

- 16 gauge all welded steel construction
- Convenient sturdy work surface
- Back and end stops on the work surface prevents parts from falling during transport
- 5" x 1-1/4" polyurethane casters (2) swivel and (2) rigid
- height of work surface is 38-1/2" high

- · Tubular handle for ease of mobility
- Cabinet compartment is equipped with an adjustable shelf and locking handle that has a 3 point locking handle with 4
- Ships fully assembled
- · Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (in.)	Compartment Dim: WxDxH (in.)	Ship Wt. (Lbs.)
2210A-32B-LU-95	*36 x 18 x 65-3/4	34 x 18 x 27-5/16	192





^{*}Handle adds 6" to width

DURHAM MFG® Est. 1922



	Carts and Trucks					
Mobile Bench Cabinets	110-117	Maintenance Cart	118			
Double Sided Bench Cabinet	118	Mobile Bin Carts	119-120			
Rolling Stock Carts	121 - 124	Rolling Instrument Carts	125			
Heavy Duty Service Trucks	126	Steel Platform Trucks	127-131			
Panel Moving Trucks	132	Adjustable Panel Moving Trucks	132			
Speciality Platform Trucks	132-133	High Deck Stock Truck	134			
Portable Tables	135-136	Low Deck Service Trucks	136			
Bar Cradle Trucks	137	3 & 4 Sided Trucks	137			
3 Sided Mesh Stock Trucks	138	Security Trucks	138			
Mesh Stock Trucks	139	Open Portable Shelf Trucks	139			
Adjust-A Tray Trucks	140	A-Framed Trucks	140-142			
Mobile Storage Bin	142					







Model 2203-LU-95



Model 2201-95



24"W Mobile Bench Cabinet with Drawers (1,200 lbs. capacity)

- 16 gauge all welded steel
- 2203-LU-95 has back and end stops to prevent products from falling off during transport
- Cabinet door has a 3 point locking handle with 4 keys
- · Full piano hinge on door prevents sagging

- · Sturdy tubular handle aids in mobility
- 5" x 1-1/4" polyurethane casters; (2) swivel with side brakes and (2) rigid
- · Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Compartment Size: WxDxH (In.)	Drawers Dim. WxDXH (In.)	Ship Wt. (Lbs.)
2200-95 (No Drawers)	*24 x 18 x 36-1/2	23-7/8 x 17-7/8 x 27-7/16	-	102
2203-LU-95	*24 x 18 x 36-1/2	23-7/8 x 17-7/8 x 21-3/4	20-7/16 x 14-11/16 x 5-7/8	102
2201-95	*24 x 18 x 36-1/2	23-7/8 x 17-7/8 x 10-1/2	(2) 20-7/16 x 14-11/16 x 5-7/8	142
2202-95	*24 x 18 x 36-1/2	-	(4) 20-7/16 x 14-11/16 x 5-7/8	196

FOB TX

*Handle adds 6" to width



36"W Mobile Bench Cabinet (1,200 lbs. capacity)

- 14 gauge steel construction
- Top surface has back stop
- · Convenient sturdy work surface
- Surface with 1 top lip down

- 5" polyurethane bolt-on casters; (2) swivel with side brakes and (2) rigid
- Ships fully assembled
- · Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Drawers Dim. WxDXH (In.)	Shelf Dim. WxD (In.)	Top Surface	Ship Wt. (Lbs.)
3110-95	*36 x 24 x 36-3/8	-	-	Steel	142
3111-95	*36 x 24 x 36-3/8	-	36 x 24	Steel	163
3111-MT-95	*36 x 24 x 37-1/8	-	36 x 24	Maple Top	205
3114-95	*36 x 24 x 36-3/8	30 9/16 x 6 x 14 3/16	-	Steel	180
3117-95	*36 x 24 x 36-3/8	(2) 15-11/16 x 5-7/8 x 14-11/16	-	Steel	191
3117-TH-95	*36 x 24 x 36-3/8	(2) 15-11/16 x 5-7/8 x 14-11/16	-	Tempered Hard Board	199
3120-95	*36 x 24 x 36-3/8	(4) 15-11/16 x 5-7/8 x 14-11/16	-	Steel	209

FOB TX





36" W Mobile Bench Cabinets (1,200 lbs. capacity)

- 14 gauge steel construction
- Convenient sturdy work surface with back and end stops on the work surface prevents parts from falling during transport (MT units not included)
- Tubular handle for easy maneuverability
- Cabinet doors have a 3 point locking system with 4 keys
- Bolt-on casters; (2) swivel with side brakes and (2) rigid
- 3100-95 has 2,000 lb. capacity
- · Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Top Surface	Ship Wt. (Lbs.)
	Empty unit - I	No Shelf	
3112-95	*36 x 24 x 36-3/8	Steel	164
3112-MT-95	*36 x 24 x 37-1/8	Maple Top	199
3112-TH-95	*36 x 24 x 36-3/8	Tempered Hard Board	165

	Units with 1 shelf				
Model	Overall Dim: WxDxH (In.)	Type of Casters	Shelf Dim. WxD (In.)	Top Surface	Ship Wt. (Lbs.)
3100-95	*36 x 24 x 37-3/4	6" Phenolic	36 x 21-1/8	Steel	196
3100RM-5PU-95	*36 x 24 x 36-3/8	5" Polyurethane	36 x 21-1/8	Black Rubber Mat	187
3113-95	*36 x 24 x 36-3/8	5" Polyurethane	36 x 21-1/8	Steel	176
3113-MT-95	*36 x 24 x 37-1/8	5" Polyurethane	36 x 21-1/8	Maple Top	218
3113-TH-95	*36 x 24 x 36-3/8	5" Polyurethane	36 x 21-1/8	Tempered Hard Board	184

FOB TX

Model 2211A-TH-LU-95

-TH- model includes tempered hard board

36"W Mobile Cabinet with 4 Drawer Lockable Storage Compartment

(1,200 lbs. capacity)

- 16 gauge all welded steel construction
- Convenient sturdy work surface with back and end stops on the work surface prevents parts from falling during transport
- Tubular handle for easy maneuverability
- 5" x 1-1/4" polyurethane casters (2) swivel with side breaks and (2) rigid
- Right side opening is 11-1/8" W x 24-1/4" H x 18" D.
- Cabinet compartment is equipped with one adjustable shelf
- Cabinet doors have a 3 point locking system with 4 keys
- · Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Drawers Dim: WxDxH (In.)	Ship Wt. (Lbs.)
2211A-LU-95	*36 x 18 x 38-3/8	(4) 20-7/16 x 14-11/16 x 5-7/8	187
2211A-TH-LU-95	*36 x 18 x 38-3/8	(4) 20-7/16 x 14-11/16 x 5-7/8	192

^{*}Handle adds 6" to width



^{*}Handle adds 6" to width









Model 31001DR-5PU-95

Model 3115-RM-95

Model 3116-TH-95

36"W Mobile Bench Cabinet with Drawers (1,200 lbs. capacity)

- 14 gauge steel construction
- Convenient sturdy work surface with back and end stops on the work surface prevents parts from falling during transport (MT units not included)
- Tubular handle for easy maneuverability

- Cabinet doors have a 3 point locking system with 4 keys
- 5" polyurethane bolt-on casters; (2) swivel with side brakes and (2) rigid
- Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Drawers Dim. WxDXH (In.)	Top Surface	Ship Wt. (Lbs.)
31001DR-5PU-95	*36 x 24 x 36-3/8	30-9/16 x 6 x 14-3/16	Steel	211
3115-MT-95	*36 x 24 x 37-1/8	30-9/16 x 6 x 14-3/16	Maple Top	233
3115-RM-95	*36 x 24 x 36-3/8	30-9/16 x 6 x 14-3/16	Black Rubber Mat	191
3115-TH95	*36 x 24 x 36-3/8	30-9/16 x 6 x 14-3/16	Tempered Hard Board	179
3116-95	*36 x 24 x 36-3/8	(2) 15-11/16 x 5-7/8 x 14-11/16	Steel	209
3116-RM-95	*36 x 24 x 36-3/8	(2) 15-11/16 x 5-7/8 x 14-11/16	Black Rubber Mat	210
3116-TH-95	*36 x 24 x 36-3/8	(4) 15-11/16 x 5-7/8 x 14-11/16	Tempered Hard Board	217
3119-95	*36 x 24 x 36-3/8	(4) 15-11/16 x 5-7/8 x 14-11/16	Steel	229
3119-MT-95	*36 x 24 x 37-1/8	(4) 15-11/16 x 5-7/8 x 14-11/16	Maple Top	271

FOB TX

*Handle adds 6" to width







3118-RM-95



Model 3121-MT-95



Model 3121-TH-95

36"W Mobile Bench Cabinet with Drawers (1,200 lbs. capacity)

- 14 gauge steel construction
- Convenient sturdy work surface with back and end stops on the work surface prevents parts from falling during transport (MT units not included)
- Tubular handle for easy maneuverability

- Cabinet doors have a 3 point locking system with 4 keys
- 5" polyurethane bolt-on casters; (2) swivel with side brakes and (2) rigid
- Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Drawers Dim. WxDXH (In.)	Top Surface	Ship Wt. (Lbs.)
3118-95	*36 x 24 x 36-3/8	(2) 15-11/16 x 5-7/8 x 14-11/16	Steel	187
3118-RM-95	*36 x 24 x 36-3/8	(2) 15-11/16 x 5-7/8 x 14-11/16	Black Rubber Mat	190
3121-95	*36 x 24 x 36-3/8	(4) 15-11/16 x 5-7/8 x 14-11/16	Steel	205
3121-MT-95	*36 x 24 x 37-1/8	(4) 15-11/16 x 5-7/8 x 14-11/16	Maple Top	247
3121-RM-95	*36 x 24 x 36-3/8	(4) 15-11/16 x 5-7/8 x 14-11/16	Black Rubber Mat	208
3121-TH-95	*36 x 24 x 36-3/8	(4) 15-11/16 x 5-7/8 x 14-11/16	Tempered Hard Board	212

FOB TX



36"W Mobile Cabinet with Lockable Storage Compartment with 1

Shelf (1,200 lbs. capacity)

- 16 gauge all welded steel
- Convenient sturdy work surface
- Top surface has back stop
- Tubular handle for ease of mobility
- Storage area has a locking handle with 4 keys
- · 1 fixed shelf
- 5" x 1-1/4" polyurethane casters (2) swivel with side brakes and (2) rigid
- Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Ship Wt. (Lbs.)
2210-95	*36 x 18 x 36-1/2	153
FOB TX	*Handle adds 6" to width	-



Model 2211-95

36"W Mobile Cabinet with 4 Drawers & Lockable Storage Compartment (1,200 lbs. capacity)

- 16 gauge all welded steel
- · Convenient sturdy work surface
- Top surface has back stop
- Tubular handle for ease of mobility
- 5" x 1-1/4" polyurethane casters (2) swivel with side brakes and (2) rigid
- 4 Drawers, each with 100 lbs capacity, move easily on ball bearing slides
- Each drawer has a cylinder lock and 2 keys
- Storage area has 1 shelf and a single point locking handle with 4 keys
- All locks are keyed alike
- Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Drawer Dim: WxDxH (In.)	Ship Wt. (Lbs.)
2211-95	*36 x 18 x 36-1/2	(4) 20-7/16 x 14-11/16 x 5-7/8	231

FOB TX

*Handle adds 6" to width



Model 2212A-LU-95

36"W Mobile Cabinet with Drawer Lockable Storage Compartment and 1 Shelf (1,200 lbs. capacity)

- 16 gauge all welded steel construction
- Convenient sturdy work surface with back and end stops on the work surface prevents parts from falling during transport
- · Center shelf is adjustable
- · Tubular handle for ease of mobility
- 5" x 1-1/4" polyurethane casters (2) swivel and (2) rigid
- Drawer includes 2 keys. Dimensions: 20-7/16 x 14-11/16 x 5-7/8
- Left side opening below the drawer is $24-1\4"$ W x 18" D x 18-3/16" H Right side opening is 11-1/8" W x 24-1/4" H x 18" D.
- Cabinet compartment is equipped with one adjustable shelf and locking handle that has a 3 point locking handle with 4 keys
- Ships fully assembled
- Durable, gray, textured powder coat finish

٦	-	-	I	
- 1				
	_		W.	
	-			
į	5			9

Model 2212A-TH-LU-95 shown with tempered hard board


Model	Overall Dim: WxDxH (In.)	Drawers Dim: WxDxH (In.)	Ship Wt. (Lbs.)
2212A-LU-95	*36 x 18 x 38-3/8	20-7/16 x 14-11/16 x 5-7/8	201
2212A-TH-LU-95	*36 x 18 x 38-3/8	20-7/16 x 14-11/16 x 5-7/8	206

FOB TX

36"W Mobile Bench Cabinets (2,000 lbs. capacity)

- 16 gauge steel construction
- · Convenient sturdy work surface
- Top surface has back stop
- Tubular push handle allows ease of mobility
- 6" x 2" phenolic casters (2) swivel and (2) rigid
- · Back louvered panel provides capability to hang Hook-On-Bins®
- Choose from models that include 20, 18 or no Hook-On-Bins®
- Doors lock securely with a 3 point locking handle and 4 keys
- · Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Hook-on Bins®	Ship Wt. (Lbs.)
3100-BLP-95	*36 x 24 x 37-3/4	-	186
3100-BLP-18-95	*36 x 24 x 37-3/4	(12) 6 x 11 x 5, (4) 8 x 15 x 7, (2) 16 x 15 x 7	212
3100-BLP-20-95	*36 x 24 x 37-3/4	(12) 6 x 11 x 5, (8) 8 x 15 x 7	215





Model 3100-BLP-20-95

FOB TX

*Handle adds 6" to width

36"W Mobile Cabinet with Drawer Lockable Storage Compartment

(1,200 lbs. capacity) - Includes 8 - Yellow Hook-On® Bins

- 16 gauge all welded steel construction
- · Convenient sturdy work surface
- Back and end stops on the work surface prevents parts from falling during transport
- · Center shelf is adjustable
- Tubular handle for ease of mobility
- 5" x 1-1/4" polyurethane casters (2) swivel and (2) rigid

- Drawer includes 2 keys. Dimensions: 20-7/16 x 14-11/16 x 5-7/8
- Left side opening below the drawer is 24-1/4" W x 21-7/16" H x 18" D. Right side opening is 11-1/8" W x 24-1/4" H x 18" D.
- Cabinet compartment contains 8 Hook-On Bins and locking handle with 4 keys
- Ships fully assembled
- Durable, gray, textured powder coat finish



Model 2212A-BLP-8B-LU-95 shown with tempered hard board

Model	Overall Dim: WxDxH (In.)	Hook-on Bins®	Ship Wt. (Lbs.)
2212A-BLP-8B-LU-95	*36 x 18 x 38-3/8	(8) 8 x 15 x 7	206

FOB TX

*Handle adds 6" to width

36"W Mobile Cabinet with 4 Drawers & Lockable Storage **Compartment with 10 Bins** (1200 lbs. capacity)

- · 16 gauge all welded steel
- · Convenient sturdy work surface is covered with a black rubber mat
- Top surface has back stop
- Tubular handle for ease of mobility
- 5" x 1-1/4" polyurethane casters (2) swivel with side brakes and (2) rigid
- 4 Drawers, each with 100 lbs capacity. move easily on ball bearing slides
- Each drawer has a cylinder lock and 2 keys (all locks are keyed alike)
- · Storage area has 1 shelf and a 3 point locking handle with 4 keys
- 10 Hook-On-Bins® are included and hang on louvered door panel
- · Ships fully assembled
- Durable, gray, textured powder coat finish



Model 2211-DLP-RM-10B-95

Model	Overall Dim: WxDxH (In.)	Drawers Dim: WxDxH (In.)	Hook-on Bins®	Ship Wt.
2211-DLP-RM-10B-95	*36 x 18 x 36-1/2	(4) 20-7/16 x 14-11/16 x 5-7/8	(10) 4 x 5 x 3	259

FOB TX *Handle adds 6" to width





Model 2213A-LU-95

36"W Mobile Cabinet with 2 Drawer Lockable Storage Compartment

(1,200 lbs. capacity)

- 16 gauge all welded steel construction
- Convenient sturdy work surface with back and end stops on the work surface prevents parts from falling during transport
- Tubular handle for easy maneuverability
- 5" x 1-1/4" polyurethane casters (2) swivel with side brakes and (2) rigid
- Right side opening is 36"W x 16-3/8"H x 18"D
- Cabinet compartment is equipped with one adjustable shelf and locking handle that has a 3 point locking handle with 4 keys
- · Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Drawers Dim: WxDxH (In.)	Ship Wt. (Lbs.)
2213A-LU-95	*36 x 18 x 37-3/4	(2) 16-1/16 x 14-11/16 x 5-7/8	215
FOB TX	*Handle adds 6" to	width	

CARTSMOBILE BENCH CABINETS



Model 3413-FL-95





48" W Mobile Bench Cabinets with Drawers (2,000 lbs. capacity)

- Heavy duty, all welded, 14 gauge steel
- Convenient sturdy work surface with back and end stops on the work surface prevents parts from falling during transport (MT units not included)
- · Tubular handle for easy maneuverability
- Cabinet doors have a 3 point locking system with 4 keys
- Floor lock included to keep the unit in place while working
- 5" polyurethane bolt-on casters; (2) swivel and (2) rigid
- · Ships fully assembled
- · Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Drawers Dim. WxDXH (In.)	Top Surface	Ship Wt. (Lbs.)
3413-FL-95	*48 x 24 x 37-3/4	(1) 41-7/16 x 5-7/8 x 14-11/16	Steel	227
3413-MT-FL-95	*48 x 24 x 38-1/2	(1) 41-7/16 x 5-7/8 x 14-11/16	Maple Top	284
3413-RM-FL-95	*48 x 24 x 37-3/4	(1) 41-7/16 x 5-7/8 x 14-11/16	Black Rubber Mat	222
3414-RM-FL-95	*48 x 24 x 37-3/4	(2) 21-1/16 x 5-7/8 x 14-11/16	Black Rubber Mat	263
3415-FL-95	*48 x 24 x 37-3/4	(2) 21-1/16 x 5-7/8 x 14-11/16	Steel	234
3415-MT-FL-95	*48 x 24 x 38-1/2	(2) 21-1/16 x 5-7/8 x 14-11/16	Maple Top	294

FOB TX

MOBILE BENCH CABINE







Model 3414-MT-FL-95

48" W Mobile Bench Cabinets (2,000 lbs. capacity)

- Heavy duty, all welded, 14 gauge steel
- Convenient sturdy work surface with back and end stops on the work surface prevents parts from falling during transport (MT units not included)
- Tubular handle for easy maneuverability
- Cabinet doors have a 3 point locking system with 4 keys
- Floor lock included to keep the unit in place while
- 5" polyurethane bolt-on casters; (2) swivel and (2) rigid
- Ships fully assembled
- · Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Drawers Dim. WxDXH (In.)	Top Surface	Ship Wt. (Lbs.)
3410-FL-95	*48 x 24 x 37-3/4	-	Steel	174
3414-MT-FL-95	*48 x 24 x 38-1/2	(2) 21-1/16 x 5-7/8 x 14-11/16	Maple Top	286
3414-TH-FL-95	*48 x 24 x 37-3/4	(2) 21-1/16 x 5-7/8 x 14-11/16	Tempered Hard Board	267
3414-RM-FL-95	*48 x 24 x 37-3/4	(2) 21-1/16 x 5-7/8 x 14-11/16	Black Rubber Mat	263

FOB TX













Model 3411-FL-95

Model 3411-MT-FL-95

Model 3412-RM-FL-95

Model 3412-TH-FL-95

48" W Mobile Bench Cabinets (2,000 lbs. capacity)

- · Heavy duty, all welded, 14 gauge steel
- Convenient sturdy work surface with back and end stops on the work surface prevents parts from falling during transport (MT units not included)
- Tubular handle for easy maneuverability
- Cabinet doors have a 3 point locking system with 4 keys
- Floor lock included to keep the unit in place while working
- 5" polyurethane bolt-on casters; (2) swivel and (2) rigid
- Ships fully assembled
- · Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)		T	op Surface	Ship Wt. (Lbs.)
	Em	pty unit	t - No Shelf		
3411-FL-95	*48 x 24 x 37-3/4			Steel	200
3411-MT-FL-95	*48 x 24 x 38-1/2			Maple Top	260
3411-TH-FL-95	*48 x 24 x 37-3/4		Tempered Hard Board		218
	U	nits wit	h 1 shelf		
Model	Overall Dim: WxDxH (In.)	Shel	lf Dim. WxD (In.)	Top Surface	Ship Wt. (Lbs.)
3412-FL-95	*48 x 24 x 37-3/4		21-1/8 x 36	Steel	229
3412-RM-FL-95	*48 x 24 x 37-3/4		21-1/8 x 36	Black Rubber Mat	230
3/12-TH-FI-95	*18 v 21 v 37-3/1		21 1/8 v 36	Tempered Hard Roard	253

FOB TX



Model 3401-95

60"W Mobile Bench Cabinet with 1 Shelf & Drawers

(2,000 lbs. capacity)

- 16 gauge steel construction with 14 shelf
- 48"W x 24"D cabinet and work surface with a welded 12 gauge 12" vice support. Vice not included
- Top surface is 36-3/4" above the floor
- Full extension drawers each have 100 lbs. capacity
- Double doors have 3-point locking handle and 4 keys
- · Drawers move smoothly on ball bearing

slides

- · Back and end stops
- Sturdy tubular handle aids in mobility
- 6" x 2" phenolic bolt-on casters;
 (2) swivel and (2) rigid
- · Ships fully assembled
- · Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Drawers Dim: WxDxH (In.)	Ship Wt. (Lbs.)
3400-95	*48 x 24 x 37-3/4	2 Doors, 1 Shelf	267
3401-95	*48 x 24 x 37-3/4	(4) 20-7/16 x 14-11/16 x 5-7/8	305
3402-95	*48 x 24 x 37-3/4	(2) 20-7/16 x 14-11/16 x 5-7/8 (3) 20-7/16 x 14-11/16 x 3-7/8	307

FOB TX



Model 2220-95

48"W Mobile Cabinet with Lockable Storage Compartment

(1,200 lbs. capacity)

- 16 gauge all welded steel construction
- Convenient sturdy work surface
- Top surface has back stop
- Tubular handle for ease of mobility
- 5" x 1-1/4" polyurethane casters (2) swivel and (2) rigid
- · Has fixed center shelf
- Storage area has a 3 point locking handle with 4 keys
- Ships fully assembled
- · Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Ship Wt. (Lbs.)
2220-95	*48 x 18 x 36-1/2	180

FOB TX

1 1 1 1 1

Model 2221-95

48"W Mobile Cabinet with Lockable Storage Compartment

(1,200 lbs. capacity)

- Heavy duty 16 gauge steel construction
- · Convenient sturdy work surface
- · Backstop on top surface
- Each drawer has a cylinder lock and 2 keys
- 5" x 1-1/4" polyurethane casters
 (2) swivel and (2) rigid
- 4 Drawers, each with 100 lbs capacity, move easily on ball bearing slides
- · Tubular handle for ease of mobility
- (2) 20-1/2"W x 20"D x 12-1/2"H storage compartments
- Storage area has 1 shelf and a single point locking handle with 4 keys
- · All locks are keyed alike
- Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Drawer Dim: WxDxH (In.)	Ship Wt. (Lbs.)
2221-95	*48 x 18 x 36-1/2	(4) 20-7/16 x 14-11/16 x 5-7/8	218

FOB TX



^{*}Handle adds 6" to width

^{*}Handle adds 6" to width

Mobile Maintenance Cabinet with Drawer & Lockable Storage

Compartment (1,200 lbs. capacity) - Includes 9 Yellow Hook-On-Bins®

- 16 gauge all welded steel construction
- Top surface back stop
- Door has 3-point locking system with fold down pad-lockable handle. Locking hinge is also provided to lock all drawers at once
- · Drawers move smoothly on bearing slides
- Convenient sturdy work surface is covered with a black rubber mat
- Ergonomic tubular handle
- Has provision to handle boxes of light bulbs, conduit or pvt.

- Back low profile hanger holds one 6' ladder in an upright position
- Louvered panels on door accommodate Hook-on® Bins
- Hook-On Bins Dimensions:
 (9) 4"W x 5"D x 3"H
- 5" x 1-1/4" polyurethane casters; (2) swivel and (2) rigid
- · Ships fully assembled
- · Durable, gray, textured powder coat finish



Model 2211-DLP-6DR-RM-9B-95

Model	Overall Dim: WxDxH (In.)	Drawer Dim: WxDxH (In.)	Ship Wt. (Lbs.)
2211-DLP-6DR-RM-9B-95		(2) 20-7/16 x 14-11/16 x 4-7/8 (4) 20-7/16 x 14-11/16 x 2-7/8	

*Handle adds 6" to width

FOB TX

DOUBLE SIDED MOBILE WORK BENCH CABINET







Side view, closed

60"W Mobile Double Sided Bench Cabinet (4,000 lbs. capacity)

- 14 gauge all welded steel
- Full extension drawers each have 250 lbs. capacity
- · Drawers move smoothly on ball bearing slides
- Interior cabinet is: 26" W x 13-7/16 D x 24-3/4" H
- 14 gauge fixed shelf
- Double shift cart (symmetrical design)

- Pad-lock door for each drawer set (pad-lock is not include)
- · Sturdy tubular handle aids in mobility
- 6" x 2" phenolic bolt-on casters;
 (2) swivel and (2) rigid
- Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Drawers Dim: WxDxH (In.)	Ship Wt. (Lbs.)
MBC-3060-95	*60 x 32-1/8 x 33-7/8	(4) 29-9/16 x 14-1/8 x 4 (2) 29-9/16 x 14-1/8 x 6 (2) 29-9/16 x 14-1/8 x 8	494

FOB TX



CARTS

2-SIDED MOBILE CART/WORKSTATIONS



Model 662-95 (Side A)



2 Sided Cart with 12 Bins, 12 Drawers & Lockable Cabinet

(1,200 lbs. capacity)

- All welded, prime cold rolled steel components
- Side A consists of a 12 Opening Bin and a 6 Drawer Cabinet
- Parts Bins have fully hemmed 1-1/8" bin fronts to hold labels and retain parts
- Side B consists of a 4 Compartment lockable Utility Cabinet and a 6 Drawer Cabinet
- Sturdy, tubular handle aids in mobility.
 Handle adds 2" to width of the unit

- Drawer dimensions:
 (6) 5-3/8"W x 11-1/4"D x 2-3/4"H
- Utility Cabinet has a built-in lock attachment (pad-lock not included)
- Rubber tray mat on top offers durable, non-skid work surface
- 1-1/2" lips on all four sides of top
- Heavy-duty casters have 1,200 lbs. capacity; (2) swivel with locking brakes and (2) rigid
- · Easy assembly with provided fasteners
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Bin Dim: WxDxH (In.)	Ship Wt. (Lbs.)	Carton
662-95	34 x 24 x 34	Side A: (12) 8 x 11-7/8 x 6-5/8 Side B: (4) 10 x 11-7/8 x 6-3/4	168	5

FOB TX



Model 663-95

2 Sided Cart with 24 Bins (1,200 lbs. capacity)

- All welded, prime cold rolled steel components
- Two 12 Opening Bins, back-to-back, create 24 total compartments
- Parts Bins have fully hemmed 1-1/8" bin fronts to hold labels and retain parts and new redesigned slope shelves
- Rubber tray mat on top offers durable, non-skid work surface

- 1-1/2" lips on all four sides of top
- Heavy-duty casters have 1,200 lbs. capacity; (2) swivel with locking brakes and (2) rigid
- Sturdy, tubular handle aids in mobility. Handle adds 2" to width of the unit
- Easy assembly with provided fasteners
- Durable, gray, textured powder coat finish

Mode	el Overall Dim: WxDxH (In.)	Bin Dim: WxDxH (In.)	Ship Wt. (Lbs.)	Carton
663-9	5 34 x 24 x 30	(24) 8 x 12 x 6-5/8	91	3
		()		

2-SIDED MOBILE CART/WORKSTATIONS

2 Sided Cart with 80 Bins (1,200 lbs. capacity)

- All welded, prime cold rolled steel components
- Two 40 Opening Bins, back-to-back, create 80 total compartments.
- Parts Bins have fully hemmed 1-1/8" bin fronts to hold labels and retain parts and new redesigned slope shelves
- Rubber tray mat on top offers durable, non-skid work surface
- 1-1/2" lips on all four sides of top
- Heavy-duty casters have 1,200 lbs. capacity; (2) swivel with locking brakes and (2) rigid
- Sturdy, tubular handle aids in mobility.
 Handle adds 2" to width of the unit
- Easy assembly with provided fasteners
- Durable, gray, textured powder coat finish



Model	Overall Dim: WxDxH (In.)	Bin Dim: WxDxH (In.)	Ship Wt. (Lbs.)	Carton
664-95	34 x 24 x 30	(80) 4 x 11-7/8 x 4-1/2	100	3

FOB TX

CARTSMOBILE BIN STORAGE

Bin Service Carts (1,200 lbs. capacity)

- 1-1/2" x 1/8" angle iron uprights for added strength
- Heavy duty 14 gauge steel shelves
- Sturdy tubular push handle
- Durable yellow Hook-On-Bins®
- Top surface has 1-1/2" lips up
- Louvered center panels, accommodates Hook-On Bins®
- 5" x 1-1/4" polyurethane bolt-on casters; (2) swivel with side brakes and (2) rigid
- Ships fully assembled
- Durable, gray, textured powder coat finish



Model RSC-2436-BLP-48-230-95

Overall Dim: WxLxH (In.)	Overall Bin Dim: WxDxH (In.)	Ship Wt. (Lbs.)
*24 x 36 x 37-3/4	(48) 6 x 11 x 5	206
*24 x 36 x 37-3/4	(64) 4 x 5 x 3	181
*24 x 36 x 37-3/4	(64) 4 x 7 x 3	185
*18 x 36 x 37-3/4	(112) 4 x 5 x 3	164
*18 x 36 x 37-3/4	(112) 4 x 7 x 3	188
	*24 x 36 x 37-3/4 *24 x 36 x 37-3/4 *24 x 36 x 37-3/4 *18 x 36 x 37-3/4	*24 x 36 x 37-3/4 (48) 6 x 11 x 5 *24 x 36 x 37-3/4 (64) 4 x 5 x 3 *24 x 36 x 37-3/4 (64) 4 x 7 x 3 *18 x 36 x 37-3/4 (112) 4 x 5 x 3

FOB TX

2 Shelf Easy Access Shelf Cart (1,200 lbs. capacity)

- Top shelf has 1-5/8" lips down, for easy loading and bottom shelf has 1-5/8" lips up, for the retention of products
- 5" x 1-1/4" bolt on polyurethane casters;
 (2) swivel with side brakes and (2) rigid
- Sturdy, tubular push handle aids in mobility
- Top shelf is 36" above the floor, providing an ideal height for a work surface
- Shelf clearance is 25" giving you ample room for storage
- · Ships fully assembled and ready for use
- Durable textured, gray, powder coat finish



Model	Overall Dim: WxLxH (In.)	Ship Wt. (Lbs.)
EAS-1824-95	*24 x 18 x 36	74
EAS-1836-95	*36 x 18 x 36	88
EAS-2436-95	*36 x 24 x 36	96

Model EAS-1824-95

FOB TX

*Handle adds 6" to length



^{*}Handle adds 6" to length

STOCK CARTS



Model RSC-2436-2-1DR-95

2 Shelf Stock Cart with Drawer (1,200 lbs. capacity)

- Heavy duty 14 gauge steel construction
- 1-1/2" x 1/8" angle iron frame
- 5" x 1-1/4" polyurethane bolt-on casters; (2) swivel with side brakes and (2) rigid
- Top surface 3 lips up
- Tubular handle allows easy mobility
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxLxH (In.)	Drawers Dim: WxDxH (In.)	Ship Wt. (Lbs.)
RSC-2436-2-1DR-95	*24 x 36 x 37-3/4	12-1/2 x 18-1/2 x 4-3/4	130
RSC-2448-2-1DR-95	*24 x 48 x 37-3/4	12-1/2 x 18-1/2 x 4-3/4	140
RSC-2436-2-2DR-95	*24 x 36 x 37-3/4	(2) 12-1/2 x 18-1/2 x 4-3/4	150
RSC-3036-2-2DR-95	*30 x 36 x 37-3/4	(2) 12-1/2 x 18-1/2 x 4-3/4	175
RSC-2448-2-2DR-95	*24 x 48 x 37-3/4	(2) 12-1/2 x 18-1/2 x 4-3/4	161

FOR TX

*Handle adds 6" to length



Model RSC-2436-3-1TLD-95

2 & 3 Shelves Stock Cart (1,200 lbs. capacity)


- Heavy duty 14 gauge steel construction
- 1-1/2" x 1/8" angle iron frame
- 5" x 1-1/4" polyurethane bolt-on casters; (2) swivel with side brakes and (2) rigid
- Top surface has lips down
- · Ships fully assembled
- Tubular offset handle allows easy mobility
- · Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelf Dim: WxD (In.)	Ship Wt. (Lbs.)
RSC-2436-3-1TLD-95	*24 x 36 x 37-3/4	(3) 36 x 24	140
RSC-2448-2-1TLD-95	*24 x 48 x 37-3/4	(2) 48 x 24	118

FOB TX

*Handle adds 6" to width

2 Shelf Stock Cart with Floor Lock (2,400 lbs. capacity)



- · Heavy duty 14 gauge steel shelves
- Sturdy tubular push handle
- · Floor lock keeps unit securely in place
- Units have 1-1/2" lips
- 6 x 2" phenolic bolt-on casters; (2) swivel and (2) rigid
- Ships fully assembled
- · Durable, gray, textured powder coat finish



RSC-2436-2-2.4K-ALU-FL-95

Model	Overall Dim: WxLxH (In.)	Shelf Clearance (In.)	Ship Wt. (Lbs.)
RSC-2436-2-2.4K-ALU-FL-95	*24 x 36 x 39	26-3/4	135
RSC-2448-2-2.4K-ALU-FL-95	*24 x 48 x 39	26-3/4	151
RSC-3048-2-2.4K-ALU-FL-95	*30 x 48 x 39	26-3/4	164
RSC-3060-2-2.4K-ALU-FL-95	*30 x 60 x 39	26-3/4	186

FOB TX

*Handle adds 6" to length

VALUE ADDED SERVICES FROM DURHAM

To make doing business easier and more efficient

- EDI (Electric Data Interchange) ordering and invoicing
- Automated Order Receipt and **Shipment Acknowledgement**
- Special Product Customization **Involving Colors, Company Names** and Logos. (Minimums apply)
- Online portal give you 24 hour access
 Other Information: to pricing, order entry, order status, invoicing and most tracking
- Email Orders: orders@durhammfg.com
- info@durhammfg.com

Easily Accessible Online Marketing Material including Catalogs and PDF Sell Sheets Available at: www.durhammfg.com/catalogs

2/3/4/5 Shelf Stock Carts (1,200 & 3,000 lbs. capacity)

- 1-1/2" x 1/8" angle iron uprights for added strength
- Heavy duty 14 gauge steel shelves
- Sturdy tubular push handle
- Perfect for transporting heavier parts or stock items
- Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxLxH (In.)	Shelves	Shelf Clearance (In.)	Ship Wt. (Lbs.)
1,200 lbs. capacity Models	5" x 1-1/4" Polyurethane Cast	ters (2) swivel with	n side breaks and (2) rigid •	Lips Up
RSC-1830-2-95	*18 x 30 x 37-3/4	2	26-3/4	90
RSC-1836-2-95	*18 x 36 x 37-3/4	2	26-3/4	97
RSC-2430-2-95	*24 x 30 x 37-3/4	2	26-3/4	100
RSC-2436-2-95	*24 x 36 x 37-3/4	2	26-3/4	107
RSC-2448-2-95	*24 x 48 x 37-3/4	2	26-3/4	112
RSC-3048-2-95	*30 x 48 x 37-3/4	2	26-3/4	136
RSC-3060-2-95	*30 x 60 x 37-3/4	2	26-3/4	152
RSC-1830-3-95	*18 x 30 x 37-3/4	3	12-1/2	106
RSC-1836-3-95	*18 x 36 x 37-3/4	3	12-1/2	114
RSC-1848-3-95	*18 x 48 x 37-3/4	3	12-1/2	129
RSC-2436-3-95	*24 x 36 x 37-3/4	3	12-1/2	135
RSC-2448-3-95	*24 x 48 x 37-3/4	3	12-1/2	151
RSC-3060-3-95	*30 x 60 x 37-3/4	3	12-1/2	196
RSC-1830-4-95	*18 x 30 x 55-3/4	4	13-3/4	127
RSC-1836-5-95	*18 x 36 x 55-3/4	5	10	174
RSC-2436-5-95	*24 x 36 x 55-3/4	5	10	189
RSC-2448-5-95	*24 x 48 x 55-3/4	5	10	190
RSC-3048-5-95	*30 x 48 x 55-3/4	5	10	260
RSC-3060-5-95	*30 x 60 x 55-3/4	5	10	307
RSC-3672-5-95	*36 x 72 x 55-3/4	5	10	378
1,200 lbs. capacity Models	5" x 1-1/4" Polyurethane Casi	ters (2) swivel with	side breaks and (2) rigid	Lips Down
RSC-2448-4-LD-95	*24 x 48 x 54-1/8	4	13-3/4	149
RSC-2448-5-LD-95	*24 x 48 x 54-1/8	5	10	190
3,000 lbs. capacity Models	6" x 2" Phenolic Casters • 2 s	wivel, 2 rigid • (TI	LD = Top Lips Down)	
RSC-2436-2-3K-TLD-95	*24 x 36 x 39	2	26-11/16	123
RSC-2448-2-3K-TLD-95	*24 x 48 x 39	2	26-11/16	130
RSC-3048-2-3K-TLD-95	*30 x 48 x 39	2	26-11/16	130
RSC-3060-2-3K-TLD-95	*30 x 60 x 39	2	26-11/16	155
RSC-2436-3-3K-TLD-95	*24 x 36 x 39	3	12-9/16	154
RSC-2448-3-3K-TLD-95	*24 x 48 x 39	3	12-9/16	164
RSC-3048-3-3K-TLD-95	*30 x 48 x 39	3	12-9/16	170
RSC-3060-3-3K-TLD-95	*30 x 60 x 39	3	12-9/16	194
RSC-2436-3-3K-95	*24 x 36 x 39	3	12-1/2	154
RSC-2448-3-3K-95	*24 x 48 x 39	3	12-1/2	164
RSC-3060-3-3K-95	*30 x 60 x 39	3	12-1/2	194
RSC-2436-4-3K-95	*24 x 36 x 60	4	14-7/8	178
RSC-2448-4-3K-95	*24 x 48 x 60	4	14-7/8	204
RSC-3060-4-3K-95	*30 x 60 x 60	4	14-7/8	240
RSC-2436-5-3K-95	*24 x 36 x 60	5	10-3/4	199
RSC-2448-5-3K-95	*24 x 48 x 60	5	10-3/4	238
RSC-3060-5-3K-95	*30 x 60 x 60	5	10-3/4	320



Model RSC-2448-2-95



Model RSC-2448-3-3K-TLD-95



Model RSC-2448-5-95

FOB TX

*Handle adds 6" to length

For additional information visit our website: www.durhammfg.com

or

Contact us at: info@durhammfg.com

ROLLING SERVICE STOCK CARTS




2 Shelf Stock Cart with Raised Handle (1,500 lbs. capacity)

- 1-1/2" x 1/8" angle iron uprights for added strength
- Heavy duty 14 gauge steel shelves
- Sturdy, tubular, raised push handle
- Standard units have 1-1/2" lips. ALD units have all lips down
- 8" x 2-1/2" pneumatic bolt-on casters; (2) swivel and (2) rigid
- Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxLxH (In.)	Shelf Clearance (In.)	Ship Wt. (Lbs.)
Raised Handle Stock Carts with L	ips Up (Standard)		
RSCR-2436-95	*24 x 36 x 43-3/4	26-3/4	127
RSCR-2448-95	*24 x 48 x 43-3/4	26-3/4	140
RSCR-3048-95	*30 x 48 x 43-3/4	26-3/4	153
RSCR-3060-95	*30 x 60 x 43-3/4	26-3/4	162
Raised Handle Stock Carts with A	II Lips Down (ALD units)		
RSCR-2436-ALD-95	*24 x 36 x 43-3/4	26-3/4	127
RSCR-2448-ALD-95	*24 x 48 x 43-3/4	26-3/4	140
RSCR-3048-ALD-95	*30 x 48 x 43-3/4	26-3/4	153
RSCR-3060-ALD-95	*30 x 60 x 43-3/4	26-3/4	162

FOB TX *Handle adds 6" to length





- · Heavy duty 14 gauge steel shelves
- Sturdy, tubular, Ergonomic handle has 3 positions ensuring maximum comfort
- Standard units have 1-1/2" lips. ALD units have all lips down. TLD units have top lips down
- · Ships fully assembled
- Durable, gray, textured powder coat finish



Model RSCE-2448-2-3.6K-95



Model RSCE-2448-2-3.6K-ALD-95

Model	Overall Dim: WxLxH (In.)	Shelf Clearance (In.)	Shelf Lip	Ship Wt. (Lbs.)
5" x 1-1/4" Polyurethane Caster	rs 2 swivel, 2 rigid - (TLD = Top	Lips Down) • 1,200 lbs.	capacity	
RSCE-1830-2-95	*18 x 30 x 43-3/4	26-3/4	All lips up	94
RSCE-1836-2-95	*18 x 36 x 43-3/4	26-3/4	All lips up	100
RSCE-2436-2-95	*24 x 36 x 43-3/4	26-3/4	All lips up	111
RSCE-2448-2-95	*24 x 48 x 43-3/4	26-3/4	All lips up	115
RSCE-3048-2-95	*30 x 48 x 43-3/4	26-3/4	All lips up	139
RSCE-3060-2-95	*30 x 60 x 43-3/4	26-3/4	All lips up	155
RSCE-1830-2-TLD-95	*18 x 30 x 43-3/4	26-3/4	Top lip down	94
RSCE-1836-2-TLD-95	*18 x 36 x 43-3/4	26-3/4	Top lip down	100
RSCE-2436-2-TLD-95	*24 x 36 x 43-3/4	26-3/4	Top lip down	111
RSCE-2448-2-TLD-95	*24 x 48 x 43-3/4	26-3/4	Top lip down	115
RSCE-3048-2-TLD-95	*30 x 48 x 43-3/4	26-3/4	Top lip down	139
RSCE-3060-2-TLD-95	*30 x 60 x 43-3/4	26-3/4	Top lip down	155
6" x 2" Phenolic Casters, 2 swiv	el, 2 rigid - TLD = Top Lips Dov	wn) • 3,600 lbs. capacity		
RSCE-1830-2-3.6K-95	*30 x 18 x 45	26-3/4	All lips up	109
RSCE-1836-2-3.6K-95	*36 x 18 x 45	26-3/4	All lips up	115
RSCE-2436-2-3.6K-95	*36 x 24 x 45	26-3/4	All lips up	126
RSCE-2448-2-3.6K-95	*48 x 24 x 45	26-3/4	All lips up	130
RSCE-3048-2-3.6K-95	*48 x 30 x 45	26-3/4	All lips up	154
RSCE-3060-2-3.6K-95	*60 x 30 x 45	26-3/4	All lips up	170
RSCE-1830-2-3.6K-TLD-95	*30 x 18 x 45	26-3/4	Top lip down	109
RSCE-1836-2-3.6K-TLD-95	*36 x 18 x 45	26-3/4	Top lip down	115
RSCE-2436-2-3.6K-TLD-95	*36 x 24 x 45	26-3/4	Top lip down	126
RSCE-2448-2-3.6K-TLD-95	*48 x 24 x 45	26-3/4	Top lip down	130
RSCE-3048-2-3.6K-TLD-95	*48 x 30 x 45	26-3/4	Top lip down	154
RSCE-3060-2-3.6K-TLD-95	*60 x 30 x 45	26-3/4	Top lip down	170
RSCE-1830-2-3.6K-ALD-95	*30 x 18 x 45	26-3/4	All lips down	109
RSCE-1836-2-3.6K-ALD-95	*36 x 18 x 45	26-3/4	All lips down	115
RSCE-2436-2-3.6K-ALD-95	*36 x 24 x 45	26-3/4	All lips down	126
RSCE-2448-2-3.6K-ALD-95	*48 x 24 x 45	26-3/4	All lips down	130
RSCE-3048-2-3.6K-ALD-95	*48 x 30 x 45	26-3/4	All lips down	154
RSCE-3060-2-3.6K-ALD-95	*60 x 30 x 45	26-3/4	All lips down	170
FOB TX	*Handle adds 6" to	length		

FOB TX *Handle adds 6" to length

2 Shelf Stock Carts with Lips Up (1,200 or 3,600 lbs. capacity)

- 1-1/2" x 1/8" angle iron uprights for added strength
- Heavy duty 14 gauge steel shelves
- 3", 6" or 12" lips up make unit perfect for transporting bulk items
- Sturdy tubular push handle
- Casters: (2) swivel with side brakes and (2) rigid
- · Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxLxH (In.)	Lips Up (In.)	Shelf Clearance	Ship Wt. (Lbs.)		
5" x 1-1/4" Polyurethane Caster	5" x 1-1/4" Polyurethane Casters • 1,200 lbs. capacity Models •					
RSC3-1830-2-95	*18 x 30 x 37-5/8	3	24"	90		
RSC3-1836-2-95	*18 x 36 x 37-5/8	3	24"	96		
RSC3-2436-2-95	*24 x 36 x 37-5/8	3	24"	106		
RSC6-1830-2-95	*18 x 30 x 37-5/8	6	18"	105		
RSC6-1836-2-95	*18 x 36 x 37-5/8	6	18"	112		
RSC6-2436-2-95	*24 x 36 x 37-5/8	6	18"	124		
RSC12-1830-2-95	*18 x 30 x 37-5/8	12	16-7/16"	107		
6" x 2" Phenolic Casters • 3,600) lbs. capacity Models					
RSC3-1830-2-3.6K-95	*18 x 30 x 39-1/4	3	24"	104		
RSC3-2436-2-3.6K-95	*24 x 36 x 39-1/4	3	24"	120		
RSC3-2448-2-3.6K-95	*24 x 48 x 39-1/4	3	24"	134		
RSC6-1830-2-3.6K-95	*18 x 30 x 39-1/4	6	18"	119		
RSC6-2436-2-3.6K-95	*24 x 36 x 39-1/4	6	18"	138		
RSC6-2448-2-3.6K-95	*24 x 48 x 39-1/4	6	18"	154		
RSC12-1830-2-3.6K-95	*18 x 30 x 39-1/4	12	16-7/16"	121		
RSC12-2436-2-3.6K-95	*24 x 36 x 39-1/4	12	16-7/16"	150		
	#11 d C" 4- 1-	41-				



Model RSC6-1836-2-95



Model RSC12-1830-2-3.6K-95

FOB TX

*Handle adds 6" to length


Order Picking Carts (1,200lbs. capacity)

- 1-1/2" x 1/8" angle iron uprights for added strength
- Heavy duty 14 gauge steel shelves
- Perfect for transporting parts and stocking
- Sturdy tubular push handle adds 15" to length
- Writing surface with 1-1/2" lip up to retain paper and pens
- 5 x 1-1/4" Polyurethane casters: (2) swivel and (2) rigid
- · Ships fully assembled
- Durable, gray, textured powder coat finish



Model OPC-1836-2-95

Model	Overall Dim: WxLxH (In.)	Shelves	Shelf Clearance	Ship Wt. (Lbs.)
OPC-1836-2-95	*18 x 36 x 40-11/16	2	26-3/4"	78
OPC-2436-2-95	*24 x 36 x 41	2	26-1/2"	126
OPC-2448-2-95	*24 x 48 x 41	2	26-1/2"	130
OPC-3060-2-95	*30 x 60 x 41	2	26-1/2"	158
OPC-1836-3-95	*18 x 36 x 41	3	12-19/32"	113
OPC-2436-3-95	*24 x 36 x 41	3	12-19/32"	129
OPC-2448-3-95	*24 x 48 x 41	3	12-19/32"	220
OPC-3060-3-95	*30 x 60 x 41	3	12-19/32"	201





Model OPC-2448-3-95

CARTSINSTRUMENT CARTS



Model RSIC-2436-2-5PU-95

2 Shelf Instrument Carts with Drawer & Electrical Strip

(1,200 lbs. capacity)

- 1-1/2" x 1/8" angle iron frame
- All welded 14 gauge steel shelves
- Rubber mat on top and bottom provides durable, non skid surface
- Electrical strip with 6 outlets included
- Tubular offset handle allows easy mobility
- Casters; (2) swivel with side brakes and (2) rigid
- 1 locking drawer, 100 lbs capacity, includes 2 keys
- Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxLxH (In.)	Caster Type	Ship Wt. (Lbs.)
RSIC-2436-2-5PU-95	*24 x 36 x 37-5/8	5" x 1-1/4" Polyurethane	94
RSIC-2436-2-8PN-95	*24 x 36 x 40-5/8	8" x 2" Pneumatic	113

FOB TX

*Handle adds 6" to length



Model LIC-2448-2-95

Low Profile Instrument Carts (1,200 lbs. capacity)

- 1-1/2" x 1/8" angle iron frame
- All welded 14 gauge steel shelves
- Top shelf has lips down and bottom shelf has lips up to retain items during transport
- Top shelf is 31-3/8" above the floor
- Shelf clearance is 16-3/4"

- Rubber mat on top and bottom provides durable, non skid surface
- Tubular offset handle allows easy mobility. Has 1" offset
- 8" x 2-1/2" full pneumatic casters;
 (2) swivel and (2) rigid
- Ships fully assembled
- · Durable, gray, textured powder coat finish

Model	Overall Dim: WxLxH (In.)	Ship Wt. (Lbs.)
LIC-2436-2-95	24-1/4 x 39 x 41	126
LIC-2448-2-95	24-1/4 x 51 x 41	142
LIC-3048-2-95	30-1/4 x 51 x 41	168
LIC-3060-2-95	30-1/4 x 63 x 41	172

FOB TX



RIC-244850-3-95

2 or 3 Shelf Rolling Instrument Cart (1,200 lbs. capacity)

- 1-1/2" x 1/8" angle iron frame
- All welded 14 gauge steel shelves
- Top shelf has lips down and bottom shelf has lips up to retain items during transport
- Rubber mat on top and bottom provides durable, non skid surface
- · Tubular offset handle allows easy mobility
- 8" x 2-1/2" full pneumatic casters; (2) swivel and (2) rigid
- · Ships fully assembled
- · Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelves	Shelf Clearance (In.)	Ship Wt. (Lbs.)
RIC-2436-2-95	24 x 36* x 34	2	20-9/16	125
RIC-2448-2-95	24 x 48* x 34	2	20-9/16	139
RIC-3036-2-95	30 x 36* x 34	2	20-9/16	150
RIC-3048-2-95	30 x 48* x 34	2	20-9/16	155
RIC-243650-3-95	24 x 36* x 56	3	20-3/8	154
RIC-244850-3-95	24 x 48* x 56	3	20-3/8	139
RIC-306050-3-95	30 x 60* x 56	3	20-3/8	212
RIC-367250-3-95	36 x 72* x 56	3	20-3/8	229

FOB TX

*Handle adds 6" to the depth

Heavy Duty Portable Table

- 2" x 3/16" angle iron frame
- 4,000 lb. capacity unit is welded 14 gauge steel shelves with channel formed sides. 5,000 lb. capacity unit is welded 12 gauge steel shelves.
- · Shelves are reinforced and have lips down
- · Bolt-on casters; (2) swivel and (2) rigid
- Sturdy tubular push handle
- · Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxLxH (In.)	Shelves	Shelf Clearance (In.)	Ship Wt. (Lbs.)
6" x 2" Phenolic Casters • 4,000) lbs. capacity • 14 Gauge			
HET-2436-2-95	24 x 36 x 37-7/16	2	26-3/4	130
HET-2448-2-95	24 x 48 x 37-7/16	2	26-3/4	148
HET-3048-2-95	30 x 48 x 37-7/16	2	26-3/4	174
HET-3060-2-95	30 x 60 x 37-7/16	2	26-3/4	201
HET-3648-2-95	36 x 48 x 37-7/16	2	26-3/4	187
HET-3672-2-95	36 x 72 x 37-7/16	2	26-3/4	242
8" x 2" Phenolic Casters with Flo	or Lock • 5,000 lbs. capacity •	12 Gauge		
HET-2448-2-5K-FL-95	24 x 48 x 39-1/2	2	26-3/4	193
HET-2460-2-5K-FL-95	24 x 60 x 39-1/2	2	26-3/4	219
HET-3048-2-5K-FL-95	30 x 48 x 39-1/2	2	26-3/4	224
HET-3060-2-5K-FL-95	30 x 60 x 39-1/2	2	26-3/4	260
HET-306036-2-5K-FL-95	30 x 60 x 36	2	23-1/4	257
8" x 2" Phenolic Casters with Flo	or Lock • No Handle • 5,000 l	bs. capacity •	12 Gauge	
HET-3072-2-5K-FLNH-95	30 x 72 x 39-7/16	2	26-11/16	291
HET-3672-2-5K-FLNH-95	36 x 72 x 39-7/16	2	26-11/16	309
8" x 2" Phenolic Casters • 5,000	lbs. capacity • 12 Gauge			
HET-2436-2-5K-95	24 x 36 x 39-1/2	2	26-3/4	161
HET-243636-2-5K-95	24 x 36 x 36	2	23-1/4	158
HET-2448-2-5K-95	24 x 48 x 39-1/2	2	26-3/4	189
HET-244836-2-5K-95	24 x 48 x 36	2	23-1/4	186
HET-3048-2-5K-95	30 x 48 x 39-1/2	2	26-3/4	219
HET-304836-2-5K-95	30 x 48 x 36	2	23-1/4	216
HET-3060-2-5K-95	30 x 60 x 39-1/2	2	26-3/4	255
HET-3672-2-5K-95	36 x 72 x 39-1/2	2	26-3/4	308
HET-367236-2-5K-95	36 x 72 x 36	2	23-1/4	306
8" x 2" Phenolic Casters • 5,000) lbs. capacity • 12 Gauge			
HET-2436-3-5K-95	24 x 36 x 39-1/2	3	12-9/16	192
HET-2448-3-5K-95	24 x 48 x 39-1/2	3	12-9/16	232
HET-3048-3-5K-95	30 x 48 x 39-1/2	3	12-9/16	278
HET-3060-3-5K-95	30 x 60 x 39-1/2	3	12-9/16	328
HET-3672-3-5K-95	36 x 72 x 39-1/2	3	12-9/16	409



Model HET-3048-2-95



Model HET-2448-2-5K-FL-95



HET-2436-3-5K-95

Note: Width and length are based on usable space. The handle will add approximately 6-3/8" to the length

VALUE ADDED SERVICES FROM DURHAM

To make doing business easier and more efficient

- EDI (Electric Data Interchange) ordering and invoicing
- Automated Order Receipt and **Shipment Acknowledgement**
- Special Product Customization **Involving Colors, Company Names** and Logos. (Minimums apply)
- Online portal give you 24 hour access
 Other Information: to pricing, order entry, order status, invoicing and most tracking
- Email Orders: orders@durhammfg.com
 - info@durhammfg.com

Easily Accessible Online Marketing Material including Catalogs and PDF Sell Sheets Available at: www.durhammfg.com/catalogs

PLATFORM TRUCKS LOW DECK STOCK TRUCK



Model EPT24366MR95



Model EPT-2448-95



Model EPT30488PU95



Model EPT24368PH95



Model EPT18368PN95

Platform Trucks

- All welded 12 gauge steel platform
- Platform has lips down
- Removable handle
- (2) swivel and (2) rigid casters
- Tubular offset handle allows easy mobility
- Easy to assemble
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxLxH (In.)	Ship Wt. (Lbs.)
5" Mold-On Rubber Casters • 2,000 lbs	s. capacity	
EPT30605MR95	30 x 60 x 35-1/2	143
6" Phenolic Casters • 2,000 lbs. capac	ity	
EPT-2448-95	24 x 48 x 36	104
EPT-3048-95	30 x 48 x 36	124
EPT-3060-95	30 x 60 x 36	134
6" Mold-On Rubber Casters • 2,000 lbs	s. capacity	
EPT24366MR95	24 x 36 x 36-1/4	110
EPT24606MR95	24 x 60 x 36-1/4	116
EPT30606MR95	30 x 60 x 36-1/4	127
3" Mold-On Rubber Casters • 2,400 lbs	s. capacity	
EPT24488MR95	24 x 48 x 38-1/2	128
EPT24608MR95	24 x 60 x 38-1/2	148
EPT30488MR95	30 x 48 x 38-1/2	146
EPT30728MR95	30 x 72 x 38-1/2	202
EPT36608MR95	36 x 60 x 38-1/2	192
EPT36728MR95	36 x 72 x 38-1/2	218
5" Polyurethane Casters • 1,400 lbs. c	apacity	
EPT18485PU95	18 x 48 x 35-1/4	92
EPT24485PU95	24 x 48 x 35-1/4	103
EPT24605PU95	24 x 60 x 35-1/4	120
EPT24725PU95	24 x 72 x 35-1/4	156
EPT30365PU95	30 x 36 x 35-1/4	111
EPT30605PU95	30 x 60 x 35-1/4	130
EPT36605PU95	36 x 60 x 35-1/4	167
8" Polyurethane Casters • 3,600 lbs. ca	apacity	
EPT30488PU95	30 x 48 x 38-1/2	138
EPT30608PU95	30 x 60 x 38-1/2	147
3" Phenolic Casters • 4,000 lbs. capac	ity	
EPT24368PH95	24 x 36 x 38-1/2	117
EPT30488PH95	30 x 48 x 38-1/2	140
3" Pneumatic Casters • 1,200 lbs. cap	acity	
EPT18368PN95	19 x 41 x 38-1/2	106
EPT24488PN95	24 x 48 x 38-1/2	121
EPT30488PN95	30 x 48 x 38-1/2	138
EPT30728PN95	30 x 72 x 38-1/2	195
EPT36728PN95	36 x 72 x 38-1/2	203
L0" Pneumatic Casters • 1,200 lbs. ca		
EPT367210PN95	36 x 72 x 41	210
3"Semi-Pneumatic Casters • 2,400 lbs.	capacity	
EPT18488SPN95	18 x 48 x 39	108
EPT30368SPN95	30 x 36 x 39	123
EPT36608SPN95	36 x 60 x 39	192
L0" Semi-Pneumatic Casters • 1,500 I		
EPT243610SPN95	24 x 36 x 41	130
EPT244810SPN95	24 x 48 x 41	136
EPT246010SPN95	24 x 60 x 41	156
EPT304810SPN95	30 x 48 x 41	154
EPT306010SPN95	30 x 60 x 41	163
EPT307210SPN95	30 x 72 x 41	210
EPT367210SPN95	36 x 72 x 41	218

PLATFORM TRUCKS LOW DECK STOCK TRUCK

Platform Truck

- All welded 12 gauge steel platform with reinforced steel channels
- Platform has lips down
- (2) swivel and (2) rigid casters
- Tubular offset handle allows easy mobility
- Easy to assemble
- Handle Removable
- Durable, gray, textured powder coat finish



Model PT30488/12MR95



Model PT304810/12PN95

Model	Overall Dim: WxLxH (In.)	Ship Wt. (Lbs.)			
8" & 12" Mold-On Rubber Casters • Platform	ms with Lips Down • 3,000 lbs. capacity				
PT30488/12MR95	30 x 48 x 41	180			
PT30728/12MR95	30 x 72 x 41	224			
8" & 12" Phenolic Casters • Platforms with	Lips Down • 5,000 lbs. capacity				
PT24488/12PH95	24 x 48 x 41	154			
PT30488/12PH95	30 x 48 x 41	178			
PT30608/12PH95	30 x 60 x 41	180			
PT36608/12PH95	36 x 60 x 41	185			
PT36728/12PH95	36 x 72 x 41	236			
10" & 12" Pneumatic Casters • Platforms w	ith Lips Down • 1,750 lbs. capacity				
PT304810/12PN95	30 x 48 x 41	175			
PT307210/12PN95	30 x 72 x 41	228			
PT366010/12PN95	36 x 60 x 41	191			
12" & 16" Pneumatic Casters • Platforms w	12" & 16" Pneumatic Casters • Platforms with Lips Down • 2,500 lbs. capacity				
PT304812/16PN95	30 x 48 x 46-1/4	183			
PT366012/16PN95	36 x 60 x 46-1/4	199			

FOB TX

Platform Truck

 All welded 12 gauge steel platform with reinforced steel channels

5" Polyurethane Casters • Platforms with Rubber Tray Mat • 1,200 lbs. capacity

- Platform has rubber tray mat
- (2) swivel and (2) rigid casters

Model

- Tubular offset handle allows easy mobility
- · Easy to assemble
- Handle Removable
- Durable, gray, textured powder coat finish

Ship Wt. (Lbs.)



Model EPTRM24485PU95

EPTRM24365PU95	24 x 36 x 35-1/4	100	
EPTRM24485PU95	24 x 48 x 35-1/4	107	
EPTRM30605PU95	30 x 60 x 35-1/4	135	
EPTRM36485PU95	36 x 48 x 35-1/4	133	
EPTRM36605PU95	36 x 60 x 35-1/4	177	
8" Semi-Pneumatic Casters • Platforms with	Rubber Tray Mat • 1,200 lbs. capacity		
EPTRM18488SPN95	18 x 48 x 39	130	
EPTRM30368SPN95	30 x 36 x 39	147	
8" Pneumatic Casters • Platforms with Rubber Tray Mat • 1,200 lbs. capacity			
EPTRM24488PN95	28 x 48 x 39	125	
EPTRM30488PN95	30 x 48 x 39	142	
EPTRM36488PN95	36 x 48 x 39	151	
EPTRM36608PN95	36 x 60 x 39	196	

Overall Dim: WxLxH (In.)



Model EPTRM24488PN95

PLATFORM TRUCKS

LOW DECK STOCK TRUCK



Model EPTD24605PU95



EPT6W24486PU95

Platform Truck (1,200 & 3,600 lbs. capacity)

- All welded 12 gauge steel platform
- · Platform has lips down
- · Removable handle
- *(2) swivel and (2) rigid casters
- **(4) swivel and (2) rigid casters
- · Easy to assemble
- Tubular offset handle allows easy mobility
- · Durable, gray, textured powder coat finish

Model	Overall Dim: WxLxH (In.)	Ship Wt. (Lbs.)		
5" Polyurethane Casters •1,400 lbs. capacity	5" Polyurethane Casters • 1,400 lbs. capacity			
*EPTD18325PU95	18 x 32 x 35-1/4	74		
*EPTD24485PU95	24 x 48 x 35-1/4	104		
*EPTD24605PU95	24 x 60 x 35-1/4	124		
*EPTD30365PU95	30 x 36 x 35-1/4	112		
*EPTD36485PU95	36 x 48 x 35-1/4	126		
6" Polyurethane Casters • 3,600 lbs. capacity				
**EPT6W24486PU95	24 x 48 x 36-1/2	121		
**EPT6W24606PU95	24 x 60 x 36-1/2	140		
**EPT6W30486PU95	30 x 48 x 36-1/2	138		
**EPT6W30606PU95	30 x 60 x 36-1/2	147		
**EPT6W36726PU95	30 x 72 x 36-1/2	202		

FOB TX



Model EPTLU24366PU95



Model EPTFL24488MR95

Platform Truck (1,200 to 3,600 lbs. capacity)

- All welded 12 gauge steel platform
- Lips help retain product during transport
- (2) swivel and (2) rigid casters
- Tubular offset handle allows easy mobility
- FL units include a floor lock to lock the unit in place while working
- · Handle is removable & easy installed
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxLxH (In.)	Ship Wt. (Lbs.)
5" Polyurethane Casters • 1,400 lbs. capacit	y • Lips Up	
EPTLU18365PU95	18 x 36 x 36-3/4	88
EPTLU30485PU95	30 x 48 x 36-3/4	128
EPTLU36485PU95	36 x 48 x 36-3/4	137
6" Polyurethane Casters • 3,600 lbs. capaci	ty • Lips Up	
EPTLU24366PU95	24 x 36 x 38	102
EPTLU24486PU95	24 x 48 x 38	141
8" Polyurethane Casters • 3,600 lbs. capaci	ty • Lips Up	
EPTLU30608PU95	30 x 60 x 40	145
8" Pneumatic Casters • 1,200 lbs. capacity	• Lips Up	
EPTLU24368PN95	24 x 36 x 40-1/2	110
EPTLU24488PN95	24 x 48 x 40-1/2	149
EPTLU24728PN95	24 x 72 x 40-1/2	199
8" Mold-On Rubber Casters • Floor Lock incl	uded • Lips Down • 2,400 lbs. capacity	
EPTFL24368MR95	24 x 36 x 38-1/2	127
EPTFL24488MR95	24 x 48 x 38-1/2	134
EPTFL24608MR95	24 x 60 x 38-1/2	153
EPTFL30488MR95	30 x 48 x 38-1/2	151
EPTFL30608MR95	30 x 60 x 38-1/2	160
EPTFL36728MR95	36 x 72 x 38-1/2	215
8" Pneumatic Casters • Floor Lock included	• Lips Down • 1,200 lbs. capacity	
EPTFL24488PN95	24 x 48 x 38-1/2	126
8" Polyurethane Casters • Floor Lock includ	ed • Lips Down • 3,600 lbs. capacity	
EPTFL24488PU95	24 x 48 x 38-1/2	125
EPTFL30488PU95	30 x 48 x 38-1/2	143
EPTFL30608PU95	30 x 60 x 38-1/2	152

PLATFORM TRUCKS LOW DECK STOCK TRUCK

Platform Truck with Front Bumpers (3,600 lbs. capacity)

- All welded 12 gauge steel platform
- · Platform has lips down
- · Platform with 2 bumpers
- (2) Swivel and (2) rigid casters
- · Handle is removable & easy installed
- Tubular offset handle allows easy mobility
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxLxH (In.)	Ship Wt. (Lbs.)
8" Polyurethane Casters • Platforms with	Lips Down • 3,600 lbs. capacity	
EPTRB24368PU95	24 x 36 x 36-1/2	117
EPTRB24488PU95	24 x 48 x 36-1/2	122
EPTRB30488PU95	30 x 48 x 36-1/2	141
EPTRB30608PU95	30 x 60 x 36-1/2	148
EPTRB36608PU95	30 x 60 x 36-1/2	185



FOB TX

5th Wheel Truck (2,000 lbs. capacity)

- All welded 14 gauge steel platform with reinforced steel channels
- · Platform has lips down

- Removable "T" handle by nut and bolt
- T-Handle extends 32"
- · Easy to assemble, no tools required
- · Durable, gray, textured powder coat finish

Model	Overall Dim: WxLxH (In.)	Ship Wt. (Lbs.)
12" Mold-On Rubber Wheels (2) rigid, (2) swivel • Platforms with Lips Down •	2,000 lbs. capacity
5WT-2448-12MR-95	50-1/2 x 24 x 18-1/4	157
5WT-3060-12MR-95	62-1/2 x 30 x 18-1/4	172
5WT-3672-12MR-95	74-1/2 x 36 x 18-1/4	241
12" Pneumatic Wheels (2) rigid, (2) swive	• Platforms with Lips Down • 2,000 lbs	. capacity
5WT-2448-12PN-95	50-1/2 x 24 x 18-1/4	116
5WT-3060-12PN-95	62-1/2 x 30 x 18-1/4	131
5WT-3672-12PN-95	74-1/2 x 36 x 18-1/4	200





Model 5WT-2448-12MR-95



Mouei 5WT-2448-12PN-95

Flat Tube Platform Truck (1,400 lbs. capacity)

- · Handle is removable & easy installed
- (2) locking swivel and (2) rigid casters
- · Tubular offset handle allows easy mobility
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxLxH (In.)	Ship Wt. (Lbs.)
5" x 1-1/4" Polyurethane Casters • 1,400) lbs. capacity	
EPTT183695	18 x 36 x 35-7/8	67
EPTT184895	18 x 48 x 35-7/8	66
EPTT243695	24 x 36 x 35-7/8	69



PLATFORM TRUCKS

LOW DECK STOCK TRUCK



Model



Model **EPTPLU24365PU95**


Perforated Platform Trucks

- All welded 12 gauge steel platform
- Choose between lips up or down platform
- · Handle is removable & easy installed
- (2) Swivel and (2) rigid casters
- · Tubular offset handle allows easy mobility
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxLxH (In.)	Ship Wt. (Lbs.)	
5" Polyurethane Casters • Platforms with Li	ps Down • 1,400 lbs. capacity		
EPTP24365PU95	24 x 36 x 36-3/4	91	
EPTP24485PU95	24 x 48 x 36-3/4	130	
5" Phenolic Casters • Platforms with Lips D	own • 2,000 lbs. capacity		
EPTP30605PH95	30 x 60 x 35-1/2	137	
6" Mold-On Rubber Casters • Platforms with			
EPTP24366MR95	24 x 36 x 36-1/4	91	
8" Pneumatic Casters • Platforms with Lips Down • 1,200 lbs. capacity			
EPTP24368PN95	24 x 36 x 39	109	
EPTP24488PN95	24 x 48 x 39	148	
5" Polyurethane Casters • Platforms with Lips Up • 1,400 lbs. capacity			
EPTPLU24365PU95	24 x 36 x 37	91	
EPTPLU24485PU95	24 x 48 x 37	130	

FOB TX

Adjustable Panel Moving Trucks (2,000 lbs. capacity)



- Overall height is 45-1/8"
- Deck height is 9-1/8" above floor
- 6 Removable handles allow easy mobility
- 6" x 2" phenolic bolt-on casters (2 swivel, 2 rigid)
- Easy to assemble (no tools required)
- Durable, gray, textured powder coat finish



Model APT-2448-95

Model	Overall Dim: WxLxH (In.)	Ship Wt. (Lbs.)
APT-2436-95	24 x 36 x 45-1/8	134
APT-2448-95	24 x 48 x 45-1/8	152
APT-3048-95	30 x 48 x 45-1/8	157

FOB TX



Model PM-2831-0D-95

- **Panel Moving Trucks** (1,200 lbs. capacity)
- 14 gauge steel construction
- Overall height is 34"
- · Deck height is 8" above floor
- · Removable handles allow easy mobility
- Choose open deck or carpeted rail
- 5" x 1-1/4" polyurethane bolt-on casters (4) swivel with side brakes
- · Easy to assemble, no tools required
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Туре	Ship Wt. (Lbs.)
PM-2831-0D-95	28 x 28 x 34	Open Deck	86
PM-2831-CR-95	28 x 28 x 34	Carpeted Rails	92

FOB TX



Model APT2SH30365PU95

Platform Trucks (1,400 lbs. capacity)

- All welded 14 gauge steel platform
- · Platform has lips down
- · Easy to assemble, no tools required
- Removable handles allow easy mobility
 Durable, gray, textured powder coat finish

• 5" polyurethane casters (2) swivel and (2) rigid

Model	Overall Dim: WxLxH (In.)	Ship Wt. (Lbs.)
5" Polyurethane Casters • Platforms with L	ips Down • 1,400 lbs. capacity	
APT2SH30365PU95	30-3/16 x 40-3/8 x 44-9/16	126
APT2SH36485PU95	36-3/16 x 52-3/8 x 44-9/16	125

SPECIALTY PLATFORM TRUCKS

HIGH DECK & ADJUSTABLE HEIGHT STOCK TRUCK

Platform Trucks

- All welded 12 gauge steel platform
- Removable handle
- (2) swivel and (2) rigid casters
- · Easy to assemble
- · Tubular offset handle allows easy mobility
- Durable, gray, textured powder coat finish

5* Mold-On Rubber Casters • 2,000 lbs. capacity WHPT24485MR95 24 x 48 x 42-1/4 WHPT30605MR95 30 x 60 x 42-1/4 73 5* Polyurethane Casters • 1,400 lbs. capacity WHPT18485PU95 18 x 48 x 42 WHPT30485PU95 24 x 60 x 42 WHPT30485PU95 30 x 48 x 42 153 WHPT30605PU95 30 x 60 x 42 169 6* Mold-On Rubber Casters • 2,000 lbs. capacity WHPT30485PU95 30 x 60 x 42 169 6* Mold-On Rubber Casters • 2,000 lbs. capacity WHPT30485PH95 30 x 60 x 43 190 5* Phenolic Casters • 2,000 lbs. capacity WHPT30606MR95 30 x 60 x 42-1/4 138 WHPT30605PH95 30 x 60 x 42-1/4 171 6* Mold-On Rubber Casters • Floor Lock included • 2,000 lbs. capacity WHPTL30606MR95 30 x 60 x 43 192 6* Mold-On Rubber Casters • Platform with Lips Up • 2,000 lbs. capacity WHPTL30606MR95 24 x 48 x 44-1/2 WHPTL30606MR95 24 x 48 x 44-1/2 WHPTL30606MR95 24 x 48 x 44-1/2 WHPTL30606MR95 30 x 60 x 44-1/2 T77 5* Phenolic Casters • G* Lips Up Paltforms • 2,000 lbs. capacity WHPT624485PH95 24 x 48 x 45 157 ADJUSTABLE HEIGHT PLATFORMS TRUCKS 5* Phenolic Casters • G* Lips Up Paltforms • 2,000 lbs. capacity WHPT624485PH95 24 x 48 x 41-1/4 to 51-1/4 143 WHPT624485PH95 30 x 60 x 44 to 54 160 6* Mold-On Rubber Casters • Adjustable Platforms • 2,000 lbs. capacity WHPT624485PH95 30 x 60 x 44 to 54 167 6* Mold-On Rubber Casters • Adjustable Platforms • 2,000 lbs. capacity WHPT624485PH95 30 x 60 x 44 to 54 160 6* Mold-On Rubber Casters • Adjustable Platforms • 2,000 lbs. capacity WHPT624485PH95 30 x 60 x 44 to 54 160 6* Mold-On Rubber Casters • Adjustable Platforms • 2,000 lbs. capacity WHPT624485PH95 30 x 60 x 40-3/4 to 50-3/4 170 6* Mold-On Rubber Casters • Adjustable Platforms • 2,000 lbs. capacity WHPTA204606MR95 24 x 48 x 40-3/4 to 50-3/4 170 6* Mold-On Rubber Casters • Adjustable Platforms • Adjustable Platforms • 2,000 lbs. capacity WHPTL304606MR95 24 x 48 x 40-3/4 to 50-3/4 170 6* Mold-On Rubber Casters • Adjustable Platforms • Adjustable Platforms • Adjustable Platforms • Adjustable Platforms • Adjustabl	Model	Overall Dim: WxLxH (In.)	Ship Wt. (Lbs.)
### WHPT30605MR95 30 x 60 x 42-1/4 173 S* Polyurethane Casters • 1.400 lbs. capacity	5" Mold-On Rubber Casters • 2,000 lbs.	capacity	
5* Polyurethane Casters * 1,400 lbs. capacity WHPT18465PU95	WHPT24485MR95	24 x 48 x 42-1/4	140
### WHPT18485PU95	WHPT30605MR95	30 x 60 x 42-1/4	173
WHPT24605PU95 24 x 60 x 42 164 WHPT300485PU95 30 x 48 x 42 153 WHPT30605PU95 30 x 60 x 42 169 6* Mold-On Rubber Casters • 2,000 lbs. capacity WHPT30486MR95 30 x 48 x 43 161 WHPT30606MR95 30 x 60 x 43 190 5* Phenolic Casters • 2,000 lbs. capacity WHPT24485PH95 22 x 48 x 42-1/4 138 WHPT30605PH95 30 x 60 x 42-1/4 171 6* Mold-On Rubber Casters • Floor Lock included • 2,000 lbs. capacity HHPTFL24486MR95 24 x 48 x 43 144 WHPT524486MR95 24 x 48 x 44 x 44 x 44 x 42 192 152 G* Mold-On Rubber Casters • Platform with Lips Up • 2,000 lbs. capacity WHPTLU24606MR95 24 x 48 x 44-1/2 152 WHPTLU24606MR95 24 x 48 x 44-1/2 172 177 5* Phenolic Casters • G* Lips Up Paltforms • 2,000 lbs. capacity WHPT624485PH95 24 x 48 x 45 157 ADJUSTABLE HEIGHT PLATFORMS TRUCKS 5* Phenolic Casters • Adjustable Platforms • 2,000 lbs. capacity 143 143 WHPTA24485PH95 30 x 60 x 41-1/4 to 51-1/4 143 176 5* Phenolic Casters • 6* Lips Up Paltforms • Adjustable Platforms • 2,000 lbs. capacity 160 </td <td>5" Polyurethane Casters • 1,400 lbs. cap</td> <td>pacity</td> <td></td>	5" Polyurethane Casters • 1,400 lbs. cap	pacity	
### WHPT30485PU95	WHPT18485PU95	18 x 48 x 42	121
6* Mold-On Rubber Casters • 2,000 lbs. capacity 30 x 48 x 43 161 WHPT30486MR95 30 x 48 x 43 190 5* Phenolic Casters • 2,000 lbs. capacity 190 WHPT24485PH95 24 x 48 x 42-1/4 138 WHPT30605PH95 30 x 60 x 42-1/4 171 6* Mold-On Rubber Casters • Floor Lock included • 2,000 lbs. capacity WHPTFL24486MR95 24 x 48 x 43 144 WHPTFL30606MR95 30 x 60 x 43 192 6* Mold-On Rubber Casters • Platform with Lips Up • 2,000 lbs. capacity WHPTLU24486MR95 24 x 48 x 44-1/2 152 WHPTLU24660MR95 24 x 60 x 44-1/2 172 WHPTLU30606MR95 30 x 60 x 44-1/2 177 5* Phenolic Casters • 6* Lips Up Paltforms • 2,000 lbs. capacity WHPT624485PH95 24 x 48 x 45 157 ADJUSTABLE HEIGHT PLATFORMS TRUCKS 5* Phenolic Casters • Adjustable Platforms • 2,000 lbs. capacity WHPTA3065PH95 30 x 60 x 44-1/4 to 51-1/4 176 5* Phenolic Casters • Adjustable Platforms • 2,000 lbs. capacity WHPT6A24485PH95 30 x 60 x 44 to 54 160 6* Mold-On Rubber Casters • Adjustable Platforms • 2,000 lbs. capacity WHPT6A24485PH95 30 x 60 x 44 to 54 160	WHPT24605PU95	24 x 60 x 42	164
6* Mold-On Rubber Casters • 2,000 lbs. capacity WHPT30486MR95 30 x 48 x 43 161 WHPT30606MR95 30 x 60 x 43 190 5* Phenolic Casters • 2,000 lbs. capacity WHPT24485PH95 24 x 48 x 42-1/4 171 6* Mold-On Rubber Casters • Floor Lock included • 2,000 lbs. capacity WHPTEL24486MR95 30 x 60 x 43 192 6* Mold-On Rubber Casters • Floor Lock included • 2,000 lbs. capacity WHPTL30606MR95 30 x 60 x 43 192 6* Mold-On Rubber Casters • Platform with Lips Up • 2,000 lbs. capacity WHPTLU24486MR95 24 x 48 x 44-1/2 WHPTLU3486MR95 24 x 48 x 44-1/2 152 WHPTLU30606MR95 24 x 60 x 44-1/2 WHPTLU30606MR95 30 x 60 x 44-1/2 177 5* Phenolic Casters • 6* Lips Up Paltforms • 2,000 lbs. capacity WHPT624485PH95 24 x 48 x 45 157 ADJUSTABLE HEIGHT PLATFORMS TRUCKS 5* Phenolic Casters • Adjustable Platforms • 2,000 lbs. capacity WHPTA30605PH95 30 x 60 x 41-1/4 to 51-1/4 176 5* Phenolic Casters • Adjustable Platforms • 2,000 lbs. capacity WHPT6A24485PH95 30 x 60 x 44 to 54 160 6* Mold-On Rubber Casters • Adjustable Platforms • 2,000 lbs. capacity WHPT6A24486MR95 24 x 48 x 40-3/4 to 50-3/4 177 WHPTA30486MR95 30 x 8 x 40-3/4 to 50-3/4 177 WHPTA30486MR95 30 x 8 x 40-3/4 to 50-3/4 170 6* Mold-On Rubber Casters • Adjustable Platforms with Lips Up • 2,000 lbs. capacity WHPTLU0424486MR95 24 x 48 x 44-1/2 to 54-1/2	WHPT30485PU95	30 x 48 x 42	153
### WHPT30486MR95	WHPT30605PU95	30 x 60 x 42	169
### State	6" Mold-On Rubber Casters • 2,000 lbs.	capacity	
5" Phenolic Casters • 2,000 lbs. capacity WHPT24485PH95 24 x 48 x 42-1/4 WHPT30605PH95 30 x 60 x 42-1/4 171 6" Mold-On Rubber Casters • Floor Lock included • 2,000 lbs. capacity WHPTFL24486MR95 24 x 48 x 43 144 WHPTFL30606MR95 30 x 60 x 43 192 6" Mold-On Rubber Casters • Platform with Lips Up • 2,000 lbs. capacity WHPTLU24486MR95 24 x 48 x 44-1/2 WHPTLU24486MR95 24 x 48 x 44-1/2 172 WHPTLU30606MR95 30 x 60 x 44-1/2 177 5" Phenolic Casters • 6" Lips Up Paltforms • 2,000 lbs. capacity WHPT624485PH95 24 x 48 x 45 157 ADJUSTABLE HEIGHT PLATFORMS TRUCKS 5" Phenolic Casters • Adjustable Platforms • 2,000 lbs. capacity WHPTA24485PH95 24 x 48 x 41-1/4 to 51-1/4 176 5" Phenolic Casters • Adjustable Platforms • Adjustable Platforms • 2,000 lbs. capacity WHPT624485PH95 30 x 60 x 41-1/4 to 51-1/4 176 5" Phenolic Casters • Adjustable Platforms • Adjustable Platforms • 2,000 lbs. capacity WHPT6A24485PH95 30 x 60 x 44 to 54 160 6" Mold-On Rubber Casters • Adjustable Platforms • 2,000 lbs. capacity WHPT6A24486MR95 24 x 48 x 40-3/4 to 50-3/4 177 WHPTA30486MR95 24 x 60 x 40-3/4 to 50-3/4 177 WHPTA30486MR95 30 x 68 x 44-1/2 to 54-1/2 156	WHPT30486MR95	30 x 48 x 43	161
WHPT24485PH95 24 x 48 x 42-1/4 138 WHPT30605PH95 30 x 60 x 42-1/4 171 6° Mold-On Rubber Casters • Floor Lock included • 2,000 lbs. capacity 144 WHPTFL24486MR95 24 x 48 x 43 144 WHPTL20606MR95 30 x 60 x 43 192 6° Mold-On Rubber Casters • Platform with Lips Up • 2,000 lbs. capacity 152 WHPTLU24486MR95 24 x 48 x 44-1/2 152 WHPTLU24606MR95 24 x 60 x 44-1/2 177 5° Phenolic Casters • 6° Lips Up Paltforms • 2,000 lbs. capacity 157 WHPT624485PH95 24 x 48 x 45 157 ADJUSTABLE HEIGHT PLATFORMS TRUCKS 157 5° Phenolic Casters • Adjustable Platforms • 2,000 lbs. capacity 143 143 WHPTA24485PH95 24 x 48 x 41-1/4 to 51-1/4 176 5° Phenolic Casters • 6° Lips Up Paltforms • Adjustable Platforms • 2,000 lbs. capacity 160 6° Mold-On Rubber Casters • Adjustable Platforms • 2,000 lbs. capacity 156 WHPTA24486MR95 24 x 48 x 40-3/4 to 50-3/4 177 WHPTA30486MR95 24 x 60 x 40-3/4 to 50-3/4 177 WHPTA24606MR95 30 x 48 x 40-3/4 to 50-3/4 170 6° Mold-On Rubber Casters • A			190
WHPT30605PH95 30 x 60 x 42-1/4 171 6" Mold-On Rubber Casters • Floor Lock included • 2,000 lbs. capacity 144 WHPTFL24486MR95 24 x 48 x 43 144 WHPTFL30606MR95 30 x 60 x 43 192 6" Mold-On Rubber Casters • Platform with Lips Up • 2,000 lbs. capacity 152 WHPTLU24486MR95 24 x 48 x 44-1/2 152 WHPTLU30606MR95 24 x 60 x 44-1/2 177 5" Phenolic Casters • 6" Lips Up Paltforms • 2,000 lbs. capacity 157 WHPT624485PH95 24 x 48 x 45 157 ADJUSTABLE HEIGHT PLATFORMS TRUCKS 5" Phenolic Casters • Adjustable Platforms • 2,000 lbs. capacity WHPTA24485PH95 24 x 48 x 41-1/4 to 51-1/4 143 WHPTA30605PH95 30 x 60 x 41-1/4 to 51-1/4 176 5" Phenolic Casters • 6" Lips Up Paltforms • Adjustable Platforms • 2,000 lbs. capacity 160 6" Mold-On Rubber Casters • Adjustable Platforms • 2,000 lbs. capacity 156 WHPTA24486MR95 24 x 48 x 40-3/4 to 50-3/4 177 WHPTA30486MR95 24 x 60 x 40-3/4 to 50-3/4 170 6" Mold-On Rubber Casters • Adjustable Platforms with Lips Up • 2,000 lbs. capacity 170 6" Mold-On Rubber Casters • Adjustable Platforms			
6" Mold-On Rubber Casters • Floor Lock Included • 2,000 lbs. capacity WHPTFL24486MR95 24 x 48 x 43 144 WHPTFL30606MR95 30 x 60 x 43 192 6" Mold-On Rubber Casters • Platform with Lips Up • 2,000 lbs. capacity WHPTLU24486MR95 24 x 48 x 44-1/2 WHPTLU24606MR95 24 x 60 x 44-1/2 WHPTLU30606MR95 30 x 60 x 44-1/2 T77 5" Phenolic Casters • 6" Lips Up Paltforms • 2,000 lbs. capacity WHPT624485PH95 24 x 48 x 45 T57 ADJUSTABLE HEIGHT PLATFORMS TRUCKS 5" Phenolic Casters • Adjustable Platforms • 2,000 lbs. capacity WHPTA24485PH95 24 x 48 x 41-1/4 to 51-1/4 T76 5" Phenolic Casters • C" Lips Up Paltforms • Adjustable Platforms • 2,000 lbs. capacity WHPTA30605PH95 30 x 60 x 41-1/4 to 51-1/4 T76 5" Phenolic Casters • C" Lips Up Paltforms • Adjustable Platforms • 2,000 lbs. capacity WHPTA304485PH95 30 x 60 x 44 to 54 160 6" Mold-On Rubber Casters • Adjustable Platforms • 2,000 lbs. capacity WHPTA24486MR95 24 x 48 x 40-3/4 to 50-3/4 177 WHPTA30486MR95 30 x 48 x 40-3/4 to 50-3/4 170 6" Mold-On Rubber Casters • Adjustable Platforms with Lips Up • 2,000 lbs. capacity WHPTLUA24486MR95 24 x 48 x 40-3/4 to 50-3/4 170 6" Mold-On Rubber Casters • Adjustable Platforms with Lips Up • 2,000 lbs. capacity WHPTLUA24486MR95 24 x 48 x 40-3/4 to 50-3/4 170		,	
WHPTFL24486MR95 24 x 48 x 43 144 WHPTFL30606MR95 30 x 60 x 43 192 6" Mold-On Rubber Casters • Platform with Lips Up • 2,000 lbs. capacity 152 WHPTLU24486MR95 24 x 48 x 44-1/2 152 WHPTLU36606MR95 30 x 60 x 44-1/2 177 5" Phenolic Casters • 6" Lips Up Paltforms • 2,000 lbs. capacity 24 x 48 x 45 157 ADJUSTABLE HEIGHT PLATFORMS TRUCKS 5" Phenolic Casters • Adjustable Platforms • 2,000 lbs. capacity 143 143 WHPTA24485PH95 24 x 48 x 41-1/4 to 51-1/4 176 5" Phenolic Casters • C" Lips Up Paltforms • Adjustable Platforms • 2,000 lbs. capacity 176 5" Phenolic Casters • Adjustable Platforms • Adjustable Platforms • 2,000 lbs. capacity 160 6" Mold-On Rubber Casters • Adjustable Platforms • 2,000 lbs. capacity 156 WHPTA24606MR95 24 x 48 x 40-3/4 to 50-3/4 177 WHPTA30486MR95 24 x 60 x 40-3/4 to 50-3/4 170 6" Mold-On Rubber Casters • Adjustable Platforms with Lips Up • 2,000 lbs. capacity 170 6" Mold-On Rubber Casters • Adjustable Platforms with Lips Up • 2,000 lbs. capacity 170			171
### WHPTFL30606MR95 ### WHPTFL30606MR95 ### WHPTFL30606MR95 ### WHPTFLU24486MR95 ### WHPTFLU24486MR95 ### WHPTFLU24486MR95 ### WHPTFLU24606MR95 ### WHPTFLU30606MR95 ### ### WHPTFLU30606MR95 ### ### WHPTFLU30606MR95 ### ### ### ### ### ### ### ### ### #			
6" Mold-On Rubber Casters • Platform with Lips Up • 2,000 lbs. capacity WHPTLU24486MR95 24 x 48 x 44-1/2 WHPTLU30606MR95 30 x 60 x 44-1/2 WHPTLU30606MR95 30 x 60 x 44-1/2 T77 5" Phenolic Casters • 6" Lips Up Paltforms • 2,000 lbs. capacity WHPT624485PH95 24 x 48 x 45 T57 ADJUSTABLE HEIGHT PLATFORMS TRUCKS 5" Phenolic Casters • Adjustable Platforms • 2,000 lbs. capacity WHPTA24485PH95 24 x 48 x 41-1/4 to 51-1/4 T43 WHPTA30605PH95 30 x 60 x 41-1/4 to 51-1/4 T76 5" Phenolic Casters • 6" Lips Up Paltforms • Adjustable Platforms • 2,000 lbs. capacity WHPT6A24485PH95 30 x 60 x 44 to 54 160 6" Mold-On Rubber Casters • Adjustable Platforms • 2,000 lbs. capacity WHPTA24486MR95 24 x 48 x 40-3/4 to 50-3/4 T77 WHPTA30486MR95 30 x 48 x 40-3/4 to 50-3/4 T70 6" Mold-On Rubber Casters • Adjustable Platforms with Lips Up • 2,000 lbs. capacity WHPTLUA24486MR95 24 x 48 x 44-1/2 to 54-1/2 156		= : :: : = :: : =	=
WHPTLU24486MR95 24 x 48 x 44-1/2 152 WHPTLU30606MR95 24 x 60 x 44-1/2 172 WHPTLU30606MR95 30 x 60 x 44-1/2 177 5" Phenolic Casters • 6" Lips Up Paltforms • 2,000 lbs. capacity WHPT624485PH95 24 x 48 x 45 157 ADJUSTABLE HEIGHT PLATFORMS TRUCKS 5" Phenolic Casters • Adjustable Platforms • 2,000 lbs. capacity 143 143 WHPTA24485PH95 24 x 48 x 41-1/4 to 51-1/4 176 176 5" Phenolic Casters • 6" Lips Up Paltforms • Adjustable Platforms • 2,000 lbs. capacity 160 160 6" Mold-On Rubber Casters • Adjustable Platforms • 2,000 lbs. capacity 156 156 WHPTA30486MR95 24 x 48 x 40-3/4 to 50-3/4 177 WHPTA30486MR95 24 x 60 x 40-3/4 to 50-3/4 170 6" Mold-On Rubber Casters • Adjustable Platforms with Lips Up • 2,000 lbs. capacity 170 6" Mold-On Rubber Casters • Adjustable Platforms with Lips Up • 2,000 lbs. capacity 170	======		192
WHPTLU24606MR95 24 x 60 x 44-1/2 172 WHPTLU30606MR95 30 x 60 x 44-1/2 177 5" Phenolic Casters • 6" Lips Up Paltforms • 2,000 lbs. capacity 24 x 48 x 45 157 ADJUSTABLE HEIGHT PLATFORMS TRUCKS 5" Phenolic Casters • Adjustable Platforms • 2,000 lbs. capacity 143 143 WHPTA24485PH95 24 x 48 x 41-1/4 to 51-1/4 176 5" Phenolic Casters • 6" Lips Up Paltforms • Adjustable Platforms • 2,000 lbs. capacity 160 6" Mold-On Rubber Casters • Adjustable Platforms • 2,000 lbs. capacity 156 WHPTA24606MR95 24 x 48 x 40-3/4 to 50-3/4 177 WHPTA30486MR95 24 x 60 x 40-3/4 to 50-3/4 170 6" Mold-On Rubber Casters • Adjustable Platforms with Lips Up • 2,000 lbs. capacity 170 6" Mold-On Rubber Casters • Adjustable Platforms with Lips Up • 2,000 lbs. capacity 170 6" Mold-On Rubber Casters • Adjustable Platforms with Lips Up • 2,000 lbs. capacity 156			1.70
WHPTLU30606MR95 30 x 60 x 44-1/2 177 5" Phenolic Casters • 6" Lips Up Paltforms • 2,000 lbs. capacity 24 x 48 x 45 157 ADJUSTABLE HEIGHT PLATFORMS TRUCKS 5" Phenolic Casters • Adjustable Platforms • 2,000 lbs. capacity WHPTA24485PH95 24 x 48 x 41-1/4 to 51-1/4 143 WHPTA30605PH95 30 x 60 x 41-1/4 to 51-1/4 176 5" Phenolic Casters • 6" Lips Up Paltforms • Adjustable Platforms • 2,000 lbs. capacity WHPT6A24485PH95 30 x 60 x 44 to 54 160 6" Mold-On Rubber Casters • Adjustable Platforms • 2,000 lbs. capacity WHPTA24486MR95 24 x 48 x 40-3/4 to 50-3/4 156 WHPTA30486MR95 24 x 60 x 40-3/4 to 50-3/4 170 6" Mold-On Rubber Casters • Adjustable Platforms with Lips Up • 2,000 lbs. capacity 170 6" Mold-On Rubber Casters • Adjustable Platforms with Lips Up • 2,000 lbs. capacity 156		,	-
5" Phenolic Casters • 6" Lips Up Paltforms • 2,000 lbs. capacity WHPT624485PH95 24 x 48 x 45 5" Phenolic Casters • Adjustable Platforms • 2,000 lbs. capacity WHPTA24485PH95 24 x 48 x 41-1/4 to 51-1/4 143 WHPTA30605PH95 30 x 60 x 41-1/4 to 51-1/4 5" Phenolic Casters • 6" Lips Up Paltforms • Adjustable Platforms • 2,000 lbs. capacity WHPT6A24485PH95 30 x 60 x 44 to 54 160 6" Mold-On Rubber Casters • Adjustable Platforms • 2,000 lbs. capacity WHPTA24486MR95 24 x 48 x 40-3/4 to 50-3/4 156 WHPTA30486MR95 30 x 48 x 40-3/4 to 50-3/4 177 WHPTA30486MR95 30 x 48 x 40-3/4 to 50-3/4 170 6" Mold-On Rubber Casters • Adjustable Platforms with Lips Up • 2,000 lbs. capacity WHPTLUA24486MR95 24 x 48 x 44-1/2 to 54-1/2 156		/	
WHPT624485PH95 24 x 48 x 45 157 ADJUSTABLE HEIGHT PLATFORMS TRUCKS 5" Phenolic Casters • Adjustable Platforms • 2,000 lbs. capacity WHPTA24485PH95 24 x 48 x 41-1/4 to 51-1/4 143 WHPTA30605PH95 30 x 60 x 41-1/4 to 51-1/4 176 5" Phenolic Casters • 6" Lips Up Paltforms • Adjustable Platforms • 2,000 lbs. capacity WHPT6A24485PH95 30 x 60 x 44 to 54 160 6" Mold-On Rubber Casters • Adjustable Platforms • 2,000 lbs. capacity WHPTA24486MR95 24 x 48 x 40-3/4 to 50-3/4 156 WHPTA30486MR95 30 x 48 x 40-3/4 to 50-3/4 170 6" Mold-On Rubber Casters • Adjustable Platforms with Lips Up • 2,000 lbs. capacity WHPTLUA24486MR95 24 x 48 x 44-1/2 to 54-1/2 156		,	177
ADJUSTABLE HEIGHT PLATFORMS TRUCKS 5" Phenolic Casters • Adjustable Platforms • 2,000 lbs. capacity WHPTA24485PH95 24 x 48 x 41-1/4 to 51-1/4 143 WHPTA30605PH95 30 x 60 x 41-1/4 to 51-1/4 5" Phenolic Casters • 6" Lips Up Paltforms • Adjustable Platforms • 2,000 lbs. capacity WHPT6A24485PH95 30 x 60 x 44 to 54 160 6" Mold-On Rubber Casters • Adjustable Platforms • 2,000 lbs. capacity WHPTA24486MR95 24 x 48 x 40-3/4 to 50-3/4 156 WHPTA30486MR95 30 x 48 x 40-3/4 to 50-3/4 177 WHPTA30486MR95 30 x 48 x 40-3/4 to 50-3/4 170 6" Mold-On Rubber Casters • Adjustable Platforms with Lips Up • 2,000 lbs. capacity WHPTLUA24486MR95 24 x 48 x 44-1/2 to 54-1/2 156			457
5" Phenolic Casters • Adjustable Platforms • 2,000 lbs. capacity WHPTA24485PH95 24 x 48 x 41-1/4 to 51-1/4 143 WHPTA30605PH95 30 x 60 x 41-1/4 to 51-1/4 5" Phenolic Casters • 6" Lips Up Paltforms • Adjustable Platforms • 2,000 lbs. capacity WHPT6A24485PH95 30 x 60 x 44 to 54 160 6" Mold-On Rubber Casters • Adjustable Platforms • 2,000 lbs. capacity WHPTA24486MR95 24 x 48 x 40-3/4 to 50-3/4 156 WHPTA24606MR95 24 x 60 x 40-3/4 to 50-3/4 177 WHPTA30486MR95 30 x 48 x 40-3/4 to 50-3/4 170 6" Mold-On Rubber Casters • Adjustable Platforms with Lips Up • 2,000 lbs. capacity WHPTLUA24486MR95 24 x 48 x 44-1/2 to 54-1/2 156			157
WHPTA24485PH95 24 x 48 x 41-1/4 to 51-1/4 143 WHPTA30605PH95 30 x 60 x 41-1/4 to 51-1/4 176 5" Phenolic Casters • 6" Lips Up Paltforms • Adjustable Platforms • 2,000 lbs. capacity WHPT6A24485PH95 30 x 60 x 44 to 54 160 6" Mold-On Rubber Casters • Adjustable Platforms • 2,000 lbs. capacity WHPTA24486MR95 24 x 48 x 40-3/4 to 50-3/4 156 WHPTA30486MR95 24 x 60 x 40-3/4 to 50-3/4 177 WHPTA30486MR95 30 x 48 x 40-3/4 to 50-3/4 170 6" Mold-On Rubber Casters • Adjustable Platforms with Lips Up • 2,000 lbs. capacity WHPTLUA24486MR95 24 x 48 x 44-1/2 to 54-1/2 156	ADJUSTABLE HEIGHT PLATFORM	IS TRUCKS	
WHPTA30605PH95 30 x 60 x 41-1/4 to 51-1/4 176 5" Phenolic Casters • 6" Lips Up Paltforms • Adjustable Platforms • 2,000 lbs. capacity WHPT6A24485PH95 30 x 60 x 44 to 54 160 6" Mold-On Rubber Casters • Adjustable Platforms • 2,000 lbs. capacity WHPTA24486MR95 24 x 48 x 40-3/4 to 50-3/4 156 WHPTA30486MR95 24 x 60 x 40-3/4 to 50-3/4 177 WHPTA30486MR95 30 x 48 x 40-3/4 to 50-3/4 170 6" Mold-On Rubber Casters • Adjustable Platforms with Lips Up • 2,000 lbs. capacity WHPTLUA24486MR95 24 x 48 x 44-1/2 to 54-1/2 156	5" Phenolic Casters • Adjustable Platform	ms • 2,000 lbs. capacity	
5" Phenolic Casters • 6" Lips Up Paltforms • Adjustable Platforms • 2,000 lbs. capacity WHPT6A24485PH95 30 x 60 x 44 to 54 160 6" Mold-On Rubber Casters • Adjustable Platforms • 2,000 lbs. capacity WHPTA24486MR95 24 x 48 x 40-3/4 to 50-3/4 156 WHPTA24606MR95 24 x 60 x 40-3/4 to 50-3/4 177 WHPTA30486MR95 30 x 48 x 40-3/4 to 50-3/4 170 6" Mold-On Rubber Casters • Adjustable Platforms with Lips Up • 2,000 lbs. capacity WHPTLUA24486MR95 24 x 48 x 44-1/2 to 54-1/2 156	WHPTA24485PH95	24 x 48 x 41-1/4 to 51-1/4	143
WHPT6A24485PH95 30 x 60 x 44 to 54 160 6" Mold-On Rubber Casters • Adjustable Platforms • 2,000 lbs. capacity WHPTA24486MR95 24 x 48 x 40-3/4 to 50-3/4 156 WHPTA24606MR95 24 x 60 x 40-3/4 to 50-3/4 177 WHPTA30486MR95 30 x 48 x 40-3/4 to 50-3/4 170 6" Mold-On Rubber Casters • Adjustable Platforms with Lips Up • 2,000 lbs. capacity WHPTLUA24486MR95 24 x 48 x 44-1/2 to 54-1/2 156	WHPTA30605PH95	30 x 60 x 41-1/4 to 51-1/4	176
6" Mold-On Rubber Casters • Adjustable Platforms • 2,000 lbs. capacity WHPTA24486MR95 24 x 48 x 40-3/4 to 50-3/4 156 WHPTA24606MR95 24 x 60 x 40-3/4 to 50-3/4 177 WHPTA30486MR95 30 x 48 x 40-3/4 to 50-3/4 170 6" Mold-On Rubber Casters • Adjustable Platforms with Lips Up • 2,000 lbs. capacity WHPTLUA24486MR95 24 x 48 x 44-1/2 to 54-1/2 156	5" Phenolic Casters • 6" Lips Up Paltform	ns • Adjustable Platforms • 2,000 lbs. cap	acity
WHPTA24486MR95 24 x 48 x 40-3/4 to 50-3/4 156 WHPTA24606MR95 24 x 60 x 40-3/4 to 50-3/4 177 WHPTA30486MR95 30 x 48 x 40-3/4 to 50-3/4 170 6" Mold-On Rubber Casters • Adjustable Platforms with Lips Up • 2,000 lbs. capacity WHPTLUA24486MR95 24 x 48 x 44-1/2 to 54-1/2 156	WHPT6A24485PH95	30 x 60 x 44 to 54	160
WHPTA24606MR95 24 x 60 x 40-3/4 to 50-3/4 177 WHPTA30486MR95 30 x 48 x 40-3/4 to 50-3/4 170 6" Mold-On Rubber Casters • Adjustable Platforms with Lips Up • 2,000 lbs. capacity WHPTLUA24486MR95 24 x 48 x 44-1/2 to 54-1/2 156	6" Mold-On Rubber Casters • Adjustable	Platforms • 2,000 lbs. capacity	
WHPTA30486MR95 30 x 48 x 40-3/4 to 50-3/4 170 6" Mold-On Rubber Casters • Adjustable Platforms with Lips Up • 2,000 lbs. capacity WHPTLUA24486MR95 24 x 48 x 44-1/2 to 54-1/2 156	WHPTA24486MR95	24 x 48 x 40-3/4 to 50-3/4	156
6" Mold-On Rubber Casters • Adjustable Platforms with Lips Up • 2,000 lbs. capacity WHPTLUA24486MR95 24 x 48 x 44-1/2 to 54-1/2 156	WHPTA24606MR95	24 x 60 x 40-3/4 to 50-3/4	177
WHPTLUA24486MR95 24 x 48 x 44-1/2 to 54-1/2 156	WHPTA30486MR95	30 x 48 x 40-3/4 to 50-3/4	170
	6" Mold-On Rubber Casters • Adjustable	Platforms with Lips Up • 2,000 lbs. capac	ity
	WHPTLUA24486MR95	24 x 48 x 44-1/2 to 54-1/2	156
WHPTLUA30486MR95 30 x 48 x 44-1/2 to 54-1/2 170	WHPTLUA30486MR95	30 x 48 x 44-1/2 to 54-1/2	170



Model **WHPTFL24486MR95**



Model WHPT624485PH95



Model WHPTA24486MR95

FOR TX

VALUE ADDED SERVICES FROM DURHAM

To make doing business easier and more efficient

- EDI (Electric Data Interchange) ordering and invoicing
- Automated Order Receipt and **Shipment Acknowledgement**
- Special Product Customization **Involving Colors, Company Names** and Logos. (Minimums apply)
- Online portal give you 24 hour access
 Other Information: to pricing, order entry, order status, invoicing and most tracking
- Email Orders: orders@durhammfg.com
 - info@durhammfg.com

Easily Accessible Online Marketing Material including Catalogs and PDF Sell Sheets Available at: www.durhammfg.com/catalogs

SPECIALTY PLATFORM TRUCKS

2 & 3 SIDED LOW DECK STOCK TRUCK



Model PTS16604R/8MR95

2 Sided Platform Truck

- All welded 12 gauge steel platform
- Platform has lips down
- Removable handle
- (4) swivel and (2) rigid casters
- · Easy to assemble, no tools required
- Tubular handle allows easy mobility
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxLxH (In.)	Ship Wt. (Lbs.)
5" & 8" Mold-On Rubber Casters • 2,400		
PTS16604R/8MR95	16 x 60 x 58-1/8	108
5" & 8" Polyurethane Casters • 2,000 lbs		
PTS18725/8PU95	18 x 72 x 58-1/8	151
PTS24485/8PU95	24 x 48 x 58-1/8	126

FOB TX





Model EPT2H24488PU95

2 Sided Platform Truck

- · All welded 12 gauge steel platform with reinforced steel channels
- · Platform has lips down
- (2) Swivel and (2) rigid casters
- (4) *Platform with 4 sockets
- · Tubular offset handle allows easy mobility
- · Easy to assemble
- Handles Removable
- · Durable, gray, textured powder coat finish

` '	, 3	•
Model	Overall Dim: WxLxH (In.)	Ship Wt. (Lbs.)
8" Polyurethane Casters • Platforms with Lips	s Down • 3,600 lbs. capacity	
EPT2H24368PU95	24 x 36 x 38-1/2	121
EPT2H24488PU95	24 x 48 x 38-1/2	130
EPT2H30488PU95	30 x 48 x 38-1/2	152
5 & 6" Mold-On Rubber Casters • Platforms w	vith 4 Sockets & 1 Handle • 2,000 lbs.	capacity
*EPT4S30605MR95	30 x 60 x 35-1/4	145
*EPT4S30606MR95	30 x 60 x 36-1/4	147
8" Pneumatic Casters • Platforms with 4 Soc	kets & 1 Handle • 1,200 lbs. capacity	
*EPT4S30608PN95	30 x 60 x 39	179
	·	

FOB TX

2 & 3 Sided Platform Truck

- All welded 12 gauge steel platform with reinforced steel channels
- · Platform has lips down
- · Easy to assemble
- (2) Swivel and (2) rigid casters
- · Tubular offset handle allows easy mobility
- · Handles Removable
- Durable, gray, textured powder coat finish



Model	Overall Dim: WxLxH (In.)	Ship Wt. (Lbs.)
6" Phenolic Casters • 2 Sided Trucks • Platfe	orms with Lips Down • 2,000 lbs. capaci	ty
EPT2RH24486PH95	24 x 48 x 43	136
EPT2RH30606PH95	30 x 60 x 43	160
6" Polyurethane Casters • 2 Sided Trucks • 1	Platforms with Lips Down • 3,600 lbs. ca	pacity
EPT2RH24606PU95	24 x 60 x 43	153
EPT2RH30486PU95	30 x 48 x 43	149
EPT2RH30606PU95	30 x 60 x 43	158
EPT2RH30726PU95	30 x 72 x 43	205
6" Polyurethane Casters • 3 Sided Trucks • 1	Platforms with Lips Down • 3,600 lbs. ca	pacity
EPT3RH24486PU95	24 x 48 x 43	152
EPT3RH30486PU95	30 x 48 x 43	165
EPT3RH30606PU95	30 x 60 x 43	176



SPECIALTY PLATFORM TRUCKS

2 & 3 SHELF STOCK TRUCK

2 or 3 Shelf Package and Stock Truck (2,000 lbs. capacity)

- All welded, heavy duty 14 or 12 gauge steel
- Shelves have lips down
- Tubular handle allows easy mobility
- · Ships fully assembled and ready for use
- · Durable, gray, textured powder coat

Model	Overall Dim: WxLxH (In.)	Shelves	Ship Wt. (Lbs.)	
14 Gauge Units • 6" x 2" Phenol	c			
2SPT-2448-2-2K-95*	48 x 24 x 57	2	166	
2SPT-3048-2-2K-95*	48 x 30 x 57	2	191	
2SPT-3060-2-2K-95*	60 x 30 x 57	2	210	
14 Gauge Units • 6" x 2" Phenol	c			
2SPT-2448-3-2K-95*	48 x 24 x 57	3	194	
2SPT-3048-3-2K-95*	48 x 30 x 57	3	222	
2SPT-3060-3-2K-95*	60 x 30 x 57	3	248	
12 Gauge Units • Casters: (2) 8 x 2" & (4) 5 x 2" Polyurethane				
2SPT12G244825/8PU95*	48 x 24 x 57	2	237	



*Handle adds 6" to length



Model 2SPT-3048-3-2K-95




Model 2SPT12G244825/8PU95

Platform Truck with 3 shelves (1,200 lbs. capacity)

- · All welded 12 gauge steel platform with reinforced steel channels
- · Platform has lips down
- 3 shelves welded into place
- Polyurethane caster (2) swivel and (2) rigid casters
- · Unit is fully assembled and ready to use
- · Durable, gray, textured powder coat finish

Model	Overall Dim: WxLxH (In.)	Shelf Dims: WxD (In.)	Ship Wt. (Lbs.)
EPT3S24485PU95	24 x *48 x 36-3/4	(2) 24 x 24 (1) 24 x 48	149
EPT3S30605PU95	30 x *60 x 36-3/4	(2) 30 x 30-1/4 (1) 30 x 60	208





Model EPT3S24485PU95

VALUE ADDED SERVICES FROM DURHAM

To make doing business easier and more efficient

- EDI (Electric Data Interchange) ordering and invoicing
- Automated Order Receipt and **Shipment Acknowledgement**
- Special Product Customization **Involving Colors, Company Names** and Logos. (Minimums apply)
- Online portal give you 24 hour access
 Other Information: to pricing, order entry, order status, invoicing and most tracking
- Email Orders: orders@durhammfg.com
 - info@durhammfg.com

Easily Accessible Online Marketing Material including Catalogs and PDF Sell Sheets Available at: www.durhammfg.com/catalogs

TRUCKS PORTABLE TABLES



Model HMT-2436-2-95



Model HMT-2436-2-MT-95

High Deck Portable Tables (1,200 lbs. capacity)

- 1-1/2" x 1/8" angle iron frame
- All welded 14 gauge steel shelves
- Models with 2 and 3 shelves
- Shelves have lips down

- 5" x 1-1/4" polyurethane bolt-on casters
- Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelf Clearance	Ship Wt. (Lbs.)
2 Shelf Models • 5" x 1-1/4" Polyi	urethane Casters, 2 Rigid & 2 Swivel Cas	ters with Side Brakes • Ste	I ()
HMT-1836-2-95	18 x 36 x 30-1/4	20-3/4"	90
HMT-2436-2-95	24 x 36 x 30-1/4	20-3/4"	102
HMT-2448-2-95	24 x 48 x 30-1/4	20-3/4"	118
HMT-3048-2-95	30 x 48 x 30-1/4	20-3/4"	131
HMT-3060-2-95	30 x 30 x 30-1/4	20-3/4"	166
HMT-3672-2-95	36 x 72 x 30-1/4	20-3/4"	199
2 Shelf Models • 5" x 1-1/4" Polyt	urethane Casters, 2 Rigid & 2 Swivel Cas	ters with Side Brakes • Ma	ple Top
HMT-2424-2-MT-95	24 x 24 x 32	20-3/4"	118
HMT-2436-2-MT-95	24 x 36 x 32	20-3/4"	146
HMT-2448-2-MT-95	24 x 48 x 32	20-3/4"	168
HMT-3048-2-MT-95	30 x 48 x 32	20-3/4"	194
HMT-3060-2-MT-95	30 x 60 x 32	20-3/4"	248
HMT-3072-2-MT-95	30 x 72 x 32	20-3/4"	276
2 Shelf Models • 5" x 1-1/4" Polyi	urethane Casters • 4 Swivel Casters with	Side Brakes & No Handle	Steel Top
HMT-1830-2-4SWB-95	18 x 30 x 31	20-3/4"	87
HMT-2436-2-4SWB-95	24 x 36 x 31	20-3/4"	104
HMT-2448-2-4SWB-95	24 x 48 x 31	20-3/4"	120
HMT-2460-2-4SWB-95	24 x 60 x 31	20-3/4"	131
HMT-3048-2-4SWB-95	30 x 48 x 31	20-3/4"	127
HMT-3060-2-4SWB-95	30 x 60 x 31	20-3/4"	167
HMT-3072-2-4SWB-95	30 x 72 x 31	20-3/4"	175
3 Shelf Models • 5" x 1-1/4" Poly	urethane Casters, 2 Rigid & 2 Swivel Cas	ters with Side Brakes • Stee	el Top
HMT-1836-3-95	18 x 36 x 30-1/4	9-9/16"	106
HMT-2436-3-95	24 x 36 x 30-1/4	9-9/16"	122
HMT-2448-3-95	24 x 48 x 30-1/4	9-9/16"	148
HMT-3048-3-95	30 x 48 x 30-1/4	9-9/16"	166
HMT-3060-3-95	30 x 60 x 30-1/4	9-9/16"	204
HMT-3672-3-95	36 x 72 x 30-1/4	9-9/16"	265

FOB TX



Model HMT12G18325PU295

Mobile High Deck Portable Table (1,200 lbs. capacity)

- Heavy duty 12 gauge steel construction
- 5" polyurethane bolt-on casters; (2) swivel with side brakes and (2) rigid
- · Shelves have lips down

- 1-1/2" x 1/8" angle iron frame
- Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelves Dim: WxDxH (In.)	Ship Wt. (Lbs.)
HMT12G18325PU295	18 x 32 x 31	(2) 36 x 18	101
HMT12G24365PU295	24 x 36 x 31	(2) 36 x 24	109
HMT12G24485PU295	24 x 48 x 31	(2) 48 x 24	130
HMT12G30485PU295	30 x 48 x 31	(2) 48 x 30	158
HMT12G30605PU295	30 x 60 x 31	(2) 60 x 30	177
HMT12G30725PU295	30 x 72 x 31	(2) 72 x 30	201





Mobile High Deck Portable Table with Drawers (1,200 lbs. capacity)

- 14 gauge steel construction
- Top surface has back stop
- · Convenient sturdy work surface
- Maple Top surface
- · Workbench with lips down

- 5" polyurethane bolt-on casters; (4) swivel with side brakes
- Ships fully assembled
- · Durable, gray, textured powder coat finish

A	
Č.	
	6

Model HMT-2436-2-MT-2DR-95

TRUCKS

Model	Overall Dim: WxDxH (In.)	Drawers Dim: WxDxH (In.)	Ship Wt. (Lbs.)
HMT-2436-2-MT-2DR-95	24 x 36 x 32	(2) 12-1/2 x 18-1/2 x 4-3/4	186
HMT-2448-2-MT-2DR-95	24 x 48 x 32	(2) 12-1/2 x 18-1/2 x 4-3/4	210
HMT-3060-2-MT-2DR-95	30 x 60 x 32	(2) 12-1/2 x 18-1/2 x 4-3/4	290

FOB TX


Low Deck Service Truck (1,200 & 2,000 lbs. capacity)

- 1-1/2" x 1/8" angle iron frame
- All welded 14 gauge steel shelves
- Choose between a top shelf with lips up, to retain products or lips down to easily load cargo
- · Tubular offset handle allows easy mobility
- (2) swivel and (2) rigid
- Ships fully assembled
- Durable, gray, textured powder coat finish



LOW DECK STOCK TRUCK

Model LDO-2436-2-95





Model LDO-2448-2-ALU-95

TRUCKS BAR CRADLE & STOCK



Model BCTE-2860-4K-95

Bar Cradle Trucks (4,000 & 10,000 lbs. capacity)

- Specially designed structural channel cradles provide increased capacity
- Elevated cradles accommodate forklift loading
- · Wheels and casters are arranged in a diamond pattern with 1/2" tilt
- Ships fully assembled
- · Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In)	capacity	Wheel Type (in.)	Caster type	Cradles	Ship Wt. (Lbs.)
BCTE-2860-4K-95	28 x 60 x 28-1/8	4,000 lbs.	(2) 10 x 2-1/2 Phenolic - Rigid	(2) 6 x 2 Phenolic bolt-on -Swivel	3	205
BCTE-2896-4K-95	28 x 96 x 28-1/8	4,000 lbs.	(2) 10 x 2-1/2 Phenolic - Rigid	(2) 6 x 2 Phenolic bolt-on -Swivel	3	236
BCT-2860-10K-95	28 x 60 x 28-1/8	10,000 lbs.	(2) 12" x 3 Phenolic - Rigid	(2) 8 x 2 Phenolic bolt-on -Swivel	3	157
BCT-2896-10K-95	28 x 96 x 28-1/8	10,000 lbs.	(2) 12" x 3 Phenolic - Rigid	(2) 8 x 2 Phenolic bolt-on -Swivel	4	277

FOB TX



Model 3SLT-2436-1.2K-95


3 & 4 Sided Low Deck Stock Trucks (1,200 lbs. capacity)

- All welded 14 gauge steel shelves and 16 gauge sides
- Top shelf is 20" above floor
- 12" storage clearance between shelves
- Bolt-on casters; (2) locking swivel and (2)
- · Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Description	Overall Dim: WxDxH (In)	Ship Wt. (Lbs.)
1,200 lbs. capacity Models • 5" x 1-1	L/4" Polyurethane Casters		
3SLT-1836-1.2K-95	3-sided truck	*36 x 18 x 40	112
3SLT-2436-1.2K-95	3-sided truck	*36 x 24 x 40	126
3SLT-2448-1.2K-95	3-sided truck	*48 x 24 x 40	158
4SLT-1836-1.2K-95	4-sided truck	*36 x 18 x 40	137
4SLT-2436-1.2K-95	4-sided truck	*36 x 24 x 40	151
4SLT-2448-1.2K-95	4-sided truck	*48 x 24 x 40	178
2,000 lbs. capacity Models • 6" x 2" F	Phenolic Casters		
3SLT-1836-2K-95	3-sided truck	*36 x 18 x 41-1/4	129
3SLT-2436-2K-95	3-sided truck	*36 x 24 x 41-1/4	142
3SLT-2448-2K-95	3-sided truck	*48 x 24 x 41-1/4	158
3SLT-3048-2K-95	3-sided truck	*48 x 30 x 41-1/4	169
4SLT-1836-2K-95	4-sided truck	*36 x 18 x 41-1/4	154
4SLT-2436-2K-95	4-sided truck	*36 x 24 x 41-1/4	168
4SLT-2448-2K-95	4-sided truck	*48 x 24 x 41-1/4	195
4SLT-3048-2K-95	4-sided truck	*48 x 30 x 41-1/4	217
FOB TX		*Handle adds 6" to wid	lth

*Handle adds 6" to width

4 Sided Box Trucks - Solid or Expanded Metal with Ergonomic Handle





• 6" x 2" phenolic bolt-on casters; (2) locking swivel and (2) rigid

- Ergonomic push handle for maximum comfort
- · Ships fully assembled
- · Durable, gray, textured powder coat finish

Model	Description	Overall Dim: WxDxH (In)	Ship Wt. (Lbs.)
4STE-EX-2436-95	4 sided with mesh sides	*36-1/2 x 24-1/2 x 35-3/16	100
4STE-EX-2448-95	4 sided with mesh sides	*48-1/2 x 24-1/2 x 35-3/16	105
4STE-EX-3048-95	4 sided with mesh sides	*48-1/2 x 30-1/2 x 35-3/16	124
4STE-EX-3060-95	4 sided with mesh sides	*60-1/2 x 30-1/2 x 35-3/16	139
4STE-SM-2436-95	4 sided with solid sides	*36-1/2 x 24-1/2 x 34-5/8	134
4STE-SM-2448-95	4 sided with solid sides	*48-1/2 x 24-1/2 x 34-5/8	152
4STE-SM-3048-95	4 sided with solid sides	*48-1/2 x 30-1/2 x 34-5/8	168
4STE-SM-3060-95	4 sided with solid sides	*60-1/2 x 30-1/2 x 34-5/8	190

FOB TX *Handle adds 6" to width




4STE-EX-2448-95


TRUCKS EXPANDED METAL STOCK & SECURI

3 Sided Mesh Trucks & Optional Shelves (2,000 lbs. capacity)

- Angle iron and expanded metal construction
 Durable, gray, textured powder coat finish
- Sturdy tubular push handle
- 6" x 2" phenolic bolt-on casters;
- Ships fully assembled and ready for use







001 2/10012 0/10 00	12 1/2 1 00 0/0 1 00 1/10		
Optional Shelves			
Model	Overall Dims: WxDxH (In.)	Shelf capacity	Ship Wt. (Lbs.)
HDC-SH-2436CLIP-95	33-15/16 x 20-13/16	500 lbs.	47
HDC-SH-3048CLIP-95	45-15/16 x 24-13/16	500 lbs.	67
HDC-SH-3060CLIP-95	57-15/16 x 26-13/16	500 lbs.	70
HDC-SH-3660CLIP-95	57-15/16 x 32-13/16	500 lbs.	84
HDC-SH-3672CLIP-95	65-15/16 x 32-13/16	400 lbs.	119

Model 3ST-EX3660-2AS-95

*Handle adds 6" to width FOB TX

Security Trucks - 1 Shelf Included (2,000 lbs. capacity)

65-15/16 x 32-13/16

- Angle iron and expanded metal Construction
- Sturdy tubular push handle
- · Double doors with pad lockable hasp (padlock not included)
- Shelves included with -AS models only
- Shelves adjust on 2-1/4" centers

- Interior height of 47"
- 6" x 2" phenolic bolt-on casters; (2) swivel and (2) rigid

119

- Durable, gray, textured powder coat finish
- Ships fully assembled and ready for use

	•		
Model	Overall Dims: WxDxH (In.)	Shelf Included	Ship Wt. (Lbs.)
HTL-3048-DD-1AS-95	*48-1/2 x 32-1/16 x 56-7/16	1	254
HTL-3060-DD-1AS-95	*60-1/2 x 32-1/16 x 56-7/16	1	316
HTL-3660-DD-1AS-95	*60-1/2 x 38-1/16 x 56-7/16	1	336
HTL-3672-DD-1AS-95	*72-1/2 x 38-1/16 x 56-7/16	1	383
Optional Shelves	Shelf Dims: WxDxH	Shelf Capacity	Ship Wt. (Lbs.)
HDC-SH-3048CLIP-95	45-15/16 x 24-13/16	500 lbs.	67
HDC-SH-3060CLIP-95	57-15/16 x 26-13/16	500 lbs.	70
HDC-SH-3660CLIP-95	57-15/16 x 32-13/16	500 lbs.	84



Model HTL-3048-DD-1AS-95

FOR TX *Handle adds 6" to width

HDC-SH-3672CLIP-95



400 lbs.

TRUCKS STOCK TRUCKS WITH SHELVES

Model EX-3060-2SC-6PH-95

Two Sided Stock Trucks (2,000 lbs. capacity)

- All welded 14 gauge steel
- · Punched diamond pattern on sides
- 4 heavy duty shelves are adjustable on 6" centers
- Shelves are sloped to the rear to retain cargo during transport
- Overall height is 57"; above deck height is 48"
- 6" x 2" phenolic bolt-on casters; (2) swivel and (2) rigid
- Casters are located in diamond pattern, allowing unit to make sharp turns
- · Ships fully assembled
- · Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Ship Wt. (Lbs.)
EX-3048-2SC-6PH-95	48 x 30 x 57	230
EX-3060-2SC-6PH-95	60 x 30 x 57	278

FOB TX

Open Portable Shelf Trucks (2,000 lbs. capacity)

- Frame is made of 1" diameter tubing
- 1-1/2" x 1/8" flat bars on sides and back
- All welded 14 gauge steel shelves
- Shelves are sloped 1" to the rear to retain cargo during transport
- 14" clearance between shelves
- Overall height is 58"; above deck height is 49"
- 6" x 2" Phenolic bolt-on casters;
 (2) rigid (2) swivel
- · Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Ship Wt. (Lbs.)
OPT-3624-95	36 x 24 x 58	156
OPT-4224-95	42 x 24 x 58	172
OPT-4824-95	48 x 24 x 58	231
OPT-4830-95	48 x 30 x 58	259
OPT-6030-95	60 x 30 x 58	301
OPT-7224-95	72 x 24 x 58	313
OPT-7230-95	72 x 30 x 58	321
OPT-7236-95	72 x 36 x 58	390

FOB TX



Model OPT-6030-95

Pan & Tray Truck (1,200 lbs. capacity)

- 1-1/2" x 1/8" angle iron construction
- 16 gauge steel trays (sold separately)
- Choose perforated or solid trays
- Available with 4" or 6" spacing between shelves
- 5" x 1-1/4" bolt-on polyurethane casters; (4) swivel with side brakes
- Trucks ship fully assembled
- Trays slide easily into place
- · Durable, gray, textured powder coat finish

PAT-24-4-14-95 33-1/2 x 24 x 67 4 14 148	
FAI-24-4-14-95 55-1/2 x 24 x 01 4 14 140	3
PAT-24-6-9-95 33-1/2 x 24 x 67 6 9 122	2
PAT-36-4-14-95 33-1/2 x 36 x 67 4 14 186	3
PAT-36-6-9-95 33-1/2 x 36 x 67 6 9 154	ļ

Model PAT-24-4-14-95

tray sold separately

Trays for Pan & Tray Trucks (Perforated & Solid)

Model	Description	Overall Dim: WxD (In)	Trays Depth (In.)	Ship Wt. (Lbs.)
TRM-2430-95	Perforated Tray	30 x 24	24 deep models	12
TRM-3630-95	Perforated Tray	30 x 36	36 deep models	18
TRS-2430-95	Solid Tray	30 x 24	24 deep models	15
TRS-3630-95	Solid Tray	30 x 36	36 deep models	24



Adjust-A-Tray Trucks

(1,500 & 2,500 lbs. capacity - weight evenly distributed)

- 1-1/2" angle iron frames
- 11 gauge formed channel uprights are slotted on 3-1/2" centers
- 16 gauge steel Hook-on Trays are sold separately
- (2) Hook-on Tray options; open front or closed front with 3" lip
- Trays have Heavy duty drop down handles
- 6" x 2" phenolic bolt-on casters; (2) swivel and (2) rigid
- Hanger bars and spindles are available as options. Spindles hold up to 30 lbs.
- · Frame ships fully assembled
- · Trays hook easily into place
- Durable, gray, textured powder coat finish



Model ATT-2438-95

tray sold separately



ATT-4038-95





Model HB-36-95 & SP-515-95



Model TR-1500-95 & TR-1502-95

Overall Dim: WxD (In) Ship Wt. (Lbs.) Model Description capacity Tray capacity ATT-2438-95 Single sided 38 x 24 x 67-1/4 1,500 lbs. (7) 6" High 116 ATT-4038-95 Double sided 38 x 40 x 67-1/4 2,500 lbs. (14) 6" High 124

FOB TX

Hanger Bar & Spindles

Model	Description	Dimensions: (In.)	Carton pk.	Ship Wt. (Lbs.)
HB-36-95	Hanger Bar	4" x 36"	1	6
SP-515-95	Spindles	1/2" rod x 15"	5	6

FOB TX

Hook-On Trays

Model	Style	Overall Dim: WxD (In)	capacity	Carton pk.	Ship Wt. (Lbs.)
TR-1500-95	Open front	36 x 15 x 6	250 lbs.	1	22
TR-1502-95	3" Closed front	36 x 15 x 6	250 lbs.	1	24

FOB TX

A-Frame Trucks (2000 lbs. capacity)

- 1-1/2" angle iron frame
- 12 gauge steel deck with reinforced channels underneath
- 1-1/2" lip on deck prevents parts from falling off during transport
- Overall height is 57"
- Deck is 9-1/8" above the floor
- 6" x 2" phenolic casters; (4) swivel
- Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In)	Deck space on each side of "A"	Ship Wt. (Lbs.)
AF-2448-95	48 x 24 x 57	6	136
AF-3048-95	48 x 30 x 57	9	152
AF-3060-95	60 x 30 x 57	9	204
AF-3672-95	72 x 36 x 57	12	239



Model AF-2448-95



Model AF-3048-PBLP-95



A-Frame Truck with Louvered Panels and Pegboard on either side

(2,000 lbs. capacity)

- 1-1/2" angle iron frame
- 12 gauge steel deck with reinforced channels underneath
- 1-1/2" lip on deck prevents parts from falling off during transport
- 16 gauge louvered panels are welded to one side. Pegboard on the other
- Deck is 9-1/8" above the floor
- Louvered panels accommodate all sizes of Hook-on Bins® (Bins sold separately)
- Pegboard holes are ¼" diameterand are punched on 1" centers. They accommodate standard peg hooks. (peg hooks not included)
- 9" of deck space on each side of "A"
- Heavy duty handle makes transport easy
- 6" x 2" phenolic casters; (2) rigid and (2) swivel with side brakes
- Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Description	Ship Wt. (Lbs.)
AF-3048-PBLP-95	*48 x 30 x 57	Louvered panels & pegboard on opposite sides	254

FOB TX

*Handle adds 6" to width

Hook-On Bins® not included



Model AF-3048-LP-95

A-Frame Truck with Louvered Panels on both sides - (2,000 lbs. capacity)

- 1-1/2" angle iron frame
- 12 gauge steel deck with reinforced channels underneath
- 1-1/2" lip on deck prevents parts from falling off during transport
- 16 gauge louvered panels are welded to both sides
- Deck is 9-1/8" above the floor

- Louvered panels accommodate all sizes of Hook-on Bins® (Bins sold separately)
- 9" of deck space on each side of "A"
- Heavy duty handle makes transport easy
- 6" x 2" phenolic casters; (2) rigid and (2) swivel with side brakes
- Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Description	Ship Wt. (Lbs.)	
AF-3048-LP-95	*48 x 30 x 57	Louvered panels on both sides	234	

FOB TX

*Handle adds 6" to width

Tools and hooks not included



Model AF-3048-PBLP-BS-95

A-Frame Truck with Louvered Panels and Pegboard on both sides (2,000 lbs. capacity)

(2,000 lbs. capacity)

- 1-1/2" angle iron frame
- 2,000 lbs. total capacity
- 12 gauge steel deck with reinforced channels underneath
- 1-1/2" lip on deck prevents parts from falling off during transport
- 16 gauge louvered panels are welded to opposite sides of the truck
- Louvered panels accommodate all sizes of Hook-on Bins® (Bins sold separately)

- 9" of deck space on each side of "A"
- Each side is half louvered panel and half pegboard. Pegboard holes are 1/4" diameter. (Hooks not included)
- Heavy duty handle makes transport easy
- 6" x 2" phenolic casters; (2) rigid and (2) swivel with side brakes
- Deck is 9-1/8" above the floor
- Ships fully assembled
- Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	Description	Ship Wt. (Lbs.)
AF-3048-PBLP-BS-95	*48 x 30 x 57	Louvered panels & pegboard on both sides	230

FOB TX

A-Frame truck with Pegboard on both sides - (2,000 lbs. capacity)

- 1-1/2" angle iron frame
- 12 gauge steel deck with reinforced channels underneath
- 1-1/2" lip on deck prevents parts from falling off during transport
- 16 gauge steel pegboard are welded to both sides of the truck
- Overall height is 57"
- 9" of deck space on each side of "A"
- Pegboard holes are ¼" diameter and are punched on 1" centers They accommodate standard peg hooks. (peg hooks not included)
- · Heavy duty handle makes transport easy
- 6" x 2" phenolic casters; (2) rigid and (2) swivel with side brakes
- Deck is 9-1/8" above the floor
- Ships fully assembled
- Durable, gray, textured powder coat finish

	·		
Model	Overall Dim: WxDxH (In.)	Description	Ship Wt. (Lbs.)
AF-3048-PB-95	*48 x 30 x 57	Pegboard on Both Sides	226



FOB TX



Model
AF-3048-PB-95
Tools not
included



MSB3-2036-95



Model MSB6-2036-95



Model MSB9-2036-95



Model MSB12-2036-95

Heavy Duty Mobile Storage Bin (2,400 lbs. capacity)

- All welded heavy duty 14 gauge steel construction
- Super strong, will not warp
- Top shelf is 49-1/4" above the floor
- Shelf clearance is 13-3/8"

- Sturdy, tubular push handle aids in mobility
- 6" x 2" bolt on phenolic casters. 2 locking swivel & 2 rigid
- · Ships fully assembled and ready for use
- · Durable, gray, textured powder coat finish

Model	Overall Dim: WxDxH (In.)	No. of Bin Openings	Ship Wt. (Lbs.)
MSB3-2036-95	36-3/16* x 24-3/16 x 49-1/4	3	210
MSB6-2036-95	36-3/16* x 24-3/16 x 49-1/4	6	222
MSB9-2036-95	36-3/16* x 24-3/16 x 49-1/4	9	240
MSB12-2036-95	36-3/16* x 24-3/16 x 49-1/4	12	254

FOB TX

*Handle adds 6" to width

For additional information visit our website: www.durhammfg.com

or

Contact us at: info@durhammfg.com

DURHAM MFG[®] Est. 1922










	torage		
Flammable Safety Cabinets	145-146	Spill Control	149-150
Gas Cylinder Cabinets	147-148	Medicine Cabinet	150
Metal & Plastic First Aid	151-156	Commercial	157
Industrial First Aid	158-160		

SAFETY PRODUCTSFLAMMABLE SAFETY CABINETS



FM APPROVED FLAMMABLE SAFETY STORAGE





- All Flammable Cabinets are FM approved
- 90 Years of manufacturing safety equipment
- High quality self closing mechanism
- Improved security with recessed locking mechanism
- 10 year limited warranty

SAFETY PRODUCTS FLAMMABLE SAFETY CABINETS



FM Approved Flammable Safety Cabinet

- Sturdy all welded 16 gauge double wall steel construction
- Choice of manual or self closing doors
- 2" wide louvers support shelves, adjustable on 4" centers
- 2" Deep leak proof base
- Safely contains hazardous chemicals reducing the risk of fire
- · Units come fully assembled and ready for use

- Electrical ground on bottom right hand side to aid in the elimination of an electrostatic discharge
- Improved security with recessed lockable paddle latch and 3 point locking system
- Bunged air vents on each side of the cabinet allows for ventilation
- Safety yellow powder coat finish

Model	Gallon capacity (L)	Overall Dim: WxDxH (In)	Shelves	Optional Shelf Part	Door Style	Ship Wt. (Lbs.)
1004M-50	4 (15)	17-3/8 x 18-1/8 x 22-1/8 (442 x 461 x 562)	1		Manual	104
1004S-50	4 (15)	17-3/8 x 18-1/8 x 23-3/8 (442 x 461 x 593)	1		Self Closing	110
1012MH-50	12 (45) - Horizontal	43 1/8" x 18 1/8" x 18 1/8" (1095 x 461 x 461)	1	FS-SH-1439	Manual	165
1012M-50	12 (45)	23" x 18" x 35" (584 x 457 x 889)	1	FS-SH-1419	Manual	159
1012S-50	12 (45)	23" x 18" x 36-3/8" (584 x 457 x 924)	1	FS-SH-1419	Self Closing	167
1016M-50	16 (61)	23 x 18 x 44 (584 x 457 x 1118)	1	FS-SH-1419	Manual	186
1016S-50	16 (61)	23 x 18 x 45 3/8 (584 x 457 x 1153)	1	FS-SH-1419	Self Closing	194
1022M-50	22 (83)	23-5/16 x 18-1/8 x 65 (592 x 461 x 1651)	2	FS-SH-1419	Manual	283
1022S-50	22 (83)	23-5/16 x 18-1/8 x 66-3/8 (592 x 461 x 1686)	2	FS-SH-1419	Self Closing	296
1030M-50	30 (114)	43" x 18" x 44" (1092 x 457 x 1118)	1	FS-SH-1439	Manual	285
1030S-50	30 (114)	43" x 18" x 45-3/8" (1092 x 457 x 1153)	1	FS-SH-1439	Self Closing	309
1045M-50	45 (170)	43" x 18" x 65" (1092 x 457 x 1651)	2	FS-SH-1439	Manual	409
1045S-50	45 (170)	43" x 18" x 66-3/8" (1092 x 457 x 1686)	2	FS-SH-1439	Self Closing	423
1060M-50	60 (227)	34" x 34" x 65" (834 x 864 x 1651)	2	FS-SH-2930	Manual	509
1060S-50	60 (227)	34" x 34" x 66-3/8" (834 x 864 x 1686)	2	FS-SH-2930	Self Closing	533
1090M-50	90 (340)	43" x 34" x 65" (1092 x 864 x 1651)	2	FS-SH-2939	Manual	587
1090S-50	90 (340)	43" x 34" x 66-3/8" (1092 x 864 x 1686)	2	FS-SH-2939	Self Closing	623

FOB TX

SAFETY PRODUCTS FLAMMABLE SAFETY CABINETS



FM Approved Flammable Safety Cabinet with Legs

- Sturdy all welded 16 gauge double wall steel construction
- Choice of manual or self closing doors
- 2" wide louvers support shelves, adjustable on 4" centers
- 2" Deep leak proof base
- Safely contains hazardous chemicals reducing the risk of fire
- Electrical ground on bottom right hand side to aid in the elimination of an electrostatic discharge
- · Units come fully assembled and ready for use
- Improved security with recessed lockable paddle latch and 3 point locking system
- 6" Box style legs allows for lagging to the floor, moving with forklift, and cleaning under the cabinet
- Bunged air vents on each side of the cabinet allows for ventilation
- · Safety yellow powder coat finish

Model	Gallon capacity (L)	Dimensions: In (mm) - WxDxH	Shelves	Optional Shelf Part #	Door Style	Ship Wt.
1012ML-50	12 (45)	23" x 18" x 41" (584 x 457 x 1041)	1	FS-SH-1419	Manual	178
1012SL-50	12 (45)	23" x 18" x 42-3/8" (584 x 457 x 1076)	1	FS-SH-1419	Self Closing	186
1016ML-50	16 (61)	23 x 18 x 50 (584 x 457 x 1270)	1	FS-SH-1419	Manual	196
1016SL-50	16 (61)	23 x 18 x 51 3/8 (584 x 457 x 1305)	1	FS-SH-1419	Self Closing	204
1030ML-50	30 (114)	43" x 18" x 50" (1092 x 457 x 1270)	1	FS-SH-1439	Manual	304
1030SL-50	30 (114)	43" x 18" x 51-3/8" (1092 x 457 x 1302)	1	FS-SH-1439	Self Closing	328
1045ML-50	45 (170)	43" x 18" x 71" (1092 x 457 x 1803)	2	FS-SH-1439	Manual	428
1045SL-50	45 (170)	43" x 18" x 72-3/8" (1092 x 457 x 1838)	2	FS-SH-1439	Self Closing	442
1060ML-50	60 (227)	34" x 34" x 71" (834 x 864 x 1803)	2	FS-SH-2930	Manual	542
1060SL-50	60 (227)	34" x 34" x 72-3/8" (834 x 864 x 1838)	2	FS-SH-2930	Self Closing	566
1090ML-50	90 (340)	43" x 34" x 71" (1092 x 864 x 1803)	2	FS-SH-2939	Manual	620
1090SL-50	90 (340)	43" x 34" x 72-3/8" (1092 x 864 x 1838)	2	FS-SH-2939	Self Closing	656

FOB TX

SAFETY PRODUCTS

HORIZONTAL GAS CYLINDER STORAGE CABINETS



EGCC4-50 Holds 4 gas cylinders



EGCC8-50

Holds 8 gas cylinders



EGCC12-50

Holds 12 gas cylinders



EGCC16-50

Holds 16 gas cylinders

Horizontal Cylinder Storage Cabinets

- 1-1/2" x 1/8" angle iron frame
- Solid 14-gauge steel top and bottom
- · Expanded metal sides, back and door, for ventilation and visibility of contents
- Cylinder cradles securely hold propane tanks in place
- DANGER FLAMMABLE MATERIALS signs on doors
- · Pre-punched lagging holes in feet

- · Heavy duty butt hinges prevent door sagging
- Door has pad-lock hasp to secure contents (pad-lock not furnished)
- · Magnet keeps door safely shut when not locked
- In full compliance with OSHA and NFPA standards when used properly
- · Ships fully assembled
- Durable safety yellow powder coat finish

Model	Overall Dim: WxDxH (In.)	Cylinder Type	Ship Wt. (Lbs.)
EGCC4-50	30 x 30 x 35	20 lb. and 33-1/2 lb. LPG cylinders	122
EGCC8-50	30 x 30 x 71-3/4	20 lb. and 33-1/2 lb. LPG cylinders	195
EGCC12-50	50 x 42 x 71-3/4	50 lb. cylinders	266
EGCC16-50	60 x 30 x 71-3/4	20 lb. and 33-1/2 lb. LPG cylinders	334

FOB TX



Model **EGCC8-9-50**

Holds 9 vertical & 8 horizontal gas cylinders

Combination Horizontal/Vertical Cylinder Storage Cabinet

- 1-1/2" x 1/8" angle iron frame
- Solid 14-gauge steel top and bottom
- · Expanded metal sides, back and door, for ventilation and visibility of contents
- Accepts all standard vertical cylinders up to 59-3/4" tall plus 20 Lb. and 33-1/2 lb. cylinders in the horizontal compartment
- Vertical compartment includes a chain, adjustable in 1" increments, to hold cylinders in place
- · Pre-punched lagging holes in feet

- DANGER FLAMMABLE MATERIALS signs on doors
- · Heavy duty butt hinges prevent door sagging
- Doors have pad-lock hasp to secure contents (pad-lock not furnished)
- Magnet keeps door safely shut when not locked
- In full compliance with OSHA and NFPA standards when used properly
- · Ships fully assembled
- · Durable safety yellow powder coat finish

Model	Overall Dim: WxDxH (In.)	Cylinder Capacity	Ship Wt. (Lbs.)
EGCC8-9-50	59-3/4 x 30 x 71-3/4	9 vertical & 8 horizontal	308

FOB TX



SAFETY PRODUCTS

VERTICAL GAS CYLINDER STORAGE CABINETS



Model EGCVC2-50 Holds 2 gas cylinders



Model EGCVC4-50 Holds 4 gas cylinders



EGCVC9-50 Holds 9 gas cylinders



Model **EGCVC18-50** Holds 18 gas cylinders

Vertical Cylinder Storage Cabinets

- 1-1/2" x 1/8" angle iron frame
- Solid 14-gauge steel top and bottom
- · Expanded metal sides, back and door, for ventilation and visibility of contents
- Cylinder cradles securely hold propane tanks in place
- DANGER FLAMMABLE MATERIALS signs on doors
- Pre-punched lagging holes in feet

- Heavy duty butt hinges prevent door sagging
- Door has pad-lock hasp to secure contents (pad-lock not furnished)
- Magnet keeps door safely shut when not locked
- In full compliance with OSHA and NFPA standards when used properly
- Ships fully assembled
- · Durable safety yellow powder coat finish

Model	Overall Dim: WxDxH (In.)	Cylinder Type	Ship Wt. (Lbs.)
EGCVC2-50	30 x 20 x 33-1/2	50 lb. cylinders	90
EGCVC4-50	30 x 20 x 33-1/2	50 lb. cylinders	97
EGCVC9-50	30 x 30 x 71-3/4	standard up to 59-3/4" tall	138
EGCVC18-50	60 x 30 x 71-3/4	standard up to 59-3/4" tall	256

FOB TX

Durham Manufacturing's gas cylinder storage cabinets are designed and constructed in full compliance with OSHA and NFPA standards for the storage of gas cylinders only. All compressed gases must be used in accordance with OSHA regulations and the Compressed Gas Association's (CGA) Pamphlets which have been adopted by OSHA regulations by reference.

For proper storage, handling and maintenance of compressed gas cylinders, please consult Compressed Gas Association Pamphlet P-1 and U.S. Department of Labor, OSHA General Industry standard 29 CFR 1910.101 which adopts by reference the Compressed Gas Association's (CGA) Pamphlets C-6-1986, C-8-1962, and P-1-1965. The Compressed Gas Association has updated the three pamphlets cited by OSHA as C-6-1993, C-8-1997, and P-1-1999.

Compressed gases should only be handled by experienced and properly trained people. [CGA 3.4.1] Durham Manufacturing's gas cylinder storage cabinets are for the storage of gas cylinders only.

SPILL RESPONSE CABINETS

WALL MOUNTABLE



052-43



Model 052-50

Spill Control/Respirator Cabinet (Empty)

- Constructed using prime cold rolled steel
- · Door is welded and riveted in place using a full piano hinge with a rust resistant
- Spring loaded latches keep door closed and allow easy access in an emergency
- (2) fully adjustable shelves are included
- · Full length Plexiglas window allows easy content inventory
- · Keyhole slots in back provide for wall
- · Sold without contents
- · Durable powder coat finish

Model	Description	Overall Dim: WxDxH (In.)	Ship Wt. (Lbs.)
052-43	White Cabinet	13-3/4 x 12-3/4 x 30	30
052-50	Yellow Cabinet	13-3/4 x 12-3/4 x 30	30
057-50	Yellow Cabinet	19-7/8 x 14-1/4 x 32-3/4	45

FOB CT



Ships UPS



Model 534AV-50

Wall Mountable Spill Control Cabinet (Empty)

- · Constructed using prime cold rolled steel
- Door is welded in place using a full piano hinge with a rust resistant hinge pin
- (2) fully adjustable shelves are included
- · Positive catches keep door securely closed
- · Convenient sturdy carrying handle
- · Keyhole slots in back provide for wall hanging
- Door pouch is sold as an option
- · Sold without contents
- Safety yellow powder coat finish

Model	Description	Overall Dim: WxDxH (In.)	Ship Wt. (Lbs.)
534AV-50	Yellow Cabinet	15 x 5-9/16 x 16-5/32	11

FOB TX



Ships UPS

For additional information visit our website: www.durhammfg.com

Contact us at: info@durhammfg.com

SPILL RESPONSE CABINETS

CABINET & CART

Spill Control Cabinet with Wardrobe/Broom Storage,

1 Fixed and 4 Adj Shelves (Empty)

- Heavy duty all welded 14 gauge construction
- Doors open at 180°
- 3-point locking system with keyed handle and 5/16" dia. lock rods
- Fully welded piano hinges for increased strength and rigidity of doors
- Hanger bar for uniforms, jackets, etc...
- · Cabinet ships fully assembled
- 6H" box style legs
- fixed shelves have 300 lbs. capacity per shelf
- Ample space for broom storage
- · Durable safety yellow powder coat finish



350	1-	HE

Model	Overall Dim: WxDxH (In.)	Shelves	Shelf Cap. (Lbs.)	Ship Wt. (Lbs.)
3501-HDL-50	36 x 24 x 78	5 (4 adj., 1 fixed)	300 (4), 900 (1)	408

FOB TX

Spill Response Cart (Empty - 1,200 lbs. capacity)

- 16 gauge all welded steel
- Convenient sturdy work surface
- Top surface has back stop
- Tubular handle for ease of mobility
- 5" x 1-1/4" polyurethane casters (2) swivel with side brakes and (2) rigid
- 1 fixed shelf
- Storage area has a single point locking handle with 2 keys
- · Ships fully assembled
- · Durable safety yellow powder coat finish



Model	Overall Dim: WxDxH (In.)	Ship Wt.(Lbs.)
2210-50	*36 x 18 x 36-1/2	153

FOB TX

*Handle adds 6" to the width

SAFETY PRODUCTS MEDICINE CABINETS

Medicine Cabinet (Plexiglas or Metal Door)

- Durable cold rolled steel construction
- Choose either a Plexiglas see-thru door or a solid metal door
- Lock and 2 keys are included
- (3) fixed interior shelves are welded in place
- Model 518-43-PD has a Plexiglas door
- Model 518-43-MD has a metal door
- A special pull-out shelf at the bottom provides a convenient work area
- · Assembles easily
- · Durable white powder coat finish

A	
В	
С	-)
D	1

Model 518-43-PD (shown with Plexiglas Door)

 Model
 Description
 Overall Dim: WxDxH (In.)
 Carton
 Ship Wt. (Lbs.)

 518-43-PD
 18 x 8 x 27
 (A) 6-3/8 (B) 5-1/4 (C) 6-1/4 (D) 8-3/16
 1
 31

 518-43-MD
 18 x 8 x 27
 (A) 6-3/8 (B) 5-1/4 (C) 6-1/4 (D) 8-3/16
 1
 31

FOB CT



FIRST AID KIT BOXES

POLYPROPYLENE PLASTIC



Model 542-43

Snake Bite Kit Box (Empty)

- Durable one piece polypropylene plastic construction
- · Lightweight, sturdy and compact
- Weather resistant; will not rust or corrode
- Cover has a living hinge and a positive snap catch
- · Sold without contents
- · Color: white

Model	Overall Dim: WxDxH (In.)	Carton	Ship Wt. (Lbs.)
542-43	4-1/8 x 2-3/4 x 1-1/16	100	10

FOB TX

ups

Ships UPS



Super Pocket Kit Box (Empty)

- Durable one piece polypropylene plastic construction
- · Lightweight, sturdy and compact
- Ideal size for promotional first aid packaging
- · Weather resistant; will not rust or corrode
- Cover has a living hinge and a positive snap catch
- Sold without contents
- · Color: white

Model	Overall Dim: WxDxH (In.)	Carton	Ship Wt. (Lbs.)
498-43	4-5/8 x 3-1/4 x 1-7/16	115	18

Model 498-43

FOB TX



Ships UPS



Model 497-43

Multi Purpose Kit Box (Empty)

- Durable one piece polypropylene plastic construction
- Lightweight, sturdy and compact
- Weather resistant; will not rust or corrode
- Cover has a living hinge and a positive snap catch
- · Sold without contents
- · Color: white

Model	Overall Dim: WxDxH (In.)	Carton	Ship Wt. (Lbs.)
497-43	6-5/8 x 5-1/2 x 2	60	19

FOB TX



Ships UPS

For additional information visit our website: www.durhammfg.com

OI

Contact us at: info@durhammfg.com

FIRST AID KIT BOXES POLYPROPYLENE PLASTIC UNIT KITS

10P Polypropylene First Aid Kit Box (Empty)

- Durable one piece polypropylene plastic construction
- · Gasket included
- Holds 10 standard prepackaged first aid units
- · Lightweight, sturdy and compact
- Weather resistant; will not rust or corrode
- Cover has a living hinge and two positive snap catches
- · Seal pin holes in body and cover
- · Easy to grip combination handle/hanger is attached
- · Sold without contents
- · Color: white

Model	Description	Overall Dim: (In.)	Capacity (units)	Carton	Ship Wt. (Lbs.)
525G-43	With gasket	8-7/16 x 2-3/8 x 4-3/4	10	50	30



Model 525G-43

FOB TX



Ships UPS

16P Polypropylene First Aid Kit Box (Empty)

- Durable one piece polypropylene plastic construction
- · Available with or without gasket
- Holds 16 standard prepackaged first aid units
- Lightweight, sturdy and compact
- · Weather resistant; will not rust or corrode
- Cover has a living hinge and two positive snap catches
- Seal pin holes in body and cover
- · Easy to grip combination handle/hanger is attached
- Sold without contents
- · Color: white



Model	
511G-43	

Model	Description	Overall Dim: (In.)	Capacity (units)	Carton	Ship Wt. (Lbs.)
511G-43	With gasket	10 x 7 x 3	16	36	24
511-43	Without gasket	10 x 7 x 3	16	36	24

FOB TX



Ships UPS

VALUE ADDED SERVICES FROM DURHAM

To make doing business easier and more efficient

- EDI (Electric Data Interchange) ordering and invoicing
- Automated Order Receipt and **Shipment Acknowledgement**
- Special Product Customization **Involving Colors, Company Names** and Logos. (Minimums apply)
- Online portal give you 24 hour access
 Other Information: to pricing, order entry, order status, invoicing and most tracking
- Email Orders: orders@durhammfg.com
 - info@durhammfg.com

Easily Accessible Online Marketing Material including Catalogs and PDF Sell Sheets Available at: www.durhammfg.com/catalogs

FIRST AID KIT BOXES

POLYPROPYLENE UNIT KITS



Model 512G-43

24P Polypropylene First Aid Kit Box (Empty)

- Durable one piece polypropylene plastic construction
- Available with or without gasket
- Available with or without partition
- Partition is removable in place when included
- Holds 24 standard prepackaged first aid units
- · Lightweight, sturdy and compact

- · Weather resistant; will not rust or corrode
- Cover has a living hinge and two positive snap catches
- Easy to grip combination handle/hanger is attached
- Seal pin holes in body and cover
- · Sold without contents
- · Color: white

	Model	Description	Overall Dim: (In.)	Carton	Ship Wt. (Lbs.)
5	12G-43	With gasket	9-1/16 x 2-3/8 x 9-1/16	24	21
512	2G-43-N/P	With gasket, without partition	9-1/16 x 2-3/8 x 9-1/16	24	20

FOB TX



Ships UPS

FIRST AID KIT BOXES

HIGH IMPACT POLYSTYRENE (HIPS) PLASTIC UNIT KITS

10 Unit HIPS First Aid Kit Box (Empty)



Model B276-43-HIPS

- Durable High Impact Polystyrene plastic construction
- Holds 10 standard prepackaged first aid units
- · Cover gasket is included
- Cover has 2 positive nylon catches
- Lightweight, sturdy and compact

- · Hinges have brass hinge pins
- · Weather resistant; will not rust or corrode
- Easy to grip polypropylene combination handle/hanger is attached
- Seal pin holes in body and cover
- Sold without contents
- · Color: white

I	Model	Overall Dim: WxDxH (In.)	Capacity (units)	Carton	Ship Wt. (Lbs.)
	B276-43-HIPS	7-7/16 x 2-3/4 x 4-5/8	10	12	9

FOB CT



Ships UPS



Model B376-43-HIPS

16 Unit HIPS First Aid Kit Box (Empty)

- Durable High Impact Polystyrene plastic construction
- Holds 16 standard prepackaged first aid units
- · Cover gasket is included
- Cover has 2 positive nylon catches
- Lightweight, sturdy and compact

- Hinges have brass hinge pins
- · Weather resistant; will not rust or corrode
- Easy to grip polypropylene combination handle/hanger is attached
- Seal pin holes in body and cover
- · Sold without contents
- · Color: white

Model	Overall Dim: WxDxH (In.)	capacity (units)	Carton Pk	Ship Wt.
B376-43-HIPS	9-3/16 x 2-3/4 x 6-1/2	16	18	18

FOB CT





FIRST AID KIT BOXES

HIGH IMPACT POLYSTYRENE (HIPS) PLASTIC UNIT KITS

24 Unit HIPS First Aid Kit Box (Empty)

- Durable High Impact Polystyrene plastic construction
- · Holds 24 standard prepackaged first aid
- · Cover gasket is included
- Cover has 2 positive nylon catches
- Includes one removable partition
- Lightweight, sturdy and compact

- Hinges have brass hinge pins
- · Weather resistant; will not rust or corrode
- Easy to grip polypropylene combination handle/hanger is attached
- Seal pin holes in body and cover
- · Sold without contents
- · Color: white

Model	Overall Dim: WxDxH (In.)	Capacity (units)	Carton	Ship Wt. (Lbs.)
B476-43-HIPS	9-3/16 x 2-3/4 x 9-3/16	24	12	17



Model **B476-43-HIPS**

FOB CT



Ships UPS

36 Unit HIPS First Aid Kit Box (Empty)

- · Durable High Impact Polystyrene plastic construction
- · Holds 36 standard prepackaged first aid
- · Cover gasket is included
- Cover has 2 positive nylon catches
- Includes one removable partition
- · Lightweight, sturdy and compact

- · Hinges have brass hinge pins
- · Weather resistant; will not rust or corrode
- Easy to grip polypropylene combination handle/hanger is attached
- · Seal pin holes in body and cover
- · Sold without contents
- · Color: white

Model	Overall Dim: WxDxH (In.)	Capacity (units)	Carton	Ship Wt. (Lbs.)
B576-43-HIPS	13-11/16 x 2-3/4 x 9-1/4	36	10	18



Model **B576-43-HIPS**

FOB CT



Ships UPS

VALUE ADDED SERVICES FROM DURHAM

To make doing business easier and more efficient

- EDI (Electric Data Interchange) ordering and invoicing
- Automated Order Receipt and **Shipment Acknowledgement**
- Special Product Customization **Involving Colors, Company Names** and Logos. (Minimums apply)
- Online portal give you 24 hour access
 Other Information: to pricing, order entry, order status, invoicing and most tracking
- Email Orders: orders@durhammfg.com
 - info@durhammfg.com

Easily Accessible Online Marketing Material including Catalogs and PDF Sell Sheets Available at: www.durhammfg.com/catalogs

FIRST AID KIT BOXES EMPTY METAL FIRST AID KITS



Model 501-43

6 Unit Metal First Aid Kit Box (Empty)

- Durable drawn metal cover and body
- Cover is welded to body using a full piano hinge with a rust resistant hinge pin
- Holds 6 standard prepackaged first aid units
- · Meets rigid government specifications
- Cover opens 90 degrees for use as a shelf
- One piece cover gasket is included and keeps moisture out
- · Positive pull-down catch
- · Convenient carrying handle
- Wall mounting hangers with keyhole slots
- Sold without contents
- Finished with a durable white powder coat finish

Model	Overall Dim: WxDxH (In.)	capacity (units)	Carton	Ship Wt. (Lbs.)
501-43	4-1/2 x 2-3/8 x 4-1/2	6	36	40

FOB TX



Ships UPS



Model 502-43

10 Unit Metal First Aid Kit Box (Empty)

- Durable drawn metal cover and body
- Cover is welded to body using a full piano hinge with a rust resistant hinge pin
- Holds 10 standard prepackaged first aid units
- Meets rigid government specifications
- Cover opens 90 degrees for use as a shelf
- One piece cover gasket is included and keeps moisture out
- (2) positive pull-down catches
- · Convenient carrying handle
- · Wall mounting hanger with keyhole slots
- Interior is open; no partition
- Sold without contents
- Finished with a durable white powder coat finish

Model	Overall Dim: WxDxH (In.)	capacity (units)	Carton	Ship Wt. (Lbs.)
502-43	7-1/2 x 2-3/8 x 4-1/2	10	24	41

FOB TX



Ships UPS



Model 505-43

16 Unit Vertical Metal First Aid Kit Box (Empty)

- · Durable drawn metal cover and body
- Cover is welded to body using a full piano hinge with a rust resistant hinge pin
- Holds 16 standard prepackaged first aid units
- Meets rigid government specifications
- Cover opens 90 degrees for use as a shelf
- One piece cover gasket is included and keeps moisture out
- (2) positive pull-down catches
- · Convenient carrying handle
- Wall mounting hanger with keyhole slots
- Center partition is welded in place
- · Sold without contents
- Finished with a durable white powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelf Height (In.)	capacity (units)	Carton	Ship Wt. (Lbs.)
505-43	6-5/16 x 2-3/8 x 9-1/16	(A) 4-1/2 (B) 4-1/2	16	12	30

FOB TX





FIRST AID KIT BOXES METAL FIRST AID UNIT KITS

16 Unit Horizontal Metal First Aid Kit Box (Empty)

- · Durable drawn metal cover and body
- Cover is welded to body using a full piano hinge with a rust resistant hinge pin
- Holds 16 standard prepackaged first aid units
- Meets rigid government specifications
- Cover opens 90 degrees for use as a shelf
- One piece cover gasket is included and keeps moisture out
- (2) positive pull-down catches
- · Convenient carrying handle
- · Wall mounting hanger with keyhole slots
- Interior is open; no partition
- · Sold without contents
- Finished with a durable white powder coat finish



Model 506-43-N/P

Model	Overall Dim: WxDxH (In.)	Carton	Ship Wt. (Lbs.)
506-43-N/P	9-1/16 x 2-3/8 x 6-5/16	12	30

FOB TX



Ships UPS

24 Unit Horizontal Metal First Aid Kit Box (Empty)

- Durable drawn metal cover and body
- Cover is welded to body using a full piano hinge with a rust resistant hinge nin
- Holds 24 standard prepackaged first aid units
- Meets rigid government specifications
- Cover opens 90 degrees for use as a shelf
- One piece cover gasket is included and keeps moisture out
- (2) positive pull-down catches
- · Convenient carrying handle
- Wall mounting hanger with keyhole slots
- · Center partition is welded in place
- Sold without contents
- Finished with a durable white powder coat finish



Model
508-43

Model

510-43-B

Model	Overall Dim: WxDxH (In.)	Shelf Height	Carton	Ship Wt. (Lbs.)
508-43	9-1/16 x 2-3/8 x 9-1/16	(A) 4-1/2 (B) 4-1/2	12	39
	`			

FOB TX



Ships UPS

36 Unit Horizontal Metal First Aid Kit Box with Center Partition (Empty)

- Durable drawn metal cover and body
- Cover is welded to body using a full piano hinge with a rust resistant hinge pin
- Holds 36 standard prepackaged first aid units
- · Meets rigid government specifications
- Cover opens 90 degrees for use as a shelf
- One piece cover gasket is included and keeps moisture out
- · Positive pull-down catch
- Convenient carrying handle
- Wall mounting hangers with keyhole slots
- Sold without contents
- Finished with a durable white powder coat finish





FOB TX



Ships UPS



Α

В

FIRST AID BOXES COMMERCIAL

50 Kit Commercial First Aid Box (Empty)



- · Constructed using prime cold rolled steel
- Cover is welded to body using a full piano hinge with a rust resistant hinge pin
- · Cover opens 90 degrees for use as a shelf
- · Positive pull-down catch

- Convenient carrying handle
- Wall mounting hangers with keyhole slots
- Interior is open; no partition
- Sold without contents
- Durable white powder coat finish

Model 520-43


Model	Overall Dim: WxDxH (In.)	Carton	Ship Wt. (Lbs.)
520-43	10-1/2 x 2-1/2 x 5	24	37

FOB TX



Ships UPS

60 Kit Commercial First Aid Box (Empty)



- Constructed using prime cold rolled steel
 Cover is welded to be devicing a full piece.
- Cover is welded to body using a full piano hinge with a rust resistant hinge pin
- Cover opens 90 degrees for use as a shelf
- · Positive pull-down catch
- · Convenient carrying handle

- · Wall mounting hangers with keyhole slots
- Offset shelf is welded in place; 4-1/4" from hinge
- · Sold without contents
- Finished with a durable white powder coat finish

 Model
 Overall Dim: WxDxH (In.)
 Shelf Height
 Carton
 Ship Wt. (Lbs.)

 521-43-A
 10-1/2 x 2-1/2 x 7-1/4
 (A) 2-3/4 (B) 4-1/4
 12
 26

FOB TX



Ships UPS

70 Kit Commercial First Aid Box (Empty)



522-43

- Constructed using prime cold rolled steel
- Cover is welded to body using a full piano hinge with a rust resistant hinge pin
- Cover opens 90 degrees for use as a shelf
- Positive pull-down catch

- Convenient carrying handle
- Wall mounting hangers with keyhole slots
- Shelf is welded in place; 5-1/8" from hinge
- Sold without contents
- · Durable white powder coat finish

Model	Overall Dim: WxDxH (In.)	Shelf Height	Carton	Ship Wt. (Lbs.)
522-43	10-1/2 x 2-1/2 x 10-1/4	(A) 5-1/4 (B) 5-1/4	6	20

FOB TX



FIRST AID CABINETS INDUSTRIAL WITH FIXED SHELVES

7FX (2 Shelf) Industrial First Aid Cabinet with Swing Out Door

(Empty)

- Constructed using prime cold rolled steel
- Door is welded in place using a full piano hinge with a rust resistant hinge pin
- (2) fixed shelves (including cabinet base)
- · Convenient sturdy carrying handle
- Positive catch keeps door securely closed
- Keyhole slots in back provide for wall hanging
- · Door pouch is available as an option

Cartons

1

1

Ship Wt. (Lbs.)

7

Sold without contents

Shelf Height (In.)

(A) 4 (B) 6-1/8

· Durable white powder coat finish



Model 532-43 (Shown with optional pouch installed)



Model

532-43

563-H720



Ships UPS

8 pocket pouch for the above cabinet

Description

First Aid Cabinet

7FX (2 Shelf) Industrial First Aid Cabinet with Swing Out Door

Overall Dim: WxDxH

15 x 4-1/2 x 10-1/4

(Empty)

- Constructed using prime cold rolled steel
- Door is welded in place using a full piano hinge with a rust resistant hinge pin
- (2) Fixed shelves (including cabinet base)
- Door folds down and positive catches keep it securely closed
- · Convenient sturdy carrying handle
- Keyhole slots in back provide for wall hanging
- · Door pouch is available as an option
- Sold without contents
- · Durable white powder coat finish



Model 533-43

Model	Description	Overall Dim: WxDxH	Shelf Height (In.)	Cartons	Ship Wt. (Lbs.)
533-43	First Aid Cabinet	15 x 4-1/2 x 10-1/4	(A) 4 (B) 6-1/8	1	7
563-H720	8 pocket pouch for	or the above cabinet		1	1


FOB TX



Ships UPS

9FX (3 Shelf) Industrial First Aid Cabinet (Empty)

- · Constructed using prime cold rolled steel
- Door is welded in place using a full piano hinge with a rust resistant hinge pin
- (2) Fixed shelves (including cabinet base)
- Positive catches keep door securely closed
- · Door swings open to the side
- Convenient sturdy carrying handle
- Keyhole slots in back provide for wall hanging
- Door pouch is available as an option
- · Sold without contents
- · Durable white powder coat finish




Model	Description	Overall Dim: WxDxH	Shelf Height (In.)	Carton	Ship Wt. (Lbs.)
534-43	First Aid Cabinet	15-3/16 x 5-9/16 x 16-7/16	adjustable	1	11
564-H721	12 pocket pouch for the above cabinet			1	1

FOB TX





FIRST AID CABINETS INDUSTRIAL WITH FIXED SHELVES



11FX (4 Shelf) Industrial First Aid Cabinet (Empty)

- · Constructed using prime cold rolled steel
- Door is welded in place using a full piano hinge with a rust resistant hinge pin
- (4) Fixed shelves (including cabinet base)
- · Positive catches keep door securely closed
- · Door swings open to the side


- Convenient sturdy carrying handle
- Keyhole slots in back provide for wall hanging
- Door pouch is available as an option
- · Sold without contents
- Durable white powder coat finish

Model	Description	Overall Dim: WxDxH	Shelf Height (In.)	Carton	Ship Wt. (Lbs.)
535-43	First Aid Cabinet	15 x 5-9/16 x 22	(A) 5-7/16 (B) 4-1/2 (C) 5-3/4 (D) 6	1	15
565-H722	20 pocket pouch	for the above cabinet		1	1

FOB TX



Ships UPS



15FX (5 Shelf) Industrial First Aid Cabinet (Empty)

- Constructed using prime cold rolled steel
- Door is welded in place using a full piano hinge with a rust resistant hinge pin
- (5) Fixed shelves (including cabinet base)
- · Positive catches keep door securely closed
- Door swings open to the side

- Convenient sturdy carrying handle
- Keyhole slots in back provide for wall hanging
- Door pouch is available as an option
- Sold without contents
- · Durable white powder coat finish


Model	Description	Overall Dim: WxDxH	Shelf Height (In.)	Carton	Ship Wt. (Lbs.)
539-43	First Aid Cabinet	19-11/16 x 5-1/2 x 26-5/16	(A/B) 4-1/4 (C/D) 5-1/2 (E) 6-1/4	1	22
566-H723	22 pocket pouch	for the above cabinet		1	1

FOB TX



Ships UPS

8 (3 Shelf) Industrial First Aid Cabinet (Empty)



Model 545-43

- Constructed using prime cold rolled steel
- Door is welded in place using a full piano hinge with a rust resistant hinge pin
- (3) Fixed shelves (including cabinet base)
- · Positive catch keeps door securely closed
- · Door swings open to the side

- · Convenient sturdy carrying handle
- Keyhole slots in back provide for wall hanging
- Door pouch is available as an option
- · Sold without contents
- · Durable white powder coat finish

Model	Description	Overall Dim: WxDxH	Shelf Height (In.)	Carton	Ship Wt. (Lbs.)
545-43	First Aid Cabinet	10-3/8 x 4-1/2 x 15-3/16	(A) 4-1/2 (B) 4-1/2 (C) 5-3/4	1	7

FOB TX



FIRST AID CABINETS INDUSTRIAL ADJUSTABLE SHELVES

9AV Cabinet (Empty)

- Constructed using prime cold rolled steel
- Door is welded in place using a full piano hinge with a rust resistant hinge pin
- (2) fully adjustable shelves are included
- Positive catches keep door securely closed
- · Convenient sturdy carrying handle
- · Keyhole slots in back provide for wall hanging
- Door pouch is sold as an option
- · Sold without contents
- · Durable white powder coat finish

		·	
Model	Description	Overall Dim: WxDxH	Ship Wt. (Lbs.)
534AV-43	White Cabinet	15 x 5-9/16 x 16-5/32	11
564-H721	12 pocket pouch for above cabinet		1



Model 534AV-43

FOB TX



Ships UPS



VALUE ADDED SERVICES FROM DURHAM

To make doing business easier and more efficient

- EDI (Electric Data Interchange) ordering and invoicing
- Automated Order Receipt and **Shipment Acknowledgement**
- Special Product Customization **Involving Colors, Company Names** and Logos. (Minimums apply)
- Online portal give you 24 hour access
 Other Information: to pricing, order entry, order status, invoicing and most tracking
- Email Orders: orders@durhammfg.com
 - info@durhammfg.com

Easily Accessible Online Marketing Material including Catalogs and PDF Sell Sheets Available at: www.durhammfg.com/catalogs

DURHAM MFG[®] Est. 1922





Office and Literature Storage								
Vertical Con-Tur Literature Racks and Accessories	162	Rotary Con-Tur Literature Racks	163-165					
Special Purpose Literature Racks and Accessories	165	Rotary Con-Tur Literature Racks	163-165					
Horizontal Literature Storage and Accessories	166	Office Center	166					
Art File	167							

LITERATURE RACKS VERTICAL CON-TUR®









Model 403-75 Model 402-08 Model 400-10 Model 401-95

Con-Tur® Pocket Vertical Literature Racks

- Prime cold rolled all steel construction
- Exclusive Con-Tur® design which eliminates paper curl
- Each pocket holds up to 150 sheets of 8-1/2" x 11" paper
- When displaying standard 8-1/2" x 11" literature, the top 2-1/2" are visible
- Keyhole slots in the back make wall mounting easy
- Ships fully assembled, ready for use
- (6) colors to choose from; durable powder coat finish

Model	Openings	Color	Overall Dim: WxDxH (In.)	Opening Dim: WxDxH (In.)	Carton	Ship Wt. (Lbs.)
403-08	5	Black	9-3/4 x 4-1/8 x 20-1/4	8-13/16 x 3/4 x 8-1/2	1	9
403-10	5	Blue	9-3/4 x 4-1/8 x 20-1/4	8-13/16 x 3/4 x 8-1/2	1	9
403-54	5	Putty	9-3/4 x 4-1/8 x 20-1/4	8-13/16 x 3/4 x 8-1/2	1	9
403-55	5	Burgundy	9-3/4 x 4-1/8 x 20-1/4	8-13/16 x 3/4 x 8-1/2	1	9
403-75	5	Tan	9-3/4 x 4-1/8 x 20-1/4	8-13/16 x 3/4 x 8-1/2	1	9
403-95	5	Gray	9-3/4 x 4-1/8 x 20-1/4	8-13/16 x 3/4 x 8-1/2	1	9
402-08	11	Black	9-3/4 x 4-1/8 x 36	8-13/16 x 3/4 x 8-1/2	1	14
402-10	11	Blue	9-3/4 x 4-1/8 x 36	8-13/16 x 3/4 x 8-1/2	1	14
402-54	11	Putty	9-3/4 x 4-1/8 x 36	8-13/16 x 3/4 x 8-1/2	1	14
402-55	11	Burgundy	9-3/4 x 4-1/8 x 36	8-13/16 x 3/4 x 8-1/2	1	14
402-75	11	Tan	9-3/4 x 4-1/8 x 36	8-13/16 x 3/4 x 8-1/2	1	14
402-95	11	Gray	9-3/4 x 4-1/8 x 36	8-13/16 x 3/4 x 8-1/2	1	14
400-08	20	Black	9-3/4 x 4-1/8 x 58	8-13/16 x 3/4 x 8-1/2	1	24
400-10	20	Blue	9-3/4 x 4-1/8 x 58	8-13/16 x 3/4 x 8-1/2	1	24
400-54	20	Putty	9-3/4 x 4-1/8 x 58	8-13/16 x 3/4 x 8-1/2	1	24
400-55	20	Burgundy	9-3/4 x 4-1/8 x 58	8-13/16 x 3/4 x 8-1/2	1	24
400-75	20	Tan	9-3/4 x 4-1/8 x 58	8-13/16 x 3/4 x 8-1/2	1	24
400-95	20	Gray	9-3/4 x 4-1/8 x 58	8-13/16 x 3/4 x 8-1/2	1	24
401-08	23	Black	9-3/4 x 4-1/8 x 65-1/2	8-13/16 x 3/4 x 8-1/2	1	28
401-10	23	Blue	9-3/4 x 4-1/8 x 65-1/2	8-13/16 x 3/4 x 8-1/2	1	28
401-54	23	Putty	9-3/4 x 4-1/8 x 65-1/2	8-13/16 x 3/4 x 8-1/2	1	28
401-55	23	Burgundy	9-3/4 x 4-1/8 x 65-1/2	8-13/16 x 3/4 x 8-1/2	1	28
401-75	23	Tan	9-3/4 x 4-1/8 x 65-1/2	8-13/16 x 3/4 x 8-1/2	1	28
401-95	23	Gray	9-3/4 x 4-1/8 x 65-1/2	8-13/16 x 3/4 x 8-1/2	1	28

FOB CT Ships UPS

LITERATURE RACKS

ROTARY CON-TUR®



Model 409-55

20 Pocket Rotary Literature Racks

- · Prime cold rolled all steel construction
- Four racks rotate on ball bearing turntable base
- Allows literature to be stored in a compact area while remaining easily visible and accessible
- Exclusive Con-Tur® design which eliminates paper curl
- Each pocket holds up to 150 sheets of 8-1/2" x 11" paper
- When displaying standard 8-1/2" x 11" literature, the top 2-1/2" are visible
- · Easy assembly, no tools required
- (6) colors to choose from; durable powder coat finish

Model	Color	Overall Dim WxDxH (In.)	Opening Dim WxDxH (In.)	Carton	Ship Wt. (Lbs.)
409-08	Black	14-1/8 x 14-1/8 x 23-1/8	8-13/16 x 3/4 x 8-1/2	5	43
409-10	Blue	14-1/8 x 14-1/8 x 23-1/8	8-13/16 x 3/4 x 8-1/2	5	43
409-54	Putty	14-1/8 x 14-1/8 x 23-1/8	8-13/16 x 3/4 x 8-1/2	5	43
409-55	Burgundy	14-1/8 x 14-1/8 x 23-1/8	8-13/16 x 3/4 x 8-1/2	5	43
409-75	Tan	14-1/8 x 14-1/8 x 23-1/8	8-13/16 x 3/4 x 8-1/2	5	43
409-95	Gray	14-1/8 x 14-1/8 x 23-1/8	8-13/16 x 3/4 x 8-1/2	5	43



44 Pocket Rotary Literature Racks



Model 410-10

- Prime cold rolled all steel construction
- Four racks rotate on ball bearing turntable base
- Allows literature to be stored in a compact area while remaining easily visible and accessible
- Exclusive Con-Tur® design which eliminates paper curl
- Each pocket holds up to 150 sheets of 8-1/2" x 11" paper
- When displaying standard 8-1/2" x 11" literature, the top 2-1/2" are visible
- · Easy assembly, no tools required
- (6) colors to choose from; durable powder coat finish

Model	Color	Overall Dim WxDxH (In.)	Opening Dim WxDxH (In.)	Carton	Ship Wt. (Lbs.)
410-08	Black	14-1/8 x 14-1/8 x 48-1/2	8-13/16 x 3/4 x 8-1/2	5	84
410-10	Blue	14-1/8 x 14-1/8 x 48-1/2	8-13/16 x 3/4 x 8-1/2	5	84
410-54	Putty	14-1/8 x 14-1/8 x 48-1/2	8-13/16 x 3/4 x 8-1/2	5	84
410-55	Burgundy	14-1/8 x 14-1/8 x 48-1/2	8-13/16 x 3/4 x 8-1/2	5	84
410-75	Tan	14-1/8 x 14-1/8 x 48-1/2	8-13/16 x 3/4 x 8-1/2	5	84
410-95	Gray	14-1/8 x 14-1/8 x 48-1/2	8-13/16 x 3/4 x 8-1/2	5	84

FOB CT Ships UPS

For additional information visit our website: www.durhammfg.com

or

Contact us at: info@durhammfg.com

LITERATURE RACKS ROTARY CON-TUR®

80 Pocket Rotary Literature Racks

- Prime cold rolled all steel construction
- Four racks rotate on ball bearing turntable base
- · Allows literature to be stored in a compact area while remaining easily visible and accessible
- Exclusive Con-Tur® design which eliminates paper curl
- Each pocket holds up to 150 sheets of 8-1/2" x 11" paper
- When displaying standard 8-1/2" x 11" literature, the top 2-1/2" are visible
- · Easy assembly, no tools required
- (6) colors to choose from; durable powder coat finish

Model	Color	Overall Dim: WxDxH (In.)	Opening Dim: WxDxH (In.)	Carton	Ship Wt. (Lbs.)
416-08	Black	14-1/8 x 14-1/8 x 60-7/8	8-13/16 x 3/4 x 8-1/2	5	107
416-10	Blue	14-1/8 x 14-1/8 x 60-7/8	8-13/16 x 3/4 x 8-1/2	5	107
416-54	Putty	14-1/8 x 14-1/8 x 60-7/8	8-13/16 x 3/4 x 8-1/2	5	107
416-55	Burgundy	14-1/8 x 14-1/8 x 60-7/8	8-13/16 x 3/4 x 8-1/2	5	107
416-75	Tan	14-1/8 x 14-1/8 x 60-7/8	8-13/16 x 3/4 x 8-1/2	5	107
416-95	Gray	14-1/8 x 14-1/8 x 60-7/8	8-13/16 x 3/4 x 8-1/2	5	107



Model 416-95

Ships UPS FOB CT

92 Pocket Rotary Literature Racks

- Prime cold rolled all steel construction
- · Four racks rotate on ball bearing turntable base
- · Allows literature to be stored in a compact area while remaining easily visible and accessible
- Exclusive Con-Tur® design which eliminates paper curl
- Each pocket holds up to 150 sheets of 8-1/2" x 11" paper
- When displaying standard 8-1/2" x 11" literature, the top 2-1/2" are visible
- · Easy assembly, no tools required
- (6) colors to choose from; durable powder coat finish

Model	Color	Overall Dim: WxDxH (In.)	Opening Dim: WxDxH (In.)	Carton	Ship Wt. (Lbs.)
415-08	Black	14-1/8 x 14-1/8 x 68-3/8	8-13/16 x 3/4 x 8-1/2	5	123
415-10	Blue	14-1/8 x 14-1/8 x 68-3/8	8-13/16 x 3/4 x 8-1/2	5	123
415-54	Putty	14-1/8 x 14-1/8 x 68-3/8	8-13/16 x 3/4 x 8-1/2	5	123
415-55	Burgundy	14-1/8 x 14-1/8 x 68-3/8	8-13/16 x 3/4 x 8-1/2	5	123
415-75	Tan	14-1/8 x 14-1/8 x 68-3/8	8-13/16 x 3/4 x 8-1/2	5	123
415-95	Gray	14-1/8 x 14-1/8 x 68-3/8	8-13/16 x 3/4 x 8-1/2	5	123



Model 415-10

FOB CT



Ships UPS


VALUE ADDED SERVICES FROM DURHAM

To make doing business easier and more efficient

- EDI (Electric Data Interchange) ordering and invoicing
- Automated Order Receipt and **Shipment Acknowledgement**
- Special Product Customization **Involving Colors, Company Names** and Logos. (Minimums apply)
- Online portal give you 24 hour access
 Other Information: to pricing, order entry, order status, invoicing and most tracking
- Email Orders: orders@durhammfg.com
- info@durhammfg.com

Easily Accessible Online Marketing Material including Catalogs and PDF Sell Sheets Available at: www.durhammfg.com/catalogs

10 Pocket Literature Rack (Large Pockets)



- Ideal for special forms and work orders
- Pockets are 12-1/4" wide and 5-3/4" high
- Holds literature up to 1/4" thick
- Keyhole slots in the back make wall mounting easy
- Ships fully assembled, ready for use
- (4) colors to choose from
- Durable powder coat finish

Model	Color	Overall Dim: WxDxH (In.)	Opening Dim: WxDxH (In.)	Carton	Ship Wt. (Lbs.)
406-08	Black	13-1/4 x 1-5/16 x 26-1/4	12-1/4 x 1/4 x 5-3/4	1	12
406-54	Putty	13-1/4 x 1-5/16 x 26-1/4	12-1/4 x 1/4 x 5-3/4	1	12
406-75	Tan	13-1/4 x 1-5/16 x 26-1/4	12-1/4 x 1/4 x 5-3/4	1	12
406-95	Gray	13-1/4 x 1-5/16 x 26-1/4	12-1/4 x 1/4 x 5-3/4	1	12

Model 406-54





11 Pocket Literature Rack (Large Pockets)

- Prime cold rolled all steel construction
- · Ideal for special forms and work orders
- Pockets are 12-1/4" wide and 5-3/4" high
- Holds literature up to 1/4" thick
- Keyhole slots in the back make wall mounting easy
- · Ships fully assembled, ready for use
- (4) colors to choose from
- Durable powder coat finish

Model	Color	Overall Dim: WxDxH (In.)	Opening Dim: WxDxH (In.)	Carton	Ship Wt. (Lbs.)
405-08	Black	13-1/4 x 4-1/8 x 36	12-1/4 x 3/4 x 8-3/8	1	18
405-54	Putty	13-1/4 x 4-1/8 x 36	12-1/4 x 3/4 x 8-3/8	1	18
405-75	Tan	13-1/4 x 4-1/8 x 36	12-1/4 x 3/4 x 8-3/8	1	18
405-95	Gray	13-1/4 x 4-1/8 x 36	12-1/4 x 3/4 x 8-3/8	1	18

Model 405-95

FOB CT Ships UPS




20 Pocket Literature Rack (Large Pockets)

- Prime cold rolled all steel construction
- Ideal for special forms and work orders
- Pockets are 12-1/4" wide and 5-3/4" high
- Holds literature up to 1/4" thick
- Keyhole slots in the back make wall mounting easy
- Ships fully assembled, ready for use
- (4) colors to choose from
- Durable powder coat finish

Model	Color	Overall Dim: WxDxH (In.)	Opening Dim: WxDxH (In.)	Carton	Ship Wt. (Lbs.)
411-08	Black	13-1/4 x 4-1/8 x 58	12-1/4 x 3/4 x 8-3/8	1	27
411-54	Putty	13-1/4 x 4-1/8 x 58	12-1/4 x 3/4 x 8-3/8	1	27
411-75	Tan	13-1/4 x 4-1/8 x 58	12-1/4 x 3/4 x 8-3/8	1	27
411-95	Gray	13-1/4 x 4-1/8 x 58	12-1/4 x 3/4 x 8-3/8	1	27

Model 411-55



LITERATURE RACKS HORIZONTAL OPENINGS







Model 432-08 Model 434-75 Model 435-08 Model 436-75

9, 12, 15, 30, 45 Opening Horizontal Literature Rack

- Prime cold rolled all steel construction
- Provides sturdy convenient storage for literature up to 11" x 11-5/8"
- Each opening is 3" high
- Openings can be easily labeled on 1/2" high front turns
- Racks can be used on desktops and countertops or stacked on the floor
- Will accommodate standard file folders without bending tabs
- 30 opening unit consists of 2 fully assembled 15 opening modular sections. 45 opening unit consists of 3
- Sections are easy to combine using pre-punched holes and fasteners provided
- · Rubber feet are included
- Laminated Wood Tops and Bases are available as accessory. See page 167
- (2) colors available; durable powder coat finish

Model	Openings	Color	Overall Dim: WxDxH (In.)	Opening Dim: WxDxH (In.)	Carton	Ship Wt. (Lbs.)
431-08	9	Black	33-7/8 x 11-5/8 x 10-11/16	11 x 11-5/8 x 3	1	25
431-75	9	Tan	33-7/8 x 11-5/8 x 10-11/16	11 x 11-5/8 x 3	1	25
432-08	12	Black	33-7/8 x 11-5/8 x 14-1/4	11 x 11-5/8 x 3	1	35
432-75	12	Tan	33-7/8 x 11-5/8 x 14-1/4	11 x 11-5/8 x 3	1	35
434-08	15	Black	33-7/8 x 11-5/8 x 17-3/4	11 x 11-5/8 x 3	1	39
434-75	15	Tan	33-7/8 x 11-5/8 x 17-3/4	11 x 11-5/8 x 3	1	39
435-08	30	Black	33-7/8 x 11-5/8 x 17-3/4	11 x 11-5/8 x 3	2	78
435-75	30	Tan	33-7/8 x 11-5/8 x 17-3/4	11 x 11-5/8 x 3	2	78
436-08	45	Black	33-7/8 x 11-5/8 x 17-3/4	11 x 11-5/8 x 3	3	117
436-75	45	Tan	33-7/8 x 11-5/8 x 17-3/4	11 x 11-5/8 x 3	3	117

FOB CT



Ships UPS

Literature/Mail Organizer with 21 Openings (Laminated Wood Top)

- · Prime cold rolled all steel racks
- · Oak grain laminated wood top
- · Attractive sturdy all steel base
- Literature rack openings accommodate literature up to 11" x 11-5/8"
- Each literature rack section is 3" high
- Easy to label using 1/2" turns on front of rack
- Ships in (4) separate cartons
- Literature rack sections ship fully assembled and are easily combined using predrilled holes and fasteners provided
- Top and base attach easily using double sided stick tape and fasteners provided
- · Durable tan powder coat finish

Model	Color	Overall Dim: WxDxH (In.)	Opening Dim WxDxH (In.)	Carton	Ship Wt. (Lbs.)
464-75	Tan	33-15/16 x 12-1/8 x 29-3/8	11 x 11-5/8 x 3	4	96



Model 464-75





LITERATURE RACK ACCESSORIES

BASE & WOOD TOP

Base for Horizontal Literature Racks



- Accommodates all Horizontal Literature Racks
- Raises units 3-1/8" off the floor
- (2) colors to choose from; durable powder coat finish
- · Ships fully assembled



Model	Color	Overall Dim: WxDxH (In.)	Carton	Ship Wt. (Lbs.)
364-08-N/HOLES	Black	33-7/8 x 12-1/8 x 3-1/8	1	10
364-75-N/HOLES	Tan	33-7/8 x 12-1/8 x 3-1/8	1	10

Model 364-75-N/HOLES

FOB CT Ships UPS

Laminated Wood Top for Horizontal Literature Racks

- · Oak grain laminated wood top
- Adds an attractive finishing touch
- Fits on all horizontal literature racks
- Easy to attach to racks using double sided tape provided



Model	Color	Overall Dim: WxDxH (In.)	Carton	Ship Wt. (Lbs.)
459-75	Laminated Wood	33-3/4 x 11-3/4 x 1-1/8	1	13

Model 459-75 B CT 🌇 Ships UPS

LITERATURE STORAGE

ART FILE



Model 575-95

Art File (Adjustable Dividers)

- Prime cold rolled all steel construction
- Perfect for storing and organizing larger pieces of literature and art board
- Dividers are removable or adjustable to create custom size compartments
- 6 durable steel dividers are included
- Easy assembly
- Durable gray powder coat finish

Model	Color	Overall Dim: WxDxH (In.)	Opening Dim: WxDxH (In.)	Carton	Ship Wt. (Lbs.)
575-95	Gray	36 x 20-1/8 x 27-15/16	Adjustable x 20 x 25-7/8	1	93

FOB CT

WARRANTY, TERMS & CONDITIONS

Warranty

The Durham Manufacturing Company warrants that, at time of shipment, the products manufactured by Durham are free from defects in material and workmanship. Durham's obligation under this warranty is limited to replacement or repair of such products within one year from the date of shipment. No material is accepted for replacement or repair without the written authority of Durham. A decision as to whether a defective product will be replaced or repaired will be made only after an examination of the product at our plant. Durham is in no event

liable for consequential damages, installation costs or other costs of any nature as a result of the use of the products manufactured by Durham, whether used in accordance with the instructions or not. This warranty is in lieu of all others, either expressed or implied. No representative is authorized to assume for Durham any other liability in connection with Durham's products. See the company website for full warranty details.

Payment Terms

The terms are net 30 days for all companies with approved credit. To establish credit, submit: signed Durham credit application, resale certificate, one bank and three trade references. Durham also accepts most credit cards.

Minimum Order

\$25.00

Freight Policy & Terms

All shipments are made FOB shipping point. Because of our freight volume, we receive deep discounts from a wide range of large national carriers. Customers are invited to contact our Customer Service Department (1 800 243-3774) Ext. 7300 or 860-349-3428 and discuss how they may take advantage of discounted freight. Small package service is available utilizing UPS or Fed Ex Ground for some Durham products.

METHOD OF SHIPMENT

Orders will be shipped by specifically requested carriers whenever possible. If there are no special instructions, Durham will ship via the best available routing, prepaid & add.

Returns

Returned goods will not be accepted without a *return authorization number* which can be obtained by calling Customer Service. All returns must be shipped back in the original cartons and packing material, freight prepaid.

All returns are subject to a 25% restocking charge. Custom or modified items are non-returnable. See the company website for full warranty details.

Packaging

All possible care is taken to ensure safe, damage free shipment. Special packaging has been designed for every SKU and is packed to industry tested standards. Foam inserts, corrugated inserts and Sus-Wrap are used wherever applicable.

Palletized shipments are stretch wrapped. Special requirements for carton identification i.e. part numbers or bar coding, can be met.

Disclaimer

Durham Manufacturing products shown in this catalog are subject to change without notice. Durham has made every effort to illustrate and describe products in this catalog accurately; however, illustrations and descriptions are for the sole purpose of identification and do not imply a warranty that the products are fit for a particular purpose. Durham reserves the right to correct publishing errors. *Please note that shipping weights are approximate.*



	NEW PRODUCTS Bin Topper, 6 Drawer Racks, Wall Mountable Cabinets, Mobile Workstations, Mobile WorkBenches, Enclosed Shelving, Shelf Carts, Mobile Bin Storage, Mobile Stations, New Sizes of FM Approved Flammable Storage Cabinets, Full Size Mobile Cabinets, Ventilated Cabinets with Hook-On Bins, Electronic Access Control Cabinets	Pages 3 - 4
	Louvered Panel Systems Louvered Panel Wall Systems, 72 Bin with Side Louvered Panel, Louvered Panel Rack Systems	Pages 7 - 9
THE PROPERTY OF THE PARTY OF TH	Bins, Drawer Cabinets, Drawer Cabinet Systems 12" Deep Parts Bins, 9" Deep Parts Bins, Accessories for Parts Bins, Drawer Cabinets with 2-3/4"H Drawers, Drawer Cabinets with 3-1/2"H Drawers, Accessories for Drawer Cabinets, Drawer Cabinet Systems	Pages 10 - 18
	Rotabin® Rotary Shelving 17" Rotabin Revolving Shelves and Accessories, 28" Rotabin Revolving Shelves and Accessories, 34" Rotabin Revolving Shelves and Accessories, 44" Rotabin Revolving Shelves and Accessories, 58" Rotabin Revolving Shelves and Accessories,	Pages 19 - 26
	Compartment Boxes & Racks Large Compartment Boxes, Large Slide Racks, Bases for Large Slide Racks, Plastic Inserts, Cover Labels, Label Pouches, Small Compartment Boxes, Small Slide Racks, Base for Small Slide Racks, Locking Hinges, Small Plastic Compartment Boxes, Large Plastic Compartment Boxes, Racks for Plastic Compartment Boxes, Panel Hangers	Pages 27 - 37
	Specialty Storage Utility/Aerosol, Adjustable Bins, Wall mountable Cabinets, Tilt-Out Tray Cabinet, Welding Rod Cabinet, Hose Clamp Storage, Rod & Bar Racks, Truck & Van Storage	Pages 38 - 50
	Heavy Duty Storage Cabinets Electronic Access Control Cabinets, Cabinets with Bins, Cabinets with Bins and Shelves, Cabinets with Bins, Shelves and Drawers, Heavy Duty Cabinets, Extra Heavy Duty Cabinets, Cabinets with Shelves only, Cabinets-empty, Cabinets with Clearview Doors, Visible Storage Locker, Jobsite Cabinet, Table High Cabinets	Pages 51 - 94
	Workbenches, Workstations, Mobile Cabinets Folding Leg Workbenches and Accessories, Heavy Duty Workbenches, Stationary File Workstation, Mobile Workstations	Pages 95 - 108
	Carts and Trucks Mobile Bench Cabinets, 2-Sided Mobile Cart/Workstations, Mobile Storage Bins, Rolling Service Stock Carts, Low Profile Instrument Cart, Portable Table & Service Trucks, Pan & Tray Trucks, 3 & 4 Sided Stock Trucks, Bar Cradle Trucks, Steel Platform Trucks, Mesh Stock Trucks, Adjust-A-Tray Trucks, A-Frame Trucks	Pages 109 - 142
100 - 100 -	Safety Storage Gas Cylinder Storage, Medicine Cabinets, First Aid Labels, Glove Dispenser, Metal & Plastic First Aid Kit Boxes, Commercial First Aid Boxes, Spill Control Cabinet, First Aid Cabinets	Pages 143 - 160
	Office & Literature Storage Vertical Con-Tur® Literature Racks and Accessories, Rotary Con-Tur® Literature Racks, Special Purpose Literature Racks and Accessories, Horizontal Literature Storage and Accessories, Office Center, Art File	Pages 161 - 167

QUICK REFERENCE PART LOCATOR ALPHA/NUMERIC PART LOCATION BY PART TRUNK NUMBER

Part Trunk #	Catalog Page	Part Catalog Trunk # Page		Catalog Page	Part Trunk #	Catalog Page	Part Trunk #	Catalog Page
	0	3		4		A		L
001 - 007	16,47	30734,4	7 40	162,163,165	AF	140-142	LDO	136
010	18	3083		60		131		
012 - 014	16-18	3093		163-165	ATT	140	LP	8,9,37,51,52
	40	31030,111,112,11		166				
	17	311 30,110-11		169		В		M
019	17	31232,35,110,11		167		450		100
022 - 029	17	31335,4	-	166		153		
	16-18	31414	. •	151		153		118
	41	31534,47 31740		137		154 154		
	149	32130		137		137		
	39	3291		155,156	DC1			97
	39	3301		5		D		98
	26	3384		ð				98
	29				D853	31		
00		341115.11	_	48,50		35	WWW.	······································
	4	3434		48-50,155		8,59,65-67,70-71		0
	1	3441		48-49,155		8,67,70,83,84,87		
		3491		156,161	DWB	100,101	OPC	124
10	28,145-146	350 - 3638,11-12,14,1		152		100,101		
110	21	350061,65,7		153				
111	28	350155-5	3 51 8	150		E		P
	21	60-61,65,68,70-71,15	52	157				
	21,28	350257,66,68,7	525	152		120		
	28	35037		149,158-160		147-148		
	29	36007		151		61,72-75		
	22,29	360165,7		164		127-131,133-134		
	22	360265,68,70,7		154	EX	139		
-	29	360365,7		158-160		_	PTS	133
	22,26,31	3648,15,18,16		43,167		F		
	28	3651	• . •	44				R
	23-32	3661		43		8,60,61,63,64,67	DIO	405
	29	3674		344		68,70,74		
	23,29	3684		41	FED	106		107,120-124
	24.26	36915,1 37007		130		Н		123
	24,26	37017		6		п		125
	25,35	3702 53-54,69,7		O	⊓ 303	32	N310	
	25	3703 53-54,7	_	47		140		S
	99,102,104	370453-54,7		119,120		0,69,76-77,83-93		J
	26	37115,1				78	SFWS	105
		37315.1		7	HDCD	81.82		66.70-71
	2	37515,1			HDCM	55-57		
	_	37915,4	_			84		
20 - 22	33 - 34	3814		13		84	, , , -	
	110	382 15,43,4		13		77,91-93		T
	11,113-118 150	38342,4	6 735	13	HDD	79		
	117	3844		13		79,80.83		
250	55-57,62-64	3854	1 745	13	HDS	48	TRM	139
260	62,64	3931	4 783	18	HDWB	103	TRS	139
	36-37	3941			HDWBM .	102,103,104		
	42	39506		8		81		V
2SPT	134	39516			HET	126		
	3	39526	_	18		135,136		
		39536		47		45	vsc	75
200		3961		9		138		14/
	41					104		W
	.059	3981		40	UMQIAII .	104	M/D	00
	30.31.43			46		J		99
	30-31,43		-	46		J	VV	132
	30-31,41 30	JJ113	,		IC	58,65,70,80		
	34					58,05,70,80 59		
300	34				JOO			