

CHRYSLER, BMW AND FIAT CLIPS & FASTENERS

New

CHRYSLER CLIPS & FASTENERS



22363
(Chrysler: 6510734-AA)
Black Nylon

Front Bumper
Push-Type Retainer
Head Diameter: 21.5mm
Stem Length: 14mm
Fits into 12.5mm Hole
Jeep Wrangler 2007 - On

UNIT PACKAGE: 15

BMW CLIPS & FASTENERS




22401
(BMW: 51-11-1-964-186)
Black Nylon

Bumper Cover
Push-Type Retainer
Head Diameter: 15mm
Stem Length: 20mm
Fits into 6mm Hole
BMW 3, 5, 7, X
Z Series 2010 - 1983

UNIT PACKAGE: 25

BMW CLIPS & FASTENERS



22524
(BMW: 51-48-8-126-849)
Gray Nylon

Sound Insulation Grommet
Diameter: 30mm
Stem Diameter: 9.5mm
Overall Height: 9mm
BMW 8 Series 1997 - 1994
Mini-Copper 2014 - On

UNIT PACKAGE: 25


FIAT CLIPS & FASTENERS



22432
(Chrysler: 68093998-AA; Fiat: 71728806;
Citroen & Peugeot: 856543)
White Nylon

Body Side Moulding Clip with Sealer
Top Head Size: 11mm x 12mm
Bottom Head Size: 15mm x 19mm
(Including the Sealer)
Stem Diameter: 10.3mm
Stem Length: 13mm
Fiat, Citroen, Peugeot,
Chrysler Postal Minivan Vehicles &
Dodge Ram Promaster 2014 - On

UNIT PACKAGE: 25



22521
(BMW: 52-20-1-964-201)
Black Nylon

Seat Back Panel Clip
Head Diameter: 14mm
Stem Diameter: 8mm
Stem Length: 25mm
BMW 3, 5, 7 Series, X5
& Z4 2016 - 1989

UNIT PACKAGE: 25



22509
(BMW: 07-14-7-296-886)
Black Nylon

Side Shield & Trim Retainer
Head Diameter: 24mm
Stem Diameter: 4mm
Stem Length: 23mm
T27 Drive
BMW 3 Series 2012 - On

UNIT PACKAGE: 25

STAY UP TO DATE WITH AUECO'S NEW ITEMS

Auveco releases a set of our
Hot New Items every other week.

To receive these bulletins please
contact customer service:
mail@auveco.com or 1-800-354-9816

We also have all previous and current
bulletins posted on www.auveco.com.



22365

(Honda: 90650-S5A-003)
Clear Nylon

Rear Tail Light Grommet
Head Diameter: 18.5mm
Stem Length: 24mm
Overall Length: 25mm

Acura MDX, RSX, TL, TSX 2016 - 2002
Honda Civic & Fit 2007 - 2001

UNIT PACKAGE: 25



22463

(Honda: 91513-T0A-A01)
Black Nylon

Wheel Well Arch Protective Liner
Moulding Clip with Sealer
Top Head Size: 10mm x 10mm
Bottom Head Size: 10mm x 19mm
Stem Length: 11.5mm
Honda CR-V 2012 - On

UNIT PACKAGE: 25



22464

(Honda: 75316-TP6-A01)
White Nylon

Lower Door Garnish
Moulding Clip with Sealer
Top Head Size: 10mm x 12mm
Bottom Head Size: 16mm x 21mm
Stem Length: 9mm
Fits into 10mm Hole
Honda Crosstour, Pilot &
Ridgeline 2013 - On

UNIT PACKAGE: 25



22465

(Honda: 75315-TP6-A01)
White Nylon

Lower Door Garnish
Moulding Clip with Sealer
Top Head Size: 12mm x 15mm
Bottom Head Size: 14mm x 30mm
Stem Length: 9mm
Acura & Honda Crosstour, Pilot &
Ridgeline 2013 - On

UNIT PACKAGE: 25



22466

(Honda: 91503-SWA-A01)
White Nylon

Door Belt Moulding Clip
Width: 20mm
Length: 38mm
Acura MDX 2014 - On
Honda CR-V, Pilot &
Ridgeline 2007 - On

UNIT PACKAGE: 25



22443

(Honda: 91513-TK8-A01)
White Nylon

Rocker, Pillars,
Floor & Exterior Trim
Moulding Clip with Sealer
Top Head Size: 12mm x 11mm
Bottom Head Size: 13mm x 13mm
Stem Length: 16mm
Honda Odyssey &
Ridgeline 2011 - On

UNIT PACKAGE: 25



22433

(Honda: 91514-SMG-E01)
Gray Nylon

Trunk Garnish & Spoiler
Moulding Clip with Sealer
Top Head Size: 12mm x 17mm
Bottom Head Size: 16mm x 17mm
Stem Length: 21mm
Acura RDX & Honda Accord,
Accord Crosstour, Civic,
CR-V & Pilot 2010 - On

UNIT PACKAGE: 15





22518

(Honda: 91504-SDA-003)
Black Nylon

Hood Release Cable Clip
Holds 5mm Diameter Cable
Stem Length: 6.5mm
Fits into 7mm Hole
Honda Accord, Civic &
Clarity 2003 - On

UNIT PACKAGE: 25



22467

(Honda: 91213-SZA-A01)
Gray Nylon

Pillar Garnish Clip
Top Head Size: 7mm x 7mm
Bottom Head Size: 10mm x 19mm
Stem Length: 6mm
Honda Civic, Odyssey
& Pilot 2009 - On

UNIT PACKAGE: 25



22468
 (Honda: 91514-SYP-003)
 White Nylon

Upper Side Sill
 Garnish Clip with Sealer
 Top Head Size: 18mm x 16mm
 Bottom Head Size: 22mm x 20mm
 Stem Length: 7mm
 Honda Fit & Fit EV 2014 - 2009

UNIT PACKAGE: 25



22514
 (Honda: 91512-SED-003)
 Black Nylon

Inner Fender Wheel Well Retainer
 Head Diameter: 18mm
 Stem Diameter: 4.1mm
 Stem Length: 16mm
 Honda Civic, Odyssey & Pilot 2005 - On

UNIT PACKAGE: 25



22499
 (Honda: 91560-TX4-A01)
 Yellow Nylon

Garnish Retainer with Sealer
 Top Head Diameter: 13mm
 Middle Head Diameter: 16.3mm
 Bottom Head Diameter: 18mm
 Stem Diameter: 9.5mm
 Stem Length: 13mm
 Acura ILX, MDX, RDX, RLX & TLX and
 Honda Civic, Clarity, CR-V, Fit, HR-V,
 Odyssey, Pilot & Ridgeline 2013 - On

UNIT PACKAGE: 25



22469
 (Honda: 90651-T3L-003)
 Black Nylon

Rear Bumper Garnish Retainer
 Top Head Diameter: 13mm
 Middle Head Diameter: 16.5mm
 Bottom Head Diameter: 18mm
 Stem Diameter: 9.3mm
 Stem Length: 14mm
 Acura NSX & RDX 2016 - On
 and Honda Accord & Civic 2017 - 2013

UNIT PACKAGE: 25



22482
 (Honda: 91514-TF0-003)
 Black Nylon

Rocker Moulding
 Push-Type Retainer
 Head Diameter: 18mm
 Stem Length: 13mm
 Fits into 9mm x 9mm Square Hole
 Honda Accord, Fit & Fit EV 2009 - On

UNIT PACKAGE: 25



22446
 (Honda: 91503-T1W-003)
 Gray Nylon

Bumper
 Push-Type Retainer
 Head Diameter: 20mm
 Stem Length: 13mm
 Fits into 10mm Hole
 Honda CR-V 2015 - On

UNIT PACKAGE: 15



22367
 (Honda: 91514-TR3-A01)
 Black Nylon

Fender Liner Push-Type Retainer with
 Phillips Truss Head Stainless Steel Screw
 Screw Head Diameter: 15.5mm
 Nylon Grommet
 Head Diameter: 15mm
 Stem Length: 10mm
 Fits into 9mm Square Hole
 Honda Civic 2015 - 2014

UNIT PACKAGE: 5



22434
 (Honda: 91514-SLN-A01)
 Black Metal & Nylon

Front Fender Liner &
 Engine Cover Push-Type Retainer
 Phillips Truss Head Stainless Steel Screw
 Head Diameter: 15.5mm
 Grommet Head Size: 19.3mm x 19.3mm
 Stem Length: 10mm
 Fits into 10mm Hole
 Honda Fit & Insight 2014 - 2007

UNIT PACKAGE: 5



22415
 (Honda: 90667-TC0-U01-ZA)
 Black Nylon

Trunk Interior & Side Trim
 Push-Type Retainer
 Top Head Diameter: 15.5mm
 Bottom Head Diameter: 16mm
 Stem Length: 15mm
 Fits into 7mm Hole
 Acura ILX, TLX & TSX and Honda Accord,
 HR-V & Insight 2012 - On

UNIT PACKAGE: 25

New

HONDA, ACURA, HYUNDAI AND KIA CLIPS & FASTENERS



22394

(Honda: 91561-TA0-A11,
91561-TA5-A11)
Metal & Green Nylon

Interior Trim, Pillars, Rocker
Panel, Quarter Panel &
Windshield Push-Type Retainer
Head Diameter: 18mm
Stem Length: 13mm
Overall Length: 38mm
Fits into 9mm Hole

Acura TL and Honda Accord, Civic, CR-Z,
Fit, Odyssey, Pilot & Ridgeline 2008 - On

UNIT PACKAGE: 5



22419

(Honda: 90501-SDR-003)
Black Nylon

Rocker Moulding & Mud Guard
Push-Type Retainer
Head Diameter: 20mm
Stem Length: 21mm
Fits into 10mm Hole
Acura RDX, RL & RLX and
Honda CR-V & Accord 2009 - On

UNIT PACKAGE: 25

HYUNDAI AND KIA CLIPS & FASTENERS



22505

(Hyundai: 86825-26000)
Black Nylon

Rear Fender Liner Plug
Head Diameter: 30mm
Overall Height: 16.5mm
Black Nylon
Hyundai Accent, Equus,
Genesis, Santa Fe,
Tucson & Veracruz 2011 - On
Kia Sorento 2016 - 2011

UNIT PACKAGE: 15



22327

(Hyundai: 87756-D3000)
Blue Nylon

Door Moulding Clip with Sealer
Top Head Size: 14mm x 18mm
Bottom Head Size: 16mm x 20mm
Stem Length: 10mm
Hyundai Tucson 2016 - On

UNIT PACKAGE: 25



22435

(Hyundai: 84219-3L000)
Black Nylon

Engine Under Cover &
Rear Bumper Moulding Grommet
Screw Size: M6-1.0
Head Diameter: 20mm
Stem Diameter: 14mm
Stem Length: 7mm
Overall Length: 9.5mm

Hyundai Azera, Equus, Genesis, Santa Fe & Sonata
and Kia Forte, Optima & Rio 2010 - On

UNIT PACKAGE: 25



22328

(Hyundai: 87758-2S000)
White Nylon

Rocker Moulding Clip
with Sealer
Head Size: 17mm x 25mm
Stem Length: 14mm
Hyundai Tucson 2016 - On

UNIT PACKAGE: 25




22438

(Hyundai: 87715-3K000)
White Nylon

Door Trim, Roof & Spoiler
Moulding Clip with Sealer
Head Size: 9mm x 18.3mm
Stem Length: 10mm
Hyundai Azera, Equus, Genesis, Sonata,
Tucson & Veloster and Kia Soul 2006 - On

UNIT PACKAGE: 25



22330

(Hyundai: 87759-2M000)
Red Nylon

Rocker Panel Moulding Clip
with Sealer
Head Size: 17mm x 25mm
Stem Length: 13mm
Hyundai Genesis 2008 - On

UNIT PACKAGE: 50



22331
 (Hyundai: 87759-3V000)
 Yellow Nylon

Rocker Panel Moulding Clip with Sealer
 Top Head Size: 12mm x 12mm
 Bottom Head Size: 14mm x 20mm
 Stem Length: 17mm
 Hyundai Azera 2012 - On
 Kia K900 2015 - On

UNIT PACKAGE: 25



22470
 (Hyundai: 87716-2W000)
 White Nylon

Fender, Body Side & Rocker
 Moulding Clip with Sealer
 Top Head Size: 10mm x 12mm
 Bottom Head Size: 14mm x 20mm
 Stem Length: 11mm
 Hyundai Santa Fe 2012 - On
 Kia Borrego 2011 - 2007 &
 Kia Niro 2017 - On

UNIT PACKAGE: 50



22508
 (Hyundai: 87756-2J000)
 Pink Nylon

Side Garnish Moulding Clip with Sealer
 Head Size: 13mm x 16mm
 Stem Diameter: 11.5mm
 Stem Length: 9mm
 Hyundai Santa Fe & Tucson 2013 - On

UNIT PACKAGE: 15



22500
 (Hyundai: 87756-3N100)
 Yellow Nylon

Trunk Side Trim Moulding Clip with Sealer
 Top Head Size: 12mm x 12mm
 Bottom Head Size: 14mm x 18mm
 Stem Diameter: 14.5mm
 Stem Length: 16mm
 Hyundai Equus 2015 - 2010


UNIT PACKAGE: 15



22366
 (Kia: 87382-2W000)
 Gray Nylon

Liftgate Moulding Clip with Sealer
 Top Head Size: 10mm x 12mm
 Bottom Head Size: 14mm x 20mm
 Stem Length: 12mm
 Overall Length: 16mm
 Kia Cadenza, Optima &
 Sorento 2013 - On

UNIT PACKAGE: 25



22506
 (Hyundai: 81174-2L000)
 Black Nylon

Hood Prop Rod Clip
 Width: 20mm
 Length: 24mm
 Holds 8mm Rod
 Hyundai Accent & Elantra 2008 - On
 Kia Forte & Soul 2013 - 2009

UNIT PACKAGE: 15



22507
 (Hyundai: 81174-21000,
 81174-11011 & 81174-21010)
 Black Nylon

Hood Prop Rod Clip
 Holds 8mm Rod
 Bottom Base Size: 20mm x 20mm
 Stem Length: 9mm
 Overall Length: 25mm
 Hyundai Elantra, Sonata,
 Tucson & Veloster 1997 - On

UNIT PACKAGE: 15



22526
 (Hyundai: 82133-37000)
 Red Nylon

Weatherstrip Retainer
 Head Size: 5mm x 13mm
 Stem Diameter: 5.5mm
 Stem Length: 6mm
 Hyundai Accent, Elantra,
 Santa Fe & Sonata 2006 - 1993

UNIT PACKAGE: 50



22370
 (Hyundai: 92485-2H000)
 White Nylon

Rear Lamp Moulding
 Retainer with Sealer
 Top Head Diameter: 17mm
 Bottom Head Diameter: 15mm
 Stem Length: 11mm
 Fits into 6mm Hole
 Hyundai Accent, Elantra, Equus,
 Genesis, Genesis Coupe, Santa Fe,
 Sonata, Veloster & Veracruz
 and Kia Forte, Optima, Rio
 & Sportage 2007 - On

UNIT PACKAGE: 15

New

LAND ROVER AND MAZDA CLIPS & FASTENERS

LAND ROVER CLIPS & FASTENERS



22485

(Land Rover: DCE100560)
Black Nylon

Tailgate Moulding Retainer
Base Size: 17.3mm x 16.3mm
Stem Diameter: 11mm
Stem Length: 15mm
Overall Height: 18.5mm

Land Rover Freelander 2006 - 1996

UNIT PACKAGE: 15



MAZDA CLIPS & FASTENERS



22483


(Mazda: S47P-64-345;
Mitsubishi: MQ907568)
White Nylon

Instrument & Side Panel Clip
Width (Ear to Ear): 10.3mm
Overall Height: 18.6mm
Mazda 2, 3, 5, 6, CX-5, CX-7, CX-9,
Miata, MPV, Protégé & RX-8
and Mitsubishi 2000 - On

UNIT PACKAGE: 25



MAZDA CLIPS & FASTENERS



22519

(Mazda: C274-50-133)
Gray Nylon

Front Bumper Retainer Nut
Screw Size: M4.8 (#10)
Center of Hole to Edge: 11mm
Panel Range: Up to 1mm
Mazda 2, 5, 6, CX-5, CX-7 &
CX-9 2014 - 2010

UNIT PACKAGE: 25



22520

(Mazda: KD53-51-SJ3A)
Gray Nylon

Stone Guard
Moulding Clip with Sealer
Top Head Size: 10mm x 15mm
Bottom Head Diameter: 18mm
Stem Diameter: 12mm
Stem Length: 9mm
Mazda CX-5 2016 - On

UNIT PACKAGE: 25



22517

(Mazda: G46L-50-EB1)
Black Nylon

Grille Emblem Clip
Head Size: 9mm x 22mm
Stem Width: 9mm
Stem Length: 13mm
Mazda 3, CX-3, CX-5
& CX-9 2016 - On

UNIT PACKAGE: 25



22512

(Mazda: KD53-51-W24)
Gray Nylon

Wheel Arch Moulding Retainer
Top Head Diameter: 14mm
Bottom Head Diameter: 18.5mm
Stem Diameter: 11mm
Stem Length: 14mm
Mazda CX-3, CX-5
& CX-9 2013 - On

UNIT PACKAGE: 25



22516

(Mazda: D001-56-731)
Black Nylon

Hood Release Cable Clip
Holds 5mm Diameter Cable
Stem Length: 9mm
Fits into 6mm Hole
Mazda 2, 3, 5, 6, 323, 626, CX-5, CX-7,
CX-9, Miata, Millenia, MPV, MX-3, MX-6,
Protégé, RX-7 & RX-8 2013 - 1989

UNIT PACKAGE: 25



22510

(Mazda: KD51-51-W24)
White Nylon

Wheel Opening Moulding
Retainer with Sealer
Top Head Diameter: 15mm
Bottom Head Diameter: 18.5mm
Stem Diameter: 10.8mm
Stem Length: 14mm
Mazda CX-5 2014 - 2013

UNIT PACKAGE: 15

MAZDA, MERCEDES-BENZ AND MITSUBISHI CLIPS & FASTENERS

New

MAZDA CLIPS & FASTENERS




22511

(Mazda: D10E-51-SJ3)
Green Nylon

Rocker Panel Moulding Retainer with Sealer
Top Head Size: 13mm x 17mm
Bottom Head Diameter: 18.5mm
Stem Diameter: 11.7mm
Stem Length: 12mm
Mazda 3, 5, CX-3, CX-9, Miata & MX-5 2016 - On

UNIT PACKAGE: 15



22484

(Mazda & Ford: E120-68-AB1;
Mitsubishi: MR975267)
Yellow Nylon

Pillar, Scuff Plate & Trim Panel Retainer
Top Head Diameter: 13mm
Middle Head Diameter: 16.5mm
Bottom Head Diameter: 18mm
Stem Diameter: 9.3mm
Stem Length: 13mm
Overall Length: 20mm
Mazda 2 & 3 2015 - 2013
Mitsubishi Montero 1999 - On
Ford Escape (European Version) 2006 - 2000

UNIT PACKAGE: 25



22424

(Mazda: B45A-56-146A;
Toyota: 90118-WB048)
Black Nylon

Bumper, Engine Cover, Fender & Quarter Panel Push-Type Retainer
Head Diameter: 20mm
Stem Length: 13mm
Fits into 8mm Hole
Mazda 3, 5, 6, CX-3, CX-5, CX-9 & MX-5 Miata 2012 - On
Scion iA 2016 - On

UNIT PACKAGE: 25



22515

(Mazda: BGV4-56-145)
Black Nylon

Bumper Cover & Fender Liner Push-Type Retainer
Head Diameter: 20mm
Stem Length: 14mm
Fits into 8mm Hole
Mazda 2, 3, 6, CX-9 & Miata 2010 - On

UNIT PACKAGE: 25

MERCEDES-BENZ CLIP & FASTENERS



22504

(Mercedes: 009-988-03-78)
White Nylon

Lower Weatherstrip Retaining Clip
Top Head Size: 12mm x 15mm
Grommet Head Diameter: 11.3mm
Grommet Stem Length: 13mm
Overall Length: 21mm
Mercedes-Benz SLK 230 & SLK 320 2004 - 2001

UNIT PACKAGE: 25



21872

(VW: 6E0-837-732)
Turquoise Nylon

Trim Panel Retainer with Sealer
Top Head Diameter: 13mm
Middle Head Diameter: 13mm
Bottom Head Diameter: 18mm
Stem Diameter: 9mm
Stem Length: 12mm
Renault, Dacia, Mercedes, VW, Audi, SEAT & Skoda

UNIT PACKAGE: 25



22498

(Mercedes: 008-988-09-78)
Grey Nylon

Headliner Retainer
Top Head Diameter: 13.5mm
Middle Head Diameter: 13.5mm
Bottom Head Diameter: 20mm
Stem Diameter: 9.5mm
Stem Length: 13mm
Mercedes-Benz Metris & Sprinter 2010 - On

UNIT PACKAGE: 15

MITSUBISHI CLIPS & FASTENERS



22483

(Mazda: S47P-64-345;
Mitsubishi: MQ907568)
White Nylon

Instrument & Side Panel Clip
Width (Ear to Ear): 10.3mm
Overall Height: 18.6mm
Mazda 2, 3, 5, 6, CX-5, CX-7, CX-9, Miata, MPV, Protégé & RX-8 and Mitsubishi 2000 - On

UNIT PACKAGE: 25

New

MITSUBISHI, NISSAN AND INFINITI CLIPS & FASTENERS



22361

(Mitsubishi: MR489986)
Pale Yellow Nylon

Wheel Arch Cover Retainer with Sealer
Top Head Diameter: 12mm
Bottom Head Diameter: 16mm
Stem Diameter: 8mm
Stem Length: 8mm
Mitsubishi Montero 2001 - On
Outlander 2015 - On

UNIT PACKAGE: 15




22462

(Mitsubishi: MU000977)
Blue Nylon

Rocker Moulding Retainer
Top Head Diameter: 13mm
Bottom Head Diameter: 18mm
Stem Diameter: 9.8mm
Stem Length: 9mm
Mitsubishi Mirage 2014 - On

UNIT PACKAGE: 25



22513

(Mitsubishi: MU000573)
White Nylon

Interior Speaker Grille &
Rocker Moulding Retainer
Top Head Diameter: 12mm
Bottom Head Diameter: 16mm
Stem Diameter: 8mm
Stem Length: 10mm
Mitsubishi Galant 2012 - On
Lancer 2016 - 2008

UNIT PACKAGE: 25



22484

(Mazda & Ford: E120-68-AB1;
Mitsubishi: MR975267)
Yellow Nylon

Pillar, Scuff Plate & Trim Panel Retainer
Top Head Diameter: 13mm
Middle Head Diameter: 16.5mm
Bottom Head Diameter: 18mm
Stem Diameter: 9.3mm
Stem Length: 13mm
Overall Length: 20mm
Mazda 2 & 3 2015 - 2013
Mitsubishi Montero 1999 - On
Ford Escape (European Version)
2006 - 2000

UNIT PACKAGE: 25

NISSAN AND INFINITI CLIPS & FASTENERS



22522

(Nissan: 85099-1MA0A)
Yellow Nylon

Front & Rear Bumper
Screw Grommet
Screw Size: M5.5 (#12)
Top Head Size: 10mm x 10mm
Bottom Head Size: 15mm x 16mm
Stem Length: 9mm
Nissan Pathfinder, Sentra,
Versa & Versa Note 2012 - On

UNIT PACKAGE: 25



22416

(Nissan: 01281-00111)
Natural Nylon

Screw Grommet
Screw Size: M5.5 (#12)
Head Diameter: 16mm
Stem Length: 11mm
Infiniti FX35, FX45, G20, G25, G35, G37, I30,
J30, Q40, Q45, Q60, QX4 & QX56 1997 - On
Nissan 200SX, 240SX, 300ZX, Altima, Armada, Cube,
Frontier, GT-R, Juke, Leaf, Maxima, Murano, Pathfinder,
Quest, Rogue & Sentra 1987 - On

UNIT PACKAGE: 25



22494

(Nissan: 01281-01431)
Natural Nylon

Front Bumper Screw Grommet
Screw Size: M5.5 (#12)
Head Diameter: 14mm
Stem Length: 17mm
Overall Length: 20mm
Infiniti Q30 2017 - On
Nissan Altima, Cube, Maxima,
Murano, NV, Quest, Sentra,
Titan & Versa 2009 - On

UNIT PACKAGE: 25



22440

(Nissan: 26557-2U000)
Gray Nylon

Quarter Panel, Rear Light &
Spoiler Grommet with Sealer
Screw Size: M6.3-1.81 (#14)
Head Size: 15mm x 19mm
Stem Length: 16mm
Overall Length: 17.5mm
Infiniti FX35, FX50, G37, JX35, M35, M45, Q50, Q60,
QX50, QX60, QX70 & QX80 and Nissan 350Z, Altima,
Armada, Maxima, Murano, Pathfinder, Quest,
Rogue, Sentra & Versa 2003 - On

UNIT PACKAGE: 25

NISSAN, INFINITI AND SUBARU CLIPS & FASTENERS

New



22523

(Nissan: 76882-1KA1A)
Green Nylon

Rocker Panel
Moulding Clip with Sealer
Top Head Size: 10mm x 17mm
Bottom Head Diameter: 18mm
Stem Length: 12mm
Fits into 8mm Hole
Nissan Juke 2016 - On

UNIT PACKAGE: 25



22503

(Nissan: 01553-0170U)
Black Nylon

Front Bumper Cover Retainer
Head Diameter: 18mm
Stem Diameter: 8.5mm
Stem Length: 19mm
Nissan Altima 2015 - On

UNIT PACKAGE: 25



22452

(Nissan: 85284-AL510)
Gray Nylon

Rear Bumper Cover
Moulding Clip
Width: 20mm
Length: 32mm
Overall Height: 20.5mm
Infiniti G35, FX35 &
FX45 2008 - 2003
Nissan Pathfinder 2012 - 2005

UNIT PACKAGE: 5



22368

(Nissan: 84937-6P000)
Black Nylon

Trunk Knit Hook
Push-Type Retainer
Top Head Diameter: 24mm
Bottom Head Diameter: 27mm
Stem Length: 10mm
Overall Length: 25mm
Fits into 8mm Hole
Infiniti Q45 2000 - 1997
Nissan 350Z, Altima & GT-R
2003 - On

UNIT PACKAGE: 15



22476

(Nissan: 66820-4BA5A)
Black Nylon

Cowl Grille Clip
Width: 13mm x 20mm
Overall Height: 20mm
Nissan Rogue 2014 - On

UNIT PACKAGE: 25

SUBARU CLIPS & FASTENERS



22429

(Subaru: 99045SG000)
Green Nylon

Front Fender
Moulding Clip with Sealer
Top Head Size: 8mm x 12mm
Bottom Head Diameter: 14mm
Stem Diameter: 11.3mm
Stem Length: 16mm
Subaru Forester 2014 - On

UNIT PACKAGE: 15



22364

(Subaru: 94044TA040)
Gray Nylon

Door Panel Retainer
Top Head Diameter: 13mm
Middle Head Diameter: 16mm
Bottom Head Diameter: 18mm
Stem Diameter: 9mm
Stem Length: 13mm
Overall Length: 20mm
Subaru Impreza, Legacy,
Outback & STI 2016 - 2007

UNIT PACKAGE: 25



22490

(Toyota: 90541-09124)
Rubber & Nylon

Rear Door Rubber Bumper
Rubber Diameter Top: 14mm
Rubber Diameter Bottom: 17mm
Overall Height: 16.5mm
Lexus CT 200h, HS 250h, IS 250 & IS 350
and Toyota Avalon, Camry, C-HR,
Corolla, Highlander Matrix, Prius,
Prius Prime & Yaris 2009 - On
Scion iQ & tC 2016 - 2009

UNIT PACKAGE: 25



22413

(Toyota: 90541-09069)
Rubber & Nylon

Front Door Rubber Bumper
Rubber Diameter Top: 15mm
Rubber Diameter Bottom: 17mm
Overall Height: 19.5mm
Toyota 4Runner, Corolla, Highlander,
Land Cruiser, Matrix, RAV4 &
Tercel 1999 - On

UNIT PACKAGE: 25



22488

(Toyota: 81496-52020, 81496-0E020)
Natural Nylon

Rear Combination Tail Light
Guide Grommet with Sealer
Head Diameter: 16mm
Stem Length: 14mm
Overall Length: 15mm
Lexus CT 200h, ES 300h, ES 350, GX 460,
IS 200t, IS 250, IS 300, IS 350, LC 500h,
LX 570, NX 200t, NX 300h, RC F, RC 200h,
RC 300, RC 350, RX 350 & RX 450h
and Toyota 4Runner, C-HR, Corolla,
Corolla iM, Highlander, Land Cruiser,
Mirai, Prius, Prius Prime, Prius V, RAV4,
Sequoia, Venza & Yaris 2006 - On
Scion iM & xD 2016 - 2008

UNIT PACKAGE: 25



22525

(Toyota: 75494-42010,
75395-42020)
Yellow Nylon

Rocker Moulding Clip with Sealer
Top Head Size: 10.3mm x 16.5mm
Bottom Head Size: 13.5mm x 17.5mm
Stem Length: 19mm
Toyota FJ Cruiser &
RAV4 2014 - 2001

UNIT PACKAGE: 25



22456

(Toyota: 62955-50010)
Yellow Nylon

Rocker & Quarter Vent
Moulding Clip with Sealer
Top Head Size: 8mm x 8mm
Bottom Head Diameter: 15mm
Stem Diameter: 8mm x 8mm
Stem Length: 11mm
Lexus ES 250, HS 250h, LS 460, LS
600h L, RX 350 & RX 450h and Toyota
Highlander, RAV4 & Yaris 2013 - On

UNIT PACKAGE: 25



22396

(Lexus: 90467-08224)
White Nylon

Body Side & Wheel Opening
Moulding Clip
Top Head Size: 10mm x 10.5mm
Bottom Head Diameter: 15mm
Stem Diameter: 8mm x 8mm
Stem Length: 8mm
Lexus NX 200t, NX 300h, RX 350
& RX 450h 2015 - On

UNIT PACKAGE: 25



22398

(Toyota: 81496-60010)
White Nylon

Rear Combination Lamp Guide
Moulding Clip with Sealer
Top Head Diameter: 13mm
Bottom Head Diameter: 20mm
Stem Length: 10.5mm
Lexus CT 200h, ES 300h, ES 350,
GX 470, IS F, IS 250, NX 200t, NX 300h,
RC F, RC 350, RX 330, RX 350, RX 400h
& RX 450h and Toyota 4Runner, Avalon, Camry,
Camry Hybrid, Corolla, Matrix, Prius, Prius C, RAV4,
Sienna, Venza & Yaris 2006 - On
Scion iQ & iQ EV 2014 - 2011

UNIT PACKAGE: 25



22427

(Toyota: 75548-60021)
White Nylon

Rocker, Pillar, Exterior Trim &
Windshield Moulding Clip
Width: 15.5mm
Length: 52mm
Lexus LX 570 & Toyota Land Cruiser 2008 - On

UNIT PACKAGE: 10



22472

(Toyota: 90467-06005)
Black Nylon

Hood Release Cable Clamp Clip
Head Size: 16mm x 21mm
Holds 5mm Diameter Rod
Stem Diameter: 12mm
Stem Length: 9mm

Lexus CT 200h, GX 470, HS 250h,
LX 570, NX 200t, NX 300h, RX 350
& RX 450h 2003 - On

Toyota 4Runner, Avalon, Camry, Celica,
C-HR, Corolla, Land Cruiser, Matrix, Mirai,
Prius, RAV4, Tacoma & Yaris 1994 - On

UNIT PACKAGE: 25



22497

(Toyota: 65487-60010)
Black Nylon

Hood Seal Retaining Clip
Head Size: 5mm x 13mm
Stem Diameter: 7mm
Stem Length: 8mm

Lexus CT 200h, ES 300h, ES 350, GS F, GS 200t,
GS 350, GS 450h, LC 500h & LX 570 and
Toyota Land Cruiser & Mirai 2008 - On

UNIT PACKAGE: 25



22487

(Toyota: 90467-06192)
Black Nylon

Fender Liner Retaining Clip
Head Size: 14.5mm x 16mm
Stem Diameter: 10.5mm
Stem Length: 10mm
Fits into 8mm Hole

Lexus ES 300h; ES 350; GS 200h;
GS 350; GS F, GS 450h; IS 200t; IS 300,
IS 350, LS 460, LS 600h L & RC F and
Toyota Camry & RAV4 2006 - On

UNIT PACKAGE: 25



22395

(Toyota: 90467-09169-C0)
Black Nylon

Lower Fender Shield & Front Floor
Carpet Shield Retaining Clip
Head Diameter: 18mm
Stem Length: 12mm
Fits into 7mm Hole

Lexus GX 470, RX 330
& RX 400h 2009 - 2003
Toyota 4Runner, MR2 Spyder
Paseo & Tercel 2009 - 1995

UNIT PACKAGE: 15



22495

(Toyota: 90467-06205-C0)
Black Nylon

Front Fender Retaining Clip with Sealer
Head Diameter: 20mm
Stem Diameter: 8mm
Stem Length: 9mm

Lexus GS F, GS 350, GS 450h,
GX 460, HS 250h, IS 200t, IS 250, IS 300,
IS 350, LC 500h, RC F, RC 200t, RC 300,
RC350, RX 350 & RX 450h 2010 - On
Scion iQ & xD and Toyota 4Runner
& Highlander 2015 - 2008

UNIT PACKAGE: 25



22454

(Toyota: 76817-68010)
Yellow Nylon

Door Garnish Clip with Sealer
Top Head Size: 10mm x 10mm
Bottom Head Diameter: 16mm
Stem Diameter: 9.5mm x 9.5mm
Stem Length: 15mm

Lexus LX 570 and Toyota
Land Cruiser & RAV4 2013 - On

UNIT PACKAGE: 25



22412

(Toyota: 53879-0R010;
53879-28010)
Black Nylon

Front Fender Liner Clip
Slotted Head Dia.: 15.3mm
Body Width: 35mm
Toyota Highlander,
RAV4 & Tacoma and
Scion iQ & xD 2008 - On

UNIT PACKAGE: 25



22489

(Toyota: 53879-30050)
Black Nylon

Fender Liner Retaining Clip
Width: 42mm
Length: 29.5mm
Lexus GS F, GS 200t,
GS 350, GS 450h, IS 200t,
IS 250, IS 300, IS 350,
RC F, RC 200t, RC 300 &
RC 350 2013 - On

Toyota C-HR, Prius, Prius
Prime & Prius V 2016 - On

UNIT PACKAGE: 15



22457

(Toyota: 76924-13020)
Black Nylon

Rocker Moulding Retainer
Head Diameter: 25mm
Stem Length: 11mm
Fits into 14mm Hole
Toyota 4Runner &
Land Cruiser 2008 - On

UNIT PACKAGE: 25



22369

(Toyota: 90467-08188)
Black Nylon

Luggage Compartment Trim Retainer
Head Diameter: 16mm
Stem Diameter: 8mm
Stem Length: 12mm
Lexus ES 300, LS 430 &
SC 430 2010 - 1996
Toyota Prius & Sienna 2003 - 1998
Scion iQ 2015 - 2012

UNIT PACKAGE: 25



22473

(Toyota: 90467-A0002-C0)
Black Nylon

Trunk Side Trim Retainer
Head Diameter: 16mm
Stem Diameter: 8mm
Stem Length: 16mm
Lexus RX 330, RX 350 &
RX 450h 2011 - 2004
Toyota Matrix, Sienna &
Venza 2014 - 2009

UNIT PACKAGE: 25



22455

(Toyota: 90467-A0032)
White Nylon

Lower Door Moulding
Retainer with Sealer
Top Head Diameter: 10mm
Bottom Head Diameter: 15mm
Stem Diameter: 8.3mm x 8.3mm
Stem Length: 10mm
Toyota RAV4 2014 - On

UNIT PACKAGE: 25



22478

(Toyota: 75867-52020)
Blue Nylon

Rocker Panel Retainer
Top Head Diameter: 13mm
Bottom Head Diameter: 18mm
Stem Diameter: 9.5mm
Stem Length: 13mm
Overall Length: 19mm
Toyota Prius, Prius C, Prius Prime
& Yaris 2012 - On

UNIT PACKAGE: 25




22471

(Toyota: 90467-A0007)
White Nylon

Scuff Plate Retainer
Top Head Diameter: 13mm
Bottom Head Diameter: 18mm
Stem Diameter: 9.3mm
Stem Length: 11mm
Lexus RX 330, RX 350 and RX 450h
and Toyota Avalon, Camry, Matrix,
Sequoia, Sienna & Tundra 2004 - On

UNIT PACKAGE: 25




22486

(Toyota: 67771-26240)
Blue Nylon

Door Trim Retainer with Sealer
Top Head Diameter: 13mm
Middle Head Diameter: 16mm
Bottom Head Diameter: 18mm
Stem Diameter: 9.6mm
Stem Length: 10mm
Overall Length: 16.5mm
Lexus CT 200h, ES 300h, ES 350, GS
200t, GS 350, IS 200t, IS 250, IS 300, LC
500h, LS 460, NX 200t, NX 300h, RC 200t,
RC 300, RC 350, RX 350 & RX 450h
and Toyota FJ Cruiser, Prius C
& Prius V 2006 - On

UNIT PACKAGE: 25



22460

(Toyota: 62489-0E010)
White Nylon

Door Sill, Headliner, Liftgate Trim Cover,
Pillars, Scuff Plate & Window Trim Retainer
Top Head Diameter: 13mm
Middle Head Diameter: 16mm
Bottom Head Diameter: 18mm
Stem Diameter: 11mm
Stem Length: 14mm
Overall Length: 20mm
Lexus RX 350 & RX 450h 2015 - 2010
Toyota Avalon, Corolla, Highlander,
RAV4, Sienna & Venza 2013 - On

UNIT PACKAGE: 25



22479

(Lexus: 51787-60070)
White Nylon

Door Scuff Plate Retainer
Top Head Size: 12mm x 17mm
Middle Head Diameter: 15mm
Bottom Head Diameter: 18mm
Stem Diameter: 8.5mm
Stem Length: 9mm
Lexus GX 460 & LX 570 2003 - On

UNIT PACKAGE: 25





22400

(Toyota: 90467-07217)
Black Nylon

Radiator Support Access Cover,
Air Deflector & Side Shield
Push-Type Retainer
Head Diameter: 19mm
Stem Length: 9mm
Fits into 7mm Hole
Lexus LX, IS, GS, RX 350 &
RX 450h and Toyota Camry, Corolla,
Land Cruiser Prius, RAV4
& Yaris 2010 - On

UNIT PACKAGE: 25



22439

(Toyota: 90467-07215)
Black Nylon

Fender Liner Push-Type Retainer
Head Diameter: 20mm
Stem Length: 10mm
Fits into 7mm Hole
Scion tC and Toyota 4Runner,
Avalon, Camry, Corolla,
Highlander, Land Cruiser, Prius,
RAV4, Tacoma & Tundra 2010 - On

UNIT PACKAGE: 25



22424

(Mazda: B45A-56-146A;
Toyota: 90118-WB048)
Black Nylon

Bumper, Engine Cover, Fender &
Quarter Panel Push-Type Retainer
Head Diameter: 20mm
Stem Length: 13mm
Fits into 8mm Hole
Mazda 3, 5, 6, CX-3, CX-5, CX-9 &
MX-5 Miata 2012 - On
Scion iA 2016 - On

UNIT PACKAGE: 25



22502

(Toyota: 76923-52021)
Black Nylon

Side Mud Guard
Push-Type Retainer
Head Diameter: 29mm
Stem Length: 10mm
Fits into 22mm Hole
Lexus GS F, GS 200t, GS 350,
GS 450h, IS 200t, IS 250, IS 300,
IS 350, RC F, RC 200t, RC 300
& RC 350 2013 - On
Toyota Yaris 2011 - 2007
Scion xD 2014 - 2008

UNIT PACKAGE: 15

GET AUVECO'S NEWEST ITEMS AS SOON AS THEY ARE RELEASED!



NEW ITEMS BULLETINS

Auveco releases a set of our Hot New Items every other week.

To receive these bulletins please contact customer service:

mail@auveco.com or 1-800-354-9816

We also have all previous and current bulletins posted on www.auveco.com.

New

VOLKSWAGEN AND AUDI CLIPS & FASTENERS

(Includes SEAT & Skoda)



21933

(VW: 8D0-807-192)
Green Nylon

Nylon U-Nut
Screw Size: M4.8 (#10)
Panel Range: Up to 3mm
Center of Hole to Edge: 11mm
Overall Height: 16mm
Renault, Dacia, VW, Audi, SEAT & Skoda

UNIT PACKAGE: 10



22418

(VW: N90-757-901, N903-521-01)
Black Nylon

Fender Liner Nylon Nut
Screw Size: M4.8 (#10)
Hex Size: 10mm
Flange Diameter: 22mm
Overall Height: 11mm
Audi A7, A8, Q3, RS7, S7 & S8 and
Volkswagen Beetle, Golf, GTI, Passat,
Tiguan & Touareg 2010 - On

UNIT PACKAGE: 25



22414

(VW: 8R0-853-909)
White Nylon

Door Moulding Clip with
Blue Rubber Grommet
Top Head Size: 12mm x 12mm
Stem Length: 13mm
Overall Length: 18.5mm
Audi Q3, Q3 Quattro & Q5 and
Volkswagen 2009 - On

UNIT PACKAGE: 25




22445

(VW: 3C0-853-586)
Black Nylon

Wheel Well Opening Grommet
Head Diameter: 16mm
Stem Length: 15mm
Overall Length: 16.5mm
Audi Q5 & RS5 2015 - 2009
Volkswagen Beetle, Passat,
Tiguan & Touareg 2006 - On

UNIT PACKAGE: 25



22426

(Audi: 8T0-853-909-A)
Black Nylon

Rocker Moulding Clip
Width: 16mm
Length: 40mm
Audi A4, A4 allroad,
A5, S4 & S5 2008 - On

UNIT PACKAGE: 15



22442

(Audi: 8V0-868-243)
Black Nylon

Door Trim Panel Retaining Clip
Size: 25mm x 26mm
Overall Height: 12.5mm
Audi A3, S3, Q7 & TT 2015 - On

UNIT PACKAGE: 25



22411

(VW: 3D0-864-851-B41)
Black Nylon

Floor Mat Retaining Clip
Top Head Size: 12mm x 20mm
Bottom Head Diameter: 35mm
Stem Length: 14mm
Volkswagen Golf, R32,
GTI, Rabbit, Jetta &
Passat 2016 - 2005

UNIT PACKAGE: 25



22441

(VW: 3D0-864-812-A-B41)
Black Nylon

Floor Mat Stay Retainer
Head Diameter: 30mm
Stem Diameter: 9mm
Stem Length: 14mm
Overall Length: 24.5mm
Audi & Volkswagen Beetle,
Golf & Passat 2007 - 1999

UNIT PACKAGE: 25



22447

(VW: 6Q0-853-147)
Black Nylon

Carpet, Door Sill Plate, Floor Mat,
Quarter Panel Trim, Scuff Plate &
Wheel House Retainer
Top Head Size: 12mm x 14mm
Overall Length: 21mm
Audi A3 & A4 2013 - 2005
Volkswagen Golf Alltrack, Golf, Jetta,
Passat & Rabbit 2005 - On

UNIT PACKAGE: 25



VOLKSWAGEN AND AUDI CLIPS & FASTENERS

(Includes SEAT & Skoda)

New



22399

(VW: 6Q0-807-643)
Black Nylon

Rear Bumper Trim Pin Retainer
Head Diameter: 17.5mm
Stem Length: 25mm
Overall Length: 34.3mm
Audi A1, A3, Q5, Q7 & TT and
Volkswagen CC, Eos, Golf,
Jetta, Passat, Polo, Tiguan,
Touran & Transporter 2004 - On

UNIT PACKAGE: 25



22449

(VW: N90-911-301)
Black Nylon

Interior Trim Panel &
Cowl Cover Retainer
Head Diameter: 20mm
Stem Diameter: 8mm
Stem Length: 16mm
Audi A3 & S3 2015 - On
Volkswagen Golf, Jetta &
Passat 2012 - On

UNIT PACKAGE: 25



22417

(Audi: 8U0-853-909)
Blue Nylon

Wheel Arch Opening
Moulding Retainer with Sealer
Top Head Diameter: 13.3mm
Bottom Head Diameter: 17mm
Stem Diameter: 9.3mm
Stem Length: 10mm
Audi RS & Q3 and Volkswagen Golf,
R32, GTI & Rabbit, 2015 - On

UNIT PACKAGE: 25



21872

(VW: 6E0-837-732)
Turquoise Nylon

Trim Panel Retainer with Sealer
Top Head Diameter: 13mm
Middle Head Diameter: 13mm
Bottom Head Diameter: 18mm
Stem Diameter: 9mm
Stem Length: 12mm
Renault, Dacia, Mercedes, VW,
Audi, SEAT & Skoda

UNIT PACKAGE: 25



22397

(VW: 1K0-837-199B; 8L3837199B;
811807447; 8L4833052;
8L4833051 8L837199)
Black Nylon

Front Door Push-Type Retainer
Top Head Diameter: 10mm
Bottom Head Size: 10mm x 22mm
Stem Length: 12mm
Fits into 7mm Hole
Audi A3, A4, A6, A7, A8, RS 4,
RS 6 & TT and Volkswagen Golf &
Jetta 2011 - 1996

UNIT PACKAGE: 15



22421

(VW: N10-700-901)
Black Nylon

Front Suspension Shield
Push-Type Retainer
Head Diameter: 15mm
Stem Length: 11mm
Fits into 5mm Hole
Audi A3 & Q7 and Porsche 911 &
Cayenne and Volkswagen Golf, Jetta,
Passat, Eos & Phaeton 2009 - On

UNIT PACKAGE: 25



22420

(Audi: 8K0-868-307)
Black Nylon

Fender End Plate
Push-Type Retainer
Head Diameter: 16mm
Stem Length: 12mm
Fits into 10.5mm Hole
Audi A4 allroad, A5, A7, Q7, RS5,
RS7, S5 & S7 2009 - On

UNIT PACKAGE: 25



22444

(VW: 8E0-864-229-9B9)
Black Nylon

Carpet Retaining Cap
Diameter: 30mm
Height: 15mm
Audi & Volkswagen Tiguan
2012 - On

UNIT PACKAGE: 25

Clips & Fasteners for Vehicles with European Applications



22002
(Renault & Dacia: 77-03-088-105)
Black Rubber

Rubber Bumper
Head Diameter: 15mm
Fits into 6mm Hole
Renault & Dacia

UNIT PACKAGE: 15



21901
Black Nylon

Trim Panel Retainer
Head Diameter: 14.5mm
Stem Diameter: 7.5mm
Stem Length: 13mm
Renault & Dacia

UNIT PACKAGE: 25



21928
(Renault & Dacia: 77-01-397-183)
White Nylon

Nylon Nut
Screw Size: M4.2 (#8)
Head Size: 9.5mm x 9.5mm
Stem Length: 7mm
Peugeot, Citroen,
Renault & Dacia

UNIT PACKAGE: 50



21904
(Renault & Dacia: 80-00-609-205)
Tan Nylon

Trim Panel Retainer
Head Diameter: 21mm
Stem Diameter: 7.5mm
Stem Length: 19mm
Renault & Dacia

UNIT PACKAGE: 25



21933
(VW: 8D0-807-192)
Green Nylon

Nylon U-Nut
Screw Size: M4.8 (#10)
Panel Range: Up to 3mm
Center of Hole to Edge: 11mm
Overall Height: 16mm
Renault, Dacia, VW, Audi, SEAT & Skoda

UNIT PACKAGE: 10



21903
(Renault & Dacia: 82-00-939-873)
Black Nylon

Trim Panel Retainer
Head Diameter: 21mm
Stem Diameter: 7.5mm
Stem Length: 19mm
Renault & Dacia

UNIT PACKAGE: 25



21866
(Renault & Dacia: 77-03-077-421)
Red Nylon

Moulding Clip
Head Diameter: 19mm
Stem Diameter: 9mm
Stem Length: 8mm
Overall Length: 17mm
Renault & Dacia

UNIT PACKAGE: 25



21869
(Renault & Dacia: 77-03-077-117)
Black Nylon

Trim Panel Retainer
Head Diameter: 20.5mm
Stem Diameter: 7mm
Stem Length: 14mm
Renault & Dacia

UNIT PACKAGE: 25



21867
(Renault & Dacia: 77-03-077-422)
Gray Nylon

Moulding Clip
Head Diameter: 19mm
Stem Diameter: 9mm
Stem Length: 8mm
Overall Length: 17mm
Renault & Dacia

UNIT PACKAGE: 25



21899
(Renault & Dacia: 77-03-077-444)
Black Nylon

Trim Panel Retainer
Head Diameter: 20mm
Stem Diameter 7mm
Stem Length: 16mm
Renault & Dacia

UNIT PACKAGE: 25

Clips & Fasteners for Vehicles with European Applications



21902
(Renault & Dacia: 82-00-151-367)
Gray Nylon

Trim Panel Retainer
Head Diameter: 20mm
Stem Diameter: 7.5mm
Stem Length: 14mm
Renault & Dacia

UNIT PACKAGE: 25



21872
(VW: 6E0-837-732)
Turquoise Nylon

Trim Panel Retainer with Sealer
Top Head Diameter: 13mm
Middle Head Diameter: 13mm
Bottom Head Diameter: 18mm
Stem Diameter: 9mm
Stem Length: 12mm

Renault, Dacia, Mercedes, VW, Audi, SEAT & Skoda

UNIT PACKAGE: 25



21925
Blue Nylon

Door Lock Rod Clip
Rod Size: 3mm
Peugeot, Citroen, Renault & Dacia

UNIT PACKAGE: 15

PEUGEOT AND CITROEN



21955
(Peugeot & Citroen: 6992.G2)
Natural Nylon

Nylon Nut
Screw Size: M2.9 (#4)
Head Diameter: 13mm
Stem Length: 8mm
Peugeot & Citroen

UNIT PACKAGE: 50



21957
(Peugeot & Citroen: 6991.G1)
White Nylon

Nylon Nut with Sealer
Screw Size: M4.2 (#8)
Head Size: 9.5mm x 9.5mm
Stem Length: 11mm
Peugeot & Citroen

UNIT PACKAGE: 10



21956
(Peugeot & Citroen: 9227.35)
Natural Nylon



Nylon Nut
Screw Size: M3.5 (#6)
Head Diameter: 10mm
Stem Length: 6mm
Peugeot & Citroen

UNIT PACKAGE: 25



21948
(Peugeot & Citroen: 6984.03)
Zinc Plated

Cage Screw
M6-1.0 x 20mm
Overall Length: 24mm
Peugeot & Citroen

UNIT PACKAGE: 10



21928
(Renault & Dacia: 77-01-397-183)
White Nylon

Nylon Nut
Screw Size: M4.2 (#8)
Head Size: 9.5mm x 9.5mm
Stem Length: 7mm
Peugeot, Citroen, Renault & Dacia

UNIT PACKAGE: 50



21945
(Peugeot & Citroen: 7030.16,
7030.18, 7030.17)

Cowl Fastener Set
Slotted Head Diameter: 16mm
Stem Length: 20mm
Cowl Nut Width: 23mm
Cowl Nut Height: 10mm

Nylon Washer Outside Diameter: 17mm
Zinc Plated Steel Fastener & Nut
Peugeot & Citroen

UNIT PACKAGE: 5 Sets

New

PEUGEOT & CITROEN AND HAND SANDING PADS

Clips & Fasteners for Vehicles with European Applications



21946

Cowl Fastener Set
Zinc Plated Steel Fastener
Slotted Head Diameter: 16mm
Stem Length: 21mm
Cowl Nut Width: 23mm
Cowl Nut Height: 14mm

UNIT PACKAGE: 5 Sets



21952

Natural Nylon

Door Lock Rod Clip
Used on Left-Hand Side
Rod Size: 3mm
Peugeot & Citroen

UNIT PACKAGE: 25



22432

(Chrysler: 68093998-AA; Fiat: 71728806;
Citroen & Peugeot: 856543)
White Nylon

Body Side Moulding Clip with Sealer
Top Head Size: 11mm x 12mm
Bottom Head Size: 15mm x 19mm
(Including the Sealer)
Stem Diameter: 10.3mm
Stem Length: 13mm
Fiat, Citroen, Peugeot,
Chrysler Postal Minivan Vehicles &
Dodge Ram Promaster 2014 - On

UNIT PACKAGE: 25



21953

(Peugeot & Citroen: 9147.15)
Black Nylon

Door Lock Rod Clip
Used on Left-Hand Side
Rod Size: 4mm
Peugeot & Citroen

UNIT PACKAGE: 25



21950

Black Nylon

Weatherstrip Retainer
Head Size: 5mm x 15mm
Stem Diameter: 7.3mm
Stem Length: 11mm
Peugeot & Citroen

UNIT PACKAGE: 25



21925

Blue Nylon

Door Lock Rod Clip
Rod Size: 3mm
Peugeot, Citroen,
Renault & Dacia

UNIT PACKAGE: 15



21951

(Peugeot & Citroen: 9147.14)
Black Nylon

Door Lock Rod Clip
Rod Size: 3mm
Used on Left-Hand Side
Peugeot & Citroen

UNIT PACKAGE: 25



21954

(Peugeot & Citroen: 9147.21)
White Nylon

Door Lock Rod Clip
Rod Size: 3mm
Peugeot & Citroen

UNIT PACKAGE: 25

HAND SANDING PADS

- Non-woven pads impregnated with resin and grain for a variety of applications
- Best for hand sanding parts, removing rust & cleaning/prepping surfaces



22379

Gray

Width: 6"
Length: 9"
Grit: Ultra Fine

UNIT PACKAGE:
1 (set of 10)



22380

Maroon

Width: 6"
Length: 9"
Grit: Medium

UNIT PACKAGE:
1 (set of 10)

ABRASIVES & ACCESSORIES

Photos not actual size

New

Surface Conditioning Discs



- Non-woven nylon fiber embedded with aluminum oxide abrasive grain
- For general grinding, blending, rust removal, clean-up and paint removal
 - Thicker, longer lasting material
- Fast & easy to change twist-to-lock mounting

Auveco Part No.	Size	Grade	Color	RPM	Unit Pkg.
22374	2"	Coarse	Brown	25,000	25
22375	2"	Medium	Maroon	25,000	25
22376	2"	Fine	Blue	25,000	25
22377	3"	Coarse	Brown	20,000	25
22378	3"	Medium	Maroon	20,000	25

Mini Grinding Discs



- Premium blue Zirconia grain bonded onto a tough resin backing
- Long-life on regular steels & stainless steels
 - Best for weld grinding and finishing
- Fast & easy to change twist-to-lock mounting

Auveco Part No.	Size	Grit	RPM	Unit Pkg.
22381	2"	24	25,000	25
22382	2"	36	25,000	25
22383	2"	50	25,000	25
22384	2"	80	25,000	25
22385	3"	24	20,000	25
22386	3"	36	20,000	25
22387	3"	50	20,000	25
22388	3"	80	20,000	25

Strip-Brite Disc



- Typically used for paint and coating removal
 - Quick & easy twist-to-lock mounting
 - Open-web construction impregnated with silicon carbide, provides aggressive and long-lasting performance
- Durable, three-dimensional web has a soft edge to remove paint and other coatings without damaging the metal, especially on aluminum

Auveco Part No.	Size	Color	Unit Pkg.
22391	3"	Purple	1

Twist-to-Lock Holders

- For use with mini grinding, surface conditioning & strip-brite discs
 - 1/4" Shank



22389

For 2" Discs

UNIT PACKAGE: 1



22390

For 3" Discs

UNIT PACKAGE: 1

Sec. 1

TAPPING SCREWS

Listed According to Size



Phillips Oval Head Tapping Screws



Size	Zinc Part No.	Chrome Part No.	Bk. Oxide Part No.	Unit Pkg.
4 x 3/8"	3062		12893	100
4 x 1/2"	3063	3068	12894	100
4 x 5/8"			12895	100
4 x 3/4"		3069	12896	100
4 x 1"			12897	100
6 x 3/8" 4 Hd		2802		100
6 x 1/2"	2571	2698	12795	100
6 x 5/8"	2699	1793		100
6 x 3/4"	2700	1794	12796	100
6 x 7/8"	2572			100
6 x 1"	2702	1796	12797	100
6 x 1-1/4"	2704	1797	12798	100
8 x 3/8" 6 Hd	2705	2024		100
8 x 3/8"	3484			100
8 x 1/2" 6 Hd	2706	2027	10162	100
8 x 1/2"	2358	2707	10163	100
8 x 5/8" 6 Hd		1421		100
8 x 5/8"	2574	2709		100
8 x 3/4" 6 Hd	1798	1799	10164	100
8 x 3/4"	2359	2710	10165	100
8 x 3/4" 10 Hd		20373		100
8 x 7/8" 6 Hd	1800	2711		100
8 x 7/8"	2575	2712		100
8 x 1" 6 Hd	1801	1483	10166	100
8 x 1"	2360	2713	10167	100
8 x 1-1/8" 6 Hd		1802		100
8 x 1-1/4" 6 Hd	1803	1423	10168	100
8 x 1-1/4"	2361	2716	10169	100
8 x 1-1/2" 6 Hd	2717	1932	10170	100
8 x 1-1/2" 6 Hd		1424		100
(Special Long Shank)				
8 x 1-1/2"	2362	2718	10171	100
8 x 1-3/4" 6 Hd		1933		100
8 x 2" 6 Hd	2632			100

Size	Zinc Part No.	Chrome Part No.	Bk. Oxide Part No.	Unit Pkg.
8 x 2"	2633			100
8 x 2-1/2"	3205			100
10 x 1/2" 6 Hd	2720	2656		100
10 x 1/2" 8 Hd		2657		100
10 x 1/2"	2579	2722	11084	100
10 x 5/8" 8 Hd		2724		100
10 x 5/8"	2580			100
10 x 3/4" 6 Hd	2726			100
10 x 3/4" 8 Hd	2727	1717	11087	100
10 x 3/4"	2581	2728	11086	100
10 x 1" 6 Hd	2729	1804		100
10 x 1" 8 Hd	2578	2730	11089	100
10 x 1"	2582	2731	11088	100
10 x 1-1/4" 8 Hd	2661	2734	11091	100
10 x 1-1/4"	2583	2735	11090	100
10 x 1-1/2" 6 Hd		2046		100
10 x 1-1/2" 8 Hd		20374		100
10 x 1-1/2"	2585		11092	100
10 x 1-3/4"	2586			100
10 x 2" 8 Hd	2665			100
10 x 2"	2666			100
10 x 2-1/2"	3207			100
12 x 1/2"	8044			100
12 x 3/4"	8050			100
12 x 1"	8056			100
12 x 1-1/2"	8062			100
12 x 2"	8068			100
14 x 1"	8083			100

For assortments of Phillips Oval Head Tapping Screws, refer to Fix-Kits 6003 and 6501 in the green pages.



Phillips Oval Head Tek[®] Tapping Screws Phosphate

Auveco Part No.	Size	Unit Pkg.
16736	8 x 1" 6 Hd	50



Slotted Oval Head Tapping Screws Bright Zinc Chromate

Auveco Part No.	Size	Unit Pkg.
1432	6 x 1/2"	100
1149	8 x 3/4"	100
1137	8 x 1"	100
5616	12 x 5/8"	100
5617	14 x 5/8"	100
5618	14 x 2-1/4"	100

TAPPING SCREWS

Listed According to Size

Sec. 1



Pop On Polypropylene Screw Covers & Bases

They're simple to use:

1. Place washer over pilot or starting hole for screw, nail or rivet.
2. Install fastener.
3. Place Snap Cap over washer at slight angle.
4. Simply push Snap Cap down firmly.

Covers



Auveco Part No.	Screw Size	Color	O.D.	Unit Pkg.
13831	#4	Black	1/2"	50
13832	#4	White	1/2"	50
13833	#6	Black	1/2"	50
13834	#6	White	1/2"	50
13835	#8	Black	5/8"	50
13836	#8	White	5/8"	50
13837	#10	Black	5/8"	50
13838	#10	White	5/8"	50

Bases



Auveco Part No.	Size	Use with Cover	Unit Pkg.
13839	#4	13831 & 13832	50
13840	#6	13833 & 13834	50
13841	#8	13835 & 13836	50
13842	#10	13837 & 13838	50

Metric Torx® Head Tapping Screws 300 Series Stainless Steel



Auveco Part No.	Size	Head Style	Finish	Unit Pkg.
14053	4.2 x 25mm	M7 Oval	Black Ox	50



Phillips Flat Head Tapping Screws

Size		Zinc Part No.	Unit Pkg.	Bk. Oxide Part No.	Unit Pkg.
4 x 1/4"		5646	100		
4 x 3/8"		5647	100	12899	100
4 x 1/2"		5648	100	12900	100
4 x 5/8"		5649	100		
4 x 3/4"		5650	100		
6 x 5/16"	4 Hd	2736	100		
6 x 1/2"	4 Hd	5651	100		
6 x 1/2"		1946	100	12801	100
6 x 5/8"		5653	100		
6 x 3/4"				12802	100
6 x 1"				12803	100
8 x 3/8"	6 Hd	5654	100		
8 x 7/16"	6 Hd	1479	100		
8 x 1/2"	6 Hd	2804	100	10173	100
8 x 1/2"		5655	100	10172	100
8 x 5/8"	6 Hd	5656	100		
8 x 3/4"	6 Hd	1712	100	10174	100
8 x 3/4"		2807	100	10175	100
8 x 1"	6 Hd	5660	100	10176	100
8 x 1"		5661	100	10177	100
8 x 1-1/4"	6 Hd			10178	100
8 x 1-1/4"				10179	100
8 x 1-1/2"				12806	50
10 x 1/2"				12807	100
10 x 3/4"		2810	100	12809	100
10 x 1"		5672	100	12811	50



Torx® Insert Bits for Torx Screws 1" Shank

Auveco Part No.	Bit Size	For Screw Size	Unit Pkg.
12472	T-10	No. 4	1
11949	T-15	No. 6, 8, M4.2	1
11950	T-20	No. 8, M4.2	1
12103	T-25	No. 10	1
14913	T-27	No. 12, 1/4"	1
12104	T-30	1/4"	1
12105	T-40	5/16"	1
14916*	T-55	1/2", 9/16", 5/8"	1

*1-1/4 Shank

Torx Tools

Torx Short Arm Key, Power Drive Bits and Hand Drivers are available for installing Torx Screws. Refer to the "Tools" listing in the Alphabetical Index.

Listed According to Size



Slotted Pan Head Tapping Screws
Bright Zinc Chromate

Auveco Part No.	Size	Unit Pkg.
3020	4 x 1/4"	100
3022	4 x 1/2"	100
1263	6 x 3/8"	100
1452	6 x 1/2"	100
1453	6 x 5/8"	100
1454	6 x 3/4"	100
1455	6 x 1"	100
1456	8 x 3/8"	100
1146	8 x 1/2"	100
1092	8 x 5/8"	100
1457	8 x 1"	100
3028	8 x 1-1/2"	100
1458	10 x 1/2"	100
1787	10 x 5/8"	100
1265	10 x 3/4"	100
1459	10 x 1"	100
1460	10 x 1-1/2"	100
1266	10 x 1-3/4"	100
1344	12 x 3/4"	100
1346	12 x 1"	100
3032	12 x 1-1/2"	100
1347	14 x 1/2"	100
1381	14 x 3/4"	100
1382	14 x 1"	100



Phillips Pan Head Tapping Screws

Size	Zinc Part No.	Unit Pkg.	Bk. Oxide Part No.	Unit Pkg.
4 x 1/4"	3071	100	12902	100
4 x 3/8"	3072	100	12903	100
4 x 1/2"	3073	100	12904	100
4 x 5/8"	5619	100		
4 x 3/4"	3074	100	12905	100
4 x 1"	3075	100		
6 x 1/4"	1935	100		
6 x 3/8"	1936	100	16889	100
6 x 1/2"	1937	100	11917	100
6 x 5/8"	5621	100		
6 x 3/4"	2364	100	11918	100
6 x 1"	3076	100	11919	100
6 x 1-1/8"	5623	100		
6 x 1-1/4"	3077	100	11920	100
6 x 1-1/2"	3078	100		
8 x 3/8"	1939	100		
8 x 1/2"	1940	100	10180	100
8 x 5/8"	5625	100		
8 x 3/4"	2365	100	10181	100
8 x 7/8"	5626	100		
8 x 1"	3079	100	10182	100
8 x 1-1/4"	3080	100	10183	100
8 x 1-1/2"	3081	100	12799	50
10 x 3/8"	1942	100		
10 x 1/2"	1943	100	11921	100
10 x 5/8"	2808	100		
10 x 3/4"	2366	100	11922	100
10 x 7/8"	5629	100		
10 x 1"	3082	100	11923	50
10 x 1-1/4"	3083	100	11924	50
10 x 1-1/2"	3084	100	12800	50
12 x 1/2"	3085	100		
12 x 5/8"	5630	100		
12 x 3/4"	2367	100		
12 x 1"	3086	100		
12 x 1-1/4"	3087	100		
12 x 1-1/2"	3088	100		
14 x 1/2"	3089	100		
14 x 5/8"	5632	100		
14 x 3/4"	3090	100		
14 x 7/8"	5633	100		
14 x 1"	3091	100		
14 x 1-1/4"	3092	100		
14 x 1-1/2"	3093	100		
14 x 1-3/4"	3211	100		
14 x 2"	5634	100		

GET THE KIT THAT FITS

We have several assortments in the green section.

Find the kit that holds the screws you use the most.

For assortments of Phillips Pan Head Tapping Screws refer to Fix Kits 6004 and 6038 in the green pages.

TAPPING SCREWS

Listed According to Size

Sec. 1



Phillips Oval Head Sems® Countersunk Washer Tapping Screws

Size	Chrome Part No.	Unit Pkg.	Bk. Phos. Part No.	Unit Pkg.
6 x 5/8"	3537	100	11784	100
6 x 3/4"	3538	100	11785	100
6 x 1"	3539	100	11786	100
8 x 1/2"	6 Hd		*16930	100
8 x 5/8"	6 Hd	100	11787	100
8 x 3/4"	6 Hd	100	11788	100
8 x 1"	6 Hd	100	11789	100
8 x 1-1/4"	6 Hd	100	11790	100
8 x 1-1/2"	6 Hd	14970		50
10 x 5/8"	8 Hd	100	14972	100
10 x 3/4"	8 Hd	100	11791	50
10 x 1"	8 Hd	100	11792	50
10 x 1-1/4"	8 Hd	100	14973	50

*Black Oxide Finish



Phillips Oval Head Sems® Flush Washer Tapping Screws

Size	Chrome Part No.	Bk. Oxide Part No.	Unit Pkg.
8 x 1/2"	6 Hd	12956	100
8 x 5/8"	6 Hd	2774	100
8 x 11/16"	6 Hd	10653	100
8 x 7/8"	6 Hd	2775	100
8 x 1"	6 Hd	12957	100
8 x 1-1/4"	6 Hd	10654	100



Countersunk



Flush

Phillips Oval Head Sems® Tek® Finishing Screws with No. 6 Head & No. 2 Drill Point

Size	Washer Type	Chrome Part No.	Phos. Part No.	Unit Pkg.
8 x 5/8"	Flush	11448	11453	100
8 x 5/8"	Ctrsnk	11449	11454	100
8 x 3/4"	Ctrsnk	11450	11455	100
8 x 1"	Ctrsnk	11451	11456	50
8 x 1-1/4"	Ctrsnk	11452	11457	50
8 x 1-1/4"	Flush		18460	50



Phillips Flat Top Washer Head Tapping Screws Black E-Coat or Zinc

Size	Washer Head O.D.	Zinc Part No.	Black E-Coat Part No.	Unit Pkg.
6 x 1/2"	3/8"		12950	100
6 x 3/4"	3/8"		*12951	100
6 x 1"	3/8"		*12952	100
8 x 1/2"	13/32"	14859	12213	100
8 x 5/8"	13/32"	14860	12214	100
8 x 3/4"	13/32"	14861	12215	100
8 x 1"	13/32"	14862	12216	100
8 x 1-1/4"	13/32"		12217	50
8 x 1-1/2"	13/32"		12218	50
8 x 2"	13/32"		19798	50
10 x 3/4"	15/32"		12953	50
10 x 1"	15/32"		12954	50
10 x 1-1/4"	15/32"		12955	50

*Black Oxide Finish



Phillips Pan Head Sems® Tapping Screws Black Phosphate

Auveco Part No.	Size	Washer O.D.	Unit Pkg.
12818	8 x 1/2"	1/2"	50
12820	8 x 3/4"	1/2"	50



Slotted Pan Head Type F Thread Cutting Screws Bright Zinc Chromate

Auveco Part No.	Size	Unit Pkg.
5290	8-32 x 1/4"	100
5291	8-32 x 3/8"	100
5292	8-32 x 1/2"	100
5298	10-24 x 3/8"	100
5301	10-24 x 3/4"	100
5307	1/4"-20 x 5/8"	100

TAPPING SCREWS

Listed According to Size



Acorn Indented Hex Washer Head Tapping Screws with Phillips Recess

Auveco Part No.	Size	Hex Size	Washer O.D.	Finish	Unit Pkg.
13727	6 x 3/4"	1/4"	5/16"	Zinc	100
13728	6 x 1"	1/4"	5/16"	Zinc	100




Drill Screws
Bright Zinc Chromate
Pinch Point

Slotted Hex Washer Head Tapping Screws

Auveco Part No.	Size	Hex Size	Unit Pkg.
3367	6 x 3/8"	1/4"	100
3374	8 x 1/2"	1/4"	100
3376	8 x 3/4"	1/4"	100

Use Auveco Magnetic Socket Tool No. 7767




Self-Piercing Screws

Zinc

For material thickness up to .060
Use with magnetic chuck 7767

Auveco Part No.	Size	Hex Size	Unit Pkg.
12367	8 x 5/8"	1/4"	100
12368	8 x 3/4"	1/4"	50
12369	10 x 1/2"	1/4"	50
12370	10 x 3/4"	1/4"	50



Hexagon Washer Head Type F Thread Cutting Screws
Bright Zinc Chromate

Auveco Part No.	Size	Hex Size	Unit Pkg.
5759	6-32 x 3/8"	1/4"	100
5764	6-32 x 1"	1/4"	100
5766	8-32 x 3/8"	1/4"	100
5767	8-32 x 1/2"	1/4"	100
5768	8-32 x 5/8"	1/4"	100
5769	8-32 x 3/4"	1/4"	100
5773	10-24 x 3/8"	5/16"	100
5774	10-24 x 1/2"	5/16"	100
5775	10-24 x 5/8"	5/16"	100
5776	10-24 x 3/4"	5/16"	100
5778	10-24 x 1"	5/16"	100
8437	12-24 x 1/2"	5/16"	100
8438	12-24 x 3/4"	5/16"	100
8439	12-24 x 1"	5/16"	100
5781	1/4"-20 x 3/8"	3/8"	100
5782	1/4"-20 x 1/2"	3/8"	100
5783	1/4"-20 x 5/8"	3/8"	100
5784	1/4"-20 x 3/4"	3/8"	100
5786	1/4"-20 x 1"	3/8"	100
5787	1/4"-20 x 1-1/4"	3/8"	100
8441	5/16"-18 x 1/2"	1/2"	100
8442	5/16"-18 x 3/4"	1/2"	100
8443	5/16"-18 x 1"	1/2"	100
8444	5/16"-18 x 1-1/4"	1/2"	100
15355	5/16"-18 x 1-1/2"	1/2"	50
15356	5/16"-18 x 1-3/4"	1/2"	50
11294	3/8"-16 x 3/4"	9/16"	50
11295	3/8"-16 x 1"	9/16"	50
11296	3/8"-16 x 1-1/4"	9/16"	25
11297	3/8"-16 x 1-1/2"	9/16"	25
15357	3/8"-16 x 1-3/4"	9/16"	25
15358	3/8"-16 x 2"	9/16"	25

Need help identifying your screw? Please see pages 41-43.

You will find charts of screw head styles, driving recesses and point styles.

There is also brief descriptions of some common fastener terminology, as well as, plating and finish types with descriptions for each. You will also find a tapping screw diameter, head size and identification chart with an accurate to size ruler to measure your screw.

TAPPING SCREWS

Listed According to Size

Sec. 1



Teks® Self-Drilling Self-Tapping Screws

Size	Hex Size	Zinc Part No.	Unit Pkg.	Bk. Oxide Part No.	Unit Pkg.
Phillips Pan Head					
#2 Teks Point					
8 x 7/16"		9604	100		
8 x 1/2"		9605	100	16033	100
8 x 3/4"		9606	100	16034	100
8 x 1"		11904	100	16035	50
10 x 1/2"		9607	100	16036	50
10 x 3/4"		9608	100	16037	50
10 x 1"		9609	100	16038	50
12 x 1"		11905	50		

Hex Washer Head					
#2 Teks Point					
8 x 7/16"	1/4"	9610	100		
8 x 1/2"	1/4"	9611	100	16039	100
8 x 3/4"	1/4"	9612	100	16040	100
8 x 1"	1/4"	11906	100	16041	50
8 x 1-1/2"	1/4"	11908	50		
10 x 1/2"	5/16"	9613	100	16042	50
10 x 5/8"	5/16"	9614	100		
10 x 3/4"	5/16"	9615	100	16043	50
10 x 1"	5/16"	9616	100	16044	50

Super Teks® Hex Washer Head					
#3 Teks Point					
10 x 1-1/4"	5/16"	11909	50		
10 x 1-1/2"	5/16"	11910	50		
12 x 3/4"	5/16"	9617	100		
12 x 1"	5/16"	11911	25		
12 x 1-1/4"	5/16"	11912	25		
12 x 1-1/2"	5/16"	11913	25		
14 x 3/4"	3/8"	9620	100		
14 x 1"	3/8"	11914	25		
14 x 1-1/4"	3/8"	11915	25		
14 x 1-1/2"	3/8"	11916	25		

Screw Size	#2 Point	#3 Point
#8	.035" - .100"	.100" - .140"
#10	.035" - .110"	.110" - .175"
#12	.035" - .140"	.110" - .210"
#14	.035" - .175"	.110" - .210"

For an assortment of Teks Tapping Screws, see Fix-Kit No. 6144 in the green pages.



Indented Hex Head Tapping Screws Bright Zinc Chromate


Auveco Part No.	Size	Hex Size	Unit Pkg.
2389	8 x 1/2"	1/4"	100
2485	8 x 3/4"	1/4"	100
3212	8 x 1-1/4"	1/4"	100
2487	10 x 3/4"	5/16"	100
3214	10 x 1-1/4"	5/16"	100
3215	10 x 1-1/2"	5/16"	100
1780	12 x 1/2"	5/16"	100
2107	12 x 3/4"	5/16"	100
3216	12 x 1"	5/16"	100
3217	12 x 1-1/4"	5/16"	100
2012	14 x 1/2"	3/8"	100
1781	14 x 3/4"	3/8"	100
2109	14 x 3/4"	7/16"	100
2266	14 x 1"	7/16"	100
2267	14 x 1-1/4"	7/16"	100
3219	14 x 1-1/2"	7/16"	100
2110	5/16" x 3/4"	1/2"	100
2268	5/16" x 1"	1/2"	100
2269	5/16" x 1-1/4"	1/2"	100
3220	5/16" x 1-1/2"	1/2"	100
5329	3/8" x 3/4"	9/16"	50
5330	3/8" x 1"	9/16"	50
5331	3/8" x 1-1/4"	9/16"	50
5332	3/8" x 1-1/2"	9/16"	50



Phillips Oval Head Teks® Tapping Screws Phosphate

Auveco Part No.	Size	Hex Size	Unit Pkg.
16736	8 x 1"	6 Hd	50


Listed According to Size



**Hexagon Washer Head
Tapping Screws**

Washer attached solid to Head

Size	Hex Size	Zinc Part No.	Unit Pkg.	Bk. Oxide Part No.	Unit Pkg.
10 x 1/2"	5/16"	2369	100	16149	100
10 x 5/8"	5/16"	2809	100		
12 x 5/8"	5/16"	2967	100		
12 x 3/4"	5/16"	2968	100		
12 x 1"	5/16"	2969	100		
14 x 1/2"	3/8"	9825	100		
14 x 5/8"	3/8"	2370	100		
14 x 3/4"	3/8"	2330	100	16152	100
14 x 3/4"	7/16"	2973	100		
14 x 1"	3/8"	2974	100		
14 x 1-1/2"	3/8"	2976	100		
5/16" x 3/4"	7/16"	2978	100		
5/16" x 1"	7/16"	2979	100		
5/16" x 1-1/4"	7/16"	2980	100		
5/16" x 1-1/2"	7/16"	2981	100		



**Hexagon Head Sems®
Tapping Screws**

Bright Zinc Chromate
Washer loose from Head

Auveco Part No.	Size	Hex Size	Washer O.D.	Unit Pkg.
2604	14 x 3/4"	3/8"	5/8"	100
2988	14 x 3/4"	7/16"	21/32"	100
2605	14 x 1"	3/8"	21/32"	100
2989	14 x 1"	7/16"	21/32"	100
2991	14 x 1-1/2"	7/16"	21/32"	100
2994	5/16" x 1"	7/16"	11/16"	100
2996	5/16" x 1-1/2"	7/16"	11/16"	100



**Slotted Hexagon Washer Head
Tapping Screws**

Bright Zinc Chromate

Auveco Part No.	Size	Hex Size	Unit Pkg.
3367	6 x 3/8"	1/4"	100
3368	6 x 1/2"	1/4"	100
3369	6 x 5/8"	1/4"	100
3373	8 x 3/8"	1/4"	100
3374	8 x 1/2"	1/4"	100
3375	8 x 5/8"	1/4"	100
3376	8 x 3/4"	1/4"	100
3378	8 x 1"	1/4"	100
3379	8 x 1-1/4"	1/4"	100
3380	10 x 3/8"	5/16"	100
3381	10 x 1/2"	5/16"	100
3382	10 x 5/8"	5/16"	100
3383	10 x 3/4"	5/16"	100
3385	10 x 1"	5/16"	100
3386	10 x 1-1/4"	5/16"	100
3387	10 x 1-1/2"	5/16"	100
3388	12 x 1/2"	5/16"	100
3389	12 x 5/8"	5/16"	100
3390	12 x 3/4"	5/16"	100
3392	12 x 1"	5/16"	100
3393	12 x 1-1/4"	5/16"	100
3394	12 x 1-1/2"	5/16"	100



Hex Head Lag Screws
Zinc Plated

Auveco Part No.	Size	Hex Size	Unit Pkg.
9091	5/16" x 2-1/2"	1/2"	50
9100	3/8" x 4"	9/16"	25

TAPPING SCREWS

Listed According to Size

Sec. 1



Phillips Square Combo Drive Tek[®] Liner Screws with Locking Wedges under Head
Zinc & Yellow

Auveco Part No.	Size	Head Dia.	Unit Pkg.
21731	10 x 3/4"	5/8"	50
21732	10 x 1"	5/8"	50
21733	10 x 1-1/4"	5/8"	50



Torx[®] Wafer Head Tek[®] Liner Screws
Zinc

Auveco Part No.	Size	Head Dia.	Drive Size	Unit Pkg.
21734	10 x 3/4"	15/32"	T-25	50
21735	10 x 1"	15/32"	T-25	50
21736	10 x 1-1/4"	15/32"	T-25	50
21737	10 x 1-1/2"	15/32"	T-25	50



Flat Head Torx[®] Drive Floor Screws
Type F Thread Cutting Point
Phosphate & Oil

Auveco Part No.	Size	Drive Size	Unit Pkg.
21717	1/4"-20 x 2"	T-30	50
21718	1/4"-20 x 2-1/2"	T-30	50
21719	1/4"-20 x 3"	T-30	25
21720	1/4"-20 x 3-1/2"	T-30	25
21721	1/4"-20 x 4"	T-30	15
21722	1/4"-20 x 5"	T-30	15
21723	1/4"-20 x 6"	T-30	15

Auveco Part No.	Size	Drive Size	Unit Pkg.
21725	5/16"-18 x 2-1/4"	T-40	25
21726	5/16"-18 x 2-1/2"	T-40	25
21727	5/16"-18 x 3"	T-40	15
21728	5/16"-18 x 3-1/2"	T-40	15
21729	5/16"-18 x 4"	T-40	10
21730	5/16"-18 x 5"	T-40	10



Phillips Flat Head Wood Screws
Steel • Zinc Plated

Auveco Part No.	Size	Unit Pkg.
9555	6 x 1/2"	100
9556	6 x 3/4"	100
9557	6 x 1"	100
9564	8 x 3/4"	100
9565	8 x 1"	100
9566	8 x 1-1/4"	100
9568	8 x 1-3/4"	100
9569	10 x 3/4"	100
9570	10 x 1"	100

Auveco Part No.	Size	Unit Pkg.
9571	10 x 1-1/4"	100
9572	10 x 1-1/2"	100
9575	12 x 1"	100
9576	12 x 1-1/4"	100
9577	12 x 1-1/2"	100
9578	12 x 2"	100
9581	14 x 1-1/2"	100
9582	14 x 2"	100



Hex Washer Head Spin Lock Bolts

Grade 2 • Phosphate

Auveco Part No.	Size	Hex	Washer Head O.D.	Unit Pkg.
2753*	1/4"-20 x 5/8"	3/8"	5/8"	100
3615	5/16"-18 x 3/4"	1/2"	13/16"	100
5711	5/16"-18 x 1"	1/2"	13/16"	50
5713	5/16"-18 x 1-1/4"	1/2"	13/16"	50
2688	5/16"-24 x 1"	1/2"	13/16"	50

*Not Dog Point



Slotted Oval Head Machine Screws

Zinc Plated

Auveco Part No.	Size	Unit Pkg.
2354	10-24 x 1-1/2"	100



Phillips Oval Head Machine Screws

Steel • Zinc Plated

Size	Chrome Part No.	Zinc Part No.	Unit Pkg.
6-32 x 3/8"		16362	100
6-32 x 1/2"		16363	100
6-32 x 3/4"		16364	100
6-32 x 1-1/4"		16365	100
8-32 x 1/2"	2299	16368	100
8-32 x 3/4"		16369	100
8-32 x 3/4"	6 Hd	1863	100
8-32 x 1"		16370	100
8-32 x 1-1/4"		16371	100
8-32 x 1-1/2"		16372	50
10-24 x 1/2"		1877	100
10-24 x 3/4"	1934	16375	100
10-24 x 1"		16376	100
10-24 x 1-1/4"		16377	100
10-24 x 1-1/2"		16378	100
10-32 x 1/2"		16380	100
10-32 x 3/4"		16381	100
10-32 x 1"	8 Hd	1413	100
10-32 x 1"		16382	100
10-32 x 1-1/4"		16383	50
10-32 x 1-1/2"		16384	50
1/4"-20 x 1/2"		16385	50
1/4"-20 x 3/4"		16386	50
1/4"-20 x 1"		16387	50
1/4"-20 x 1-1/2"		16389	50

For the most up to date information on all Auveco items, including new items, inventory and online ordering please visit www.auveco.com



Slotted Round Head Machine Screws

Plain Brass

Auveco Part No.	Size	Unit Pkg.
3854	10-24 x 1"	100
3859	10-32 x 5/8"	100



Round Head Stove Bolts & Hex Nuts

Bright Zinc Chromate
U.S.S. Coarse Thread

Auveco Part No.	Size	Unit Pkg.
5697	1/8" x 1"	100
3711	3/16" x 1/2"	100
3712	3/16" x 3/4"	100
3713	3/16" x 1"	100
3715	3/16" x 1-1/2"	100
3716	3/16" x 1-3/4"	100
3717	3/16" x 2"	100
3718	1/4" x 1/2"	100
3719	1/4" x 3/4"	100
3720	1/4" x 1"	100
3722	1/4" x 1-1/2"	100
3724	1/4" x 2"	100



Phillips Pan Head Machine Screws Zinc Plated

Auveco Part No.	Size	Unit Pkg.
15374	6-32 x 3/8"	100
15375	6-32 x 1/2"	100
15376	6-32 x 3/4"	100
15377	6-32 x 1"	100
15378	6-32 x 1-1/4"	100
15379	6-32 x 1-1/2"	100
15380	8-32 x 3/8"	100
15381	8-32 x 1/2"	100
15382	8-32 x 3/4"	100
15383	8-32 x 1"	100
15385	8-32 x 1-1/2"	100
15386	10-24 x 3/8"	100
15387	10-24 x 1/2"	100
15388	10-24 x 3/4"	100
15389	10-24 x 1"	100
15390	10-24 x 1-1/4"	100
15391	10-24 x 1-1/2"	50
15392	10-32 x 3/8"	100
15393	10-32 x 1/2"	100
15394	10-32 x 3/4"	100
15395	10-32 x 1"	100
15396	10-32 x 1-1/4"	100
15397	10-32 x 1-1/2"	50
15398	1/4"-20 x 1/2"	100
15399	1/4"-20 x 3/4"	100
15400	1/4"-20 x 1"	50
15401	1/4"-20 x 1-1/4"	50
15402	1/4"-20 x 1-1/2"	50
15403	1/4"-20 x 1-3/4"	50
15404	1/4"-20 x 2"	50



Slotted Round Head Machine Screws Bright Zinc Chromate

Auveco Part No.	Size	Unit Pkg.
5700	6-32 x 3/8"	100
2530	6-32 x 1/2"	100
2531	6-32 x 3/4"	100
2532	6-32 x 1"	100
8588	6-32 x 1-1/2"	100
5702	8-32 x 3/8"	100
2533	8-32 x 1/2"	100
2534	8-32 x 3/4"	100
2535	8-32 x 1"	100
8589	8-32 x 1-1/2"	100
8590	10-32 x 3/8"	100
2536	10-32 x 1/2"	100
2537	10-32 x 3/4"	100
2538	10-32 x 1"	100
2539	10-32 x 1-1/4"	100
2540	10-32 x 1-1/2"	100
2541	10-24 x 1/2"	100
2542	10-24 x 3/4"	100
2543	10-24 x 1"	100
2544	10-24 x 1-1/4"	100
2545	10-24 x 1-1/2"	100
8594	10-24 x 2"	100
2546	12-24 x 1/2"	100
5704	12-24 x 3/4"	100
2548	12-24 x 1"	100
2550	12-24 x 1-1/2"	100
8029	1/4"-20 x 1/2"	100
8030	1/4"-20 x 3/4"	100
8031	1/4"-20 x 1"	100
8033	1/4"-20 x 1-1/2"	100
8035	1/4"-20 x 2"	100
8036	1/4"-20 x 2-1/2"	100


For assortments of Slotted Round Head Machine Screws refer to Fix Kits 6011 and 6503 in the green pages.



Phillips Round Head Machine Screws Zinc Plated

Auveco Part No.	Size	Unit Pkg.
16407	6-32 x 1/2"	100
16411	8-32 x 1"	100
16412	10-32 x 1/2"	100
16413	10-32 x 3/4"	100
16416	10-24 x 3/4"	100

Visit
www.auveco.com
for easy quick online ordering



Carriage Bolts with Hex Nuts

U.S.S. Coarse Thread • Grade 2 • Zinc Plated

Auveco Part No.	Size	Unit Pkg.
9482	1/4" x 1"	50
9483	1/4" x 1-1/2"	50
9484	1/4" x 2"	50
9485	1/4" x 2-1/2"	50
9486	1/4" x 3"	50
9487	1/4" x 4"	25
9489	1/4" x 6"	25
9490	5/16" x 1"	50
9491	5/16" x 1-1/2"	50
9492	5/16" x 2"	25

Auveco Part No.	Size	Unit Pkg.
9493	5/16" x 3"	25
9494	5/16" x 4"	25
9498	3/8" x 1"	25
9499	3/8" x 1-1/2"	25
9500	3/8" x 2"	25
9501	3/8" x 3"	25
9502	3/8" x 4"	25
9507	1/2" x 2"	10
9509	1/2" x 4"	10
9510	1/2" x 6"	10

Socket Head Set Screws

Cup Point



Auveco Part No.	Size	Unit Pkg.	Use Tool No.
5365	6-32 x 3/16"	50	5414
5366	6-32 x 1/4"	50	5414
5367	6-32 x 5/16"	50	5414
5368	6-32 x 3/8"	50	5414
5369	8-32 x 3/16"	50	5415
5370	8-32 x 1/4"	50	5415
5371	8-32 x 5/16"	50	5415
5372	8-32 x 3/8"	50	5415
5373	8-32 x 1/2"	50	5415

Part No. U.S.S.	Part No. S.A.E.	Size	Unit Pkg.	Use Tool No.
#10 U.S.S. (Coarse) Threads Per Inch: 24 S.A.E. (Fine) Threads Per Inch: 32				
5374	5394	10 x 3/16"	50	
5375	5395	10 x 1/4"	50	
5376	5396	10 x 5/16"	50	
5377		10 x 3/8"	50	
5378	5398	10 x 1/2"	50	

Part No. U.S.S.	Part No. S.A.E.	Size	Unit Pkg.	Use Tool No.
1/4" U.S.S. (Coarse) Threads Per Inch: 20 S.A.E. (Fine) Threads Per Inch: 28				
5379	5399	1/4 x 1/4"	50	
5380	5400	1/4 x 5/16"	50	
5381	5401	1/4 x 3/8"	50	
5382	5402	1/4 x 7/16"	50	
5383	5403	1/4 x 1/2"	50	

Part No. U.S.S.	Part No. S.A.E.	Size	Unit Pkg.	Use Tool No.
5/16" U.S.S. (Coarse) Threads Per Inch: 18 S.A.E. (Fine) Threads Per Inch: 24				
5384	5404	5/16 x 1/4"	50	7977*
5385	5405	5/16 x 5/16"	50	7977*
5386	5406	5/16 x 3/8"	50	7977*
5387	5407	5/16 x 7/16"	50	7977*
5388	5408	5/16 x 1/2"	50	7977*

Part No. U.S.S.	Part No. S.A.E.	Size	Unit Pkg.	Use Tool No.
3/8" U.S.S. (Coarse) Threads Per Inch: 16 S.A.E. (Fine) Threads Per Inch: 24				
5389	5409	3/8 x 5/16"	25	7978*
5390	5410	3/8 x 3/8"	25	7978*
5391	5411	3/8 x 7/16"	25	7978*
5392	5412	3/8 x 1/2"	25	7978*
5393	5413	3/8 x 5/8"	25	7978*

Part No. U.S.S.	Part No. S.A.E.	Size	Unit Pkg.	Use Tool No.
7/16" U.S.S. (Coarse) Threads Per Inch: 14 S.A.E. (Fine) Threads Per Inch: 20				
15898	15905	7/16 x 3/8"	25	7978*

Part No. U.S.S.	Part No. S.A.E.	Size	Unit Pkg.	Use Tool No.
1/2" U.S.S. (Coarse) Threads Per Inch: 13 S.A.E. (Fine) Threads Per Inch: 20				
15903		1/2 x 1/2"	25	7978*
	15910	1/2 x 5/8"	25	7978*

*Fold-up Key Set

Note: All Socket Wrenches packed 10 per Unit Package except Key Sets 7977 & 7978 which are packed 1 per Unit Package

For an assortment of Socket Head Set Screws, see Fix-Kit No. 6073 in the green pages.

All Items Phosphate & Oil

Auveco flange bolts and locknuts form a strong and dependable fastening system that substantially cuts truck assembly, maintenance and repair costs. The flange bolts are made to IFI 111 industry standard specifications. When flange bolts are used in conjunction with the flange locknuts they form a 150,000 P.S.I. tensile strength fastening system equivalent to SAE J429, Grade 8 industry standard specification. Flat washers and lock washers are not needed with the flange bolts. Our flange fastening system also reduces the need for costly hole preparations such as deburring and countersinking.



Product Specifications

Product Diameter	Flange & Nut Diameter	Screw & Nut Across Flats	Screw Head Height	Nut Height	Minimum Screw Thread Length
3/8"	.780"/.810"	.551"/.562"	.370"/.390"	.415"/.425"	1"
1/2"	1.031"/1.070"	.736"/.750"	.490"/.510"	.545"/.555"	1-1/4"
5/8"	1.300"/1.330"	.922"/.937"	.600"/.620"	.680"/.690"	1-1/2"
3/4"	1.510"/1.565"	1.110"/1.125"	.710"/.730"	.740"/.750"	1-3/4"

Grade 8 Hex Flange Bolts

Size	Auveco Part No. U.S.S.	U.S.S. Unit Pkg.	Auveco Part No. S.A.E.	S.A.E. Unit Pkg.	Size	Auveco Part No. U.S.S.	U.S.S. Unit Pkg.	Auveco Part No. S.A.E.	S.A.E. Unit Pkg.
3/8"	U.S.S. (Coarse) Threads Per Inch: 16				5/8"	U.S.S. (Coarse) Threads Per Inch: 11 S.A.E. (Fine) Threads Per Inch: 18			
3/8 x 1"	17561*	25			5/8 x 1-1/2"	17576*	10	14493*	10
3/8 x 1-1/4"	17562*	25			5/8 x 1-3/4"	17577*	10	14494*	10
3/8 x 1-1/2"	17563	25			5/8 x 2"	17578*	10	14495*	10
3/8 x 1-3/4"	17564	25			5/8 x 2-1/4"	17579*	10	14496*	10
1/2"	U.S.S. (Coarse) Threads Per Inch: 13 S.A.E. (Fine) Threads Per Inch: 20				5/8 x 2-1/2"	17580	10	14497	10
1/2 x 1"	17565*	25	14487*	10	5/8 x 2-3/4"			14498	10
1/2 x 1-1/4"	17566*	25			5/8 x 3"	17582	10	14499	10
1/2 x 1-1/2"	17567*	25	14489*	10	5/8 x 3-1/2"	17584	10		
1/2 x 1-3/4"	17568*	25	14490*	10					
1/2 x 2"	17569	15	14491	10					
1/2 x 2-1/4"	17570	15							
1/2 x 2-1/2"	17571	15							
1/2 x 3"	17573	15							
1/2 x 3-1/4"	17574	15							
1/2 x 3-1/2"	17575	15							


*Items threaded to the head

Hex Flange Locknuts

Auveco Part No.	Size	Unit Pkg.	Auveco Part No.	Size	Unit Pkg.
12517	3/8"-16 (Coarse)	50	12519	5/8"-11 (Coarse)	25
12518	1/2"-13 (Coarse)	25	14501	5/8"-18 (Fine)	25
14500	1/2"-20 (Fine)	25	15180	3/4"-10 (Coarse)	10

Sec. 2

CAP SCREWS



Grade 5



Bright Zinc Chromate
Medium Carbon Heat Treated Steel

120,000 P.S.I. Minimum Tensile Strength, Head is identified with 3 Radial Lines

Size	Part No. U.S.S.	Part No. S.A.E.	Unit Pkg.
1/4"	U.S.S. (Coarse) Threads Per Inch: 20 S.A.E. (Fine) Threads Per Inch: 28		
1/4 x 1/2"	*5434	*5495	100
1/4 x 5/8"	*5435		100
1/4 x 3/4"	*5436	*5497	100
1/4 x 1"	*5438	*5499	100
1/4 x 1-1/4"	5439	5500	100
1/4 x 1-1/2"	5440	5501	100
1/4 x 1-3/4"	5441		100
1/4 x 2"	5442		100
1/4 x 2-1/4"	5443		100
1/4 x 2-1/2"	5444	5505	100
1/4 x 2-3/4"	5445		100
1/4 x 3"	5446		100
1/4 x 3-1/2"	8449		100

Size	Part No. U.S.S.	Part No. S.A.E.	Unit Pkg.
5/16"	U.S.S. (Coarse) Threads Per Inch: 18 S.A.E. (Fine) Threads Per Inch: 24		
5/16 x 1/2"	*5447		100
5/16 x 5/8"	*5448		100
5/16 x 3/4"	*5449	*5510	100
5/16 x 7/8"	*5450		100
5/16 x 1"	*5451	*5512	100
5/16 x 1-1/4"	*5452	*5513	100
5/16 x 1-1/2"	5453	5514	100
5/16 x 1-3/4"	5454		100
5/16 x 2"	5455	5516	50
5/16 x 2-1/4"	5456		50
5/16 x 2-1/2"	5457		50
5/16 x 3"	5459		50
5/16 x 3-1/2"	5461		50
5/16 x 4"	8450		50

Size	Part No. U.S.S.	Part No. S.A.E.	Unit Pkg.
3/8"	U.S.S. (Coarse) Threads Per Inch: 16 S.A.E. (Fine) Threads Per Inch: 24		
3/8 x 5/8"	*5462		50
3/8 x 3/4"	*5463	*5524	50
3/8 x 7/8"	*5464		50
3/8 x 1"	*5465	*5526	50
3/8 x 1-1/4"	*5466	*5527	50
3/8 x 1-1/2"	5467	5528	50
3/8 x 1-3/4"	5468		50
3/8 x 2"	5469	5530	50
3/8 x 2-1/4"	5470		50
3/8 x 2-1/2"	5471		50
3/8 x 3"	5472	5533	50
3/8 x 3-1/2"	5473		50
3/8 x 4"	5474		50
3/8 x 4-1/2"	8096		25
3/8 x 5"	8097		25

*Items threaded to head

Size	Part No. U.S.S.	Part No. S.A.E.	Unit Pkg.
7/16"	U.S.S. (Coarse) Threads Per Inch: 14 S.A.E. (Fine) Threads Per Inch: 20		
7/16 x 3/4"	*5475		50
7/16 x 1"	*5476	*5537	50
7/16 x 1-1/4"	*5477	*5538	50
7/16 x 1-1/2"	*5478	*5539	50
7/16 x 1-3/4"	5479		50
7/16 x 2"	5480		25
7/16 x 2-1/2"	5481	5542	25
7/16 x 3"	5482		25
7/16 x 3-1/2"	5483		25
7/16 x 4"	5484		25

Size	Part No. U.S.S.	Part No. S.A.E.	Unit Pkg.
1/2"	U.S.S. (Coarse) Threads Per Inch: 13 S.A.E. (Fine) Threads Per Inch: 20		
1/2 x 3/4"	*5485		50
1/2 x 1"	*5486	*5547	50
1/2 x 1-1/4"	*5487		50
1/2 x 1-1/2"	*5488		25
1/2 x 1-3/4"	*5489	*5550	25
1/2 x 2"	5490	5551	25
1/2 x 2-1/2"	5491		25
1/2 x 3"	5492	5553	25
1/2 x 3-1/2"	5493		25
1/2 x 4"	5494		25
1/2 x 4-1/2"	8104		25
1/2 x 5"	8105		25
1/2 x 6"	8107		25

Size	Part No. U.S.S.	Part No. S.A.E.	Unit Pkg.
5/8"	U.S.S. (Coarse) Threads Per Inch: 11 S.A.E. (Fine) Threads Per Inch: 18		
5/8 x 1"	*9520		25
5/8 x 1-1/2"	*9521	*9528	25
5/8 x 2"	*9522	*9529	25
5/8 x 2-1/2"	9523		25
5/8 x 3"	9524		25
5/8 x 3-1/2"	9525		25
5/8 x 4"	9526		25

Size	Part No. U.S.S.	Unit Pkg.
3/4"	U.S.S. (Coarse) Threads Per Inch: 10	
3/4 x 2"	*8453	10
3/4 x 2-1/2"	*8454	10
3/4 x 3"	8455	10
3/4 x 3-1/2"	8456	10

*Items threaded to head

Refer to assortment 1020 in the green pages


CAP SCREWS

Sec. 2



Grade 8

Zinc & Yellow Dichromate
Medium Carbon Alloy Steel



150,000 P.S.I. Minimum Tensile Strength, Head is identified with 6 Radial Lines

Size	Part No. U.S.S.	Part No. S.A.E.	Unit Pkg.
1/4"	U.S.S. (Coarse) Threads Per Inch: 20 S.A.E. (Fine) Threads Per Inch: 28		
1/4 x 1/2"	*9118		50
1/4 x 3/4"	*9119	*9174	50
1/4 x 1"	*9120		50
1/4 x 1-1/4"	9121		50
1/4 x 1-1/2"	9122	9177	50
1/4 x 2"	9124		50
1/4 x 2-1/4"	9125		25
1/4 x 2-1/2"	9126		25

Size	Part No. U.S.S.	Part No. S.A.E.	Unit Pkg.
5/16"	U.S.S. (Coarse) Threads Per Inch: 18 S.A.E. (Fine) Threads Per Inch: 24		
5/16 x 1/2"	*9127		50
5/16 x 3/4"	*9128		50
5/16 x 1"	*9129	*9184	50
5/16 x 1-1/4"	*9130		50
5/16 x 1-1/2"	9131	9186	50
5/16 x 1-3/4"	9132		50
5/16 x 2"	9133	9188	50
5/16 x 2-1/2"	9134		25
5/16 x 3"	9135		25

Size	Part No. U.S.S.	Part No. S.A.E.	Unit Pkg.
3/8"	U.S.S. (Coarse) Threads Per Inch: 16 S.A.E. (Fine) Threads Per Inch: 24		
3/8 x 3/4"	*9136	*9191	50
3/8 x 1"	*9137	*9192	50
3/8 x 1-1/4"	*9138	*9193	50
3/8 x 1-1/2"	9139	9194	50
3/8 x 2"	9140		25
3/8 x 2-1/2"	9141		25
3/8 x 3"	9142		25
3/8 x 3-1/2"	17028		15
3/8 x 4"	9143		25

*Items threaded to head

Size	Part No. U.S.S.	Part No. S.A.E.	Unit Pkg.
7/16"	U.S.S. (Coarse) Threads Per Inch: 14 S.A.E. (Fine) Threads Per Inch: 20		
7/16 x 1"	*9144	*9199	25
7/16 x 1-1/4"	*9145		25
7/16 x 1-1/2"	*9146	*9201	25
7/16 x 2"	9147		25
7/16 x 2-1/2"	9148	9203	25
7/16 x 3"	9149		25
7/16 x 4"	9150		25
7/16 x 5-1/2"	17031		10

Size	Part No. U.S.S.	Part No. S.A.E.	Unit Pkg.
1/2"	U.S.S. (Coarse) Threads Per Inch: 13 S.A.E. (Fine) Threads Per Inch: 20		
1/2 x 1"	*9151		25
1/2 x 1-1/4"	*9152		25
1/2 x 1-1/2"	*9153	*9208	25
1/2 x 1-3/4"	*9154		25
1/2 x 2"	9155	9210	25
1/2 x 2-1/2"	9156		25
1/2 x 2-3/4"		17983	10
1/2 x 3"	9157	9212	10
1/2 x 4"	9158		10
1/2 x 5"	9159		10

Size	Part No. U.S.S.	Part No. S.A.E.	Unit Pkg.
5/8"	U.S.S. (Coarse) Threads Per Inch: 11 S.A.E. (Fine) Threads Per Inch: 18		
5/8 x 1-1/2"	*9160		10
5/8 x 2"	*9161		10
5/8 x 2-1/2"	9162		10
5/8 x 3"	9163		10
5/8 x 3-1/2"	17499		10
5/8 x 4"	9164	9219	10
5/8 x 5"	9165		10

Size	Part No. U.S.S.	Part No. S.A.E.	Unit Pkg.
3/4"	U.S.S. (Coarse) Threads Per Inch: 10 S.A.E. (Fine) Threads Per Inch: 16		
3/4 x 2"	*9167		10
3/4 x 3"	9169	9224	10
3/4 x 3-1/2"	9170		10
3/4 x 4"	9171		10
3/4 x 5"	9172		10

*Items threaded to head

Refer to assortment 1030 in the green pages



**Stainless Steel Phillips
Pan Head Tapping Screws**

Auveco Part No.	Size	Unit Pkg.
13265	6 x 1/2"	100
13266	6 x 3/4"	100
13267	6 x 1"	100
13268	6 x 1-1/4"	100
13269	8 x 1/2"	100
13270	8 x 3/4"	50
13271	8 x 1"	50
13272	8 x 1-1/4"	50
13273	8 x 1-1/2"	25
13274	10 x 1/2"	100
13275	10 x 3/4"	50
13276	10 x 1"	50
13277	10 x 1-1/4"	50
13278	10 x 1-1/2"	25
13279	10 x 1-3/4"	25
13280	12 x 1/2"	50
13281	12 x 3/4"	50
13282	12 x 1"	50
13283	12 x 1-1/4"	25
13284	12 x 1-1/2"	25
21609	14 x 3/4"	100



**Stainless Steel Slotted
Round Head Machine Screws**

Auveco Part No.	Size	Unit Pkg.
13293	6-32 x 1/4"	100
13294	6-32 x 1/2"	100
13298	8-32 x 1/4"	100
13299	8-32 x 1/2"	100
13300	8-32 x 3/4"	100
13301	8-32 x 1"	100
13302	8-32 x 1-1/4"	50
13304	10-24 x 1/2"	100
13306	10-24 x 1"	50
13308	10-24 x 1-1/2"	50
13310	10-32 x 1/2"	100
13311	10-32 x 3/4"	100
13312	10-32 x 1"	50
13314	10-32 x 1-1/2"	50
13316	1/4"-20 x 3/4"	50



**Stainless Steel Phillips
Oval Head Tapping Screws**

Auveco Part No.	Size	Unit Pkg.
9399	6 x 1/2"	100
9400	6 x 3/4"	100
9401	6 x 1"	100
9402	6 x 1-1/4"	100
9403	8 x 1/2"	100
9404	8 x 3/4"	100
9405	8 x 1"	100
9406	8 x 1-1/4"	100
9407	8 x 1-1/2"	100
9408	10 x 1/2"	100
9409	10 x 3/4"	100
9410	10 x 1"	100
9411	10 x 1-1/4"	100
9412	10 x 1-1/2"	100
13286	10 x 1-3/4"	25
13288	12 x 3/4"	50
13289	12 x 1"	50
13290	12 x 1-1/4"	25
13291	12 x 1-1/2"	25
13292	12 x 1-3/4"	25



**Stainless Steel Phillips Oval Head
Machine Screws**

Auveco Part No.	Size	Unit Pkg.
13322	6-32 x 1/2"	100
13323	6-32 x 3/4"	100
13324	6-32 x 1"	100
13325	6-32 x 1-1/4"	100
13326	8-32 x 1/4"	100
13327	8-32 x 1/2"	100
13328	8-32 x 3/4"	100
13329	8-32 x 1"	100
13330	8-32 x 1-1/4"	50
13331	10-24 x 1/2"	100
13332	10-24 x 3/4"	50
13333	10-24 x 1"	50
13334	10-24 x 1-1/4"	50
13335	10-24 x 1-1/2"	50
13336	10-32 x 1/2"	100
13337	10-32 x 3/4"	50
13338	10-32 x 1"	50
13339	10-32 x 1-1/4"	50
13340	10-32 x 1-1/2"	50
13341	1/4"-20 x 1/2"	50
13342	1/4"-20 x 3/4"	50
13343	1/4"-20 x 1"	25
13344	1/4"-20 x 1-1/4"	25
13345	1/4"-20 x 1-1/2"	25

STAINLESS STEEL

18-8 (300 SERIES)

Sec. 2



U.S.S. Coarse Thread Stainless Steel Hex Head Cap Screws

Auveco Part No.	Bolt Size	Unit Pkg.	Auveco Part No.	Bolt Size	Unit Pkg.
13346*	1/4"-20 x 1/2"	50	13362*	3/8"-16 x 1/2"	50
13347*	1/4"-20 x 3/4"	50	13363*	3/8"-16 x 3/4"	50
13348	1/4"-20 x 1"	50	13364*	3/8"-16 x 1"	50
13349	1/4"-20 x 1-1/4"	50	13365	3/8"-16 x 1-1/4"	25
13350	1/4"-20 x 1-1/2"	50	13366	3/8"-16 x 1-1/2"	25
13352	1/4"-20 x 2"	25	13367	3/8"-16 x 1-3/4"	25
			13368	3/8"-16 x 2"	25
13353*	5/16"-18 x 1/2"	50	13370	3/8"-16 x 2-1/2"	25
13354*	5/16"-18 x 3/4"	25	13391	3/8"-16 x 3"	25
13355	5/16"-18 x 1"	25			
13356	5/16"-18 x 1-1/4"	25	13373*	1/2"-13 x 1"	10
13357	5/16"-18 x 1-1/2"	25	13374*	1/2"-13 x 1-1/4"	10
13359	5/16"-18 x 2"	25	13375	1/2"-13 x 1-1/2"	10
13360	5/16"-18 x 2-1/4"	25	13377	1/2"-13 x 2"	10
13361	5/16"-18 x 2-1/2"	25			

*Items threaded to head


Stainless Steel Cotter Pins Extended Prong Type



Auveco Part No.	Size	Rec. Hole Size	Unit Pkg.	Auveco Part No.	Size	Rec. Hole Size	Unit Pkg.
13409	1/16" x 3/4"	.078	100	13420	1/8" x 1"	.141	50
13410	1/16" x 1"	.078	100	13421	1/8" x 1-1/4"	.141	50
				13422	1/8" x 1-1/2"	.141	50
13411	3/32" x 1/2"	.109	100	13424	1/8" x 2"	.141	25
13412	3/32" x 3/4"	.109	100	13426	1/8" x 2-1/2"	.141	25
13413	3/32" x 1"	.109	100				
13414	3/32" x 1-1/4"	.109	50	13429	5/32" x 1-1/4"	.172	25
13415	3/32" x 1-1/2"	.109	50	13430	5/32" x 1-1/2"	.172	25
13417	3/32" x 2"	.109	50	13434	5/32" x 2-1/2"	.172	25



Stainless Steel Wing Nuts



Auveco Part No.	Size	Wing Spread (A)		Overall Height (B)		Between Wing (C)		Unit Pkg.
		Max.	Min.	Max.	Min.	Max.	Min.	
13256	10-24	.91	.78	.47	.34	.27	.22	25
13258	1/4"-20	1.10	.97	.57	.43	.39	.26	25



**Stainless Steel
Hex Machine Screw Nuts**

Auveco Part No.	Size	Hex Width	Unit Pkg.
13260	6-32	5/16"	100
13261	8-32	11/32"	100
13262	10-24	3/8"	100
13263	10-32	3/8"	100
13264	1/4"-20	7/16"	100



Stainless Steel Acorn Nuts

Auveco Part No.	Size	Hex Width	Unit Pkg.
13248	6-32	5/16"	25
13249	8-32	5/16"	25
13251	10-32	3/8"	25
13252	1/4"-20	7/16"	25
13253	5/16"-18	9/16"	10



Stainless Steel Hex Nuts

Auveco Part No.	Size	Hex Width	Thick-ness	Unit Pkg.
13234	1/4"-20	7/16"	7/32"	100
13235	5/16"-18	1/2"	17/64"	50
13236	3/8"-16	9/16"	21/64"	50
13237	1/2"-13	3/4"	7/16"	25



Stainless Steel Nylon Insert Lock Nuts

Auveco Part No.	Size	Hex Width	Unit Pkg.
13239	6-32	5/16"	50
13240	8-32	11/32"	50
13241	10-24	3/8"	50
13242	10-32	3/8"	50
13243	1/4"-20	7/16"	50
13244	5/16"-18	1/2"	25
13245	3/8"-16	9/16"	25
13246	1/2"-13	3/4"	10



Stainless Steel Medium Split Washers

Auveco Part No.	Size	O.D.	Thick-ness	Unit Pkg.
13401	#8	19/64"	.040	100
13402	#10 (3/16")	21/64"	.047	100
13403	1/4"	31/64"	.062	100
13404	5/16"	19/32"	.078	100
13405	3/8"	11/16"	.094	100
13406	1/2"	7/8"	.125	50



Stainless Steel Flat Washers

Auveco Part No.	Bolt Size	I.D.	O.D.	Thick-ness	Unit Pkg.
13392	#6 (1/8")	9/64"	3/8"	.030	100
13393	#8	5/32"	3/8"	.030	100
13394	#10 (3/16")	7/32"	7/16"	.030	100
13395	1/4"	9/32"	5/8"	.043	100
13396	5/16"	11/32"	3/4"	.050	100
13397	3/8"	13/32"	7/8"	.060	50
13398	1/2"	33/64"	1-1/4"	.060	50



WE WELCOME INQUIRES

If you have item suggestions please send them to mail@auveco.com


BUMPER BOLTS

Listed According to Size

Round Polished Stainless Steel Capped Heads
Zinc Plated



With Lock Nuts



With Hex Nuts

Sec. 3

Auveco Part No.	Size	Head Style	Head Diameter		Unit Pkg.
5714*	5/16"-18 x 7/8"	Round	11/16"	without Nuts	25
5238	3/8"-16 x 7/8"	Round	27/32"	without Nuts	25
3414	3/8"-16 x 7/8"	Round	27/32"	with Hex Nuts	25
3432	3/8"-16 x 7/8"	Round	27/32"	with Lock Nuts	25
5239	3/8"-16 x 1"	Round	27/32"	without Nuts	25
3415	3/8"-16 x 1"	Round	27/32"	with Hex Nuts	25
3433	3/8"-16 x 1"	Round	27/32"	with Lock Nuts	25
8626	7/16"-14 x 7/8"	Round	31/32"	without Nuts	25
8627	7/16"-14 x 7/8"	Round	31/32"	with Hex Nuts	25
8552	7/16"-14 x 1"	Round	31/32"	without Nuts	25
8557	7/16"-14 x 1"	Round	31/32"	with Hex Nuts	25
8562	7/16"-14 x 1"	Round	31/32"	with Lock Nuts	25
5242	7/16"-14 x 1-1/4"	Round	31/32"	without Nuts	25
3099	7/16"-14 x 1-1/4"	Round	31/32"	with Hex Nuts	10
3434	7/16"-14 x 1-1/4"	Round	31/32"	with Lock Nuts	25
5243	7/16"-14 x 1-1/2"	Round	31/32"	without Nuts	25
3100	7/16"-14 x 1-1/2"	Round	31/32"	with Hex Nuts	10
3435	7/16"-14 x 1-1/2"	Round	31/32"	with Lock Nuts	25
5246	1/2"-13 x 1-1/2"	Round	1-3/32"	without Nuts	25
3102	1/2"-13 x 1-1/2"	Round	1-3/32"	with Hex Nuts	10
3438	1/2"-13 x 1-1/2"	Round	1-3/32"	with Lock Nuts	25

* Not Stainless Steel Cap - Chrome Plated


BUMPER BOLTS



15545
Zinc

1/4"-20 x 3/4"
Stainless Steel Cap without Nuts
Head Diameter: 5/8"
Shoulder Length: 9/64"

UNIT PACKAGE: 25



16985
Zinc

5/16"-18 x 1"
Stainless Steel Cap without Nuts
Head Diameter: 3/4"
Shoulder Length: 3/16"

UNIT PACKAGE: 25



9853
(376337-S100)
Zinc

5/16"-18 x 3/4"
Stainless Steel Cap without Nuts
Head Diameter: 3/4"
Shoulder Length: 3/16"
Ford

UNIT PACKAGE: 25



11614
(9433489)
Zinc

3/8"-16 x 1"
Stainless Steel Capped Pan Head w/o Nuts
Head Diameter: 7/8"
Shoulder Length: 3/32"
GM

UNIT PACKAGE: 25

9854
Same as 9853 except
with Hex Nuts
UNIT PACKAGE: 25

9855
Same as 9853 except
with Lock Nuts
UNIT PACKAGE: 25

11615
Same as 11614 except with Hex Nuts
UNIT PACKAGE: 25



10655

(6026723)
Zinc

3/8"-16 x 1"

Stainless Steel Capped Pan Head without Nuts
Head Diameter: 7/8"
Shoulder Length: 3/32"
Chrysler

UNIT PACKAGE: 25

10656

Same as 10655 except
with Hex Nuts
UNIT PACKAGE: 25

10657

Same as 10655 except
with Lock Nuts
UNIT PACKAGE: 25



8623

Zinc

7/16"-14 x 1"

Stainless Steel Capped
Pan Head without Nuts
Head Diameter: 29/32"
Shoulder Length: 5/32"
GM


UNIT PACKAGE: 25

8624

Same as 8623 except
with Hex Nuts
UNIT PACKAGE: 25

8625

Same as 8623 except
with Lock Nuts
UNIT PACKAGE: 25



9354

(9786454)
Zinc

7/16"-14 x 1-3/8"

Stainless Steel Capped
Pan Head without Nuts
Head Diameter: 29/32"
Shoulder Length: 5/32"
GM

UNIT PACKAGE: 25

9355

Same as 9354 except
with Hex Nuts
UNIT PACKAGE: 25

9356

Same as 9354 except
with Lock Nuts
UNIT PACKAGE: 25



10068

(9795883)
Zinc

7/16"-14 x 1-1/4"

Uncapped Round Head without Nuts
Head Diameter: 15/16"
Shoulder Length: 7/32"
GM

UNIT PACKAGE: 25



11770

(490067)
Zinc

7/16"-14 x 1-1/2"

Uncapped Round Head without Nuts
Head Diameter: 15/16"
Shoulder Length: 3/16"
GM

UNIT PACKAGE: 25

11771

Same as 11770 except with Hex Nuts

UNIT PACKAGE: 25



16986

(14003784)
Zinc

M8-1.25 x 25mm

Stainless Steel Capped Pan Head without Nuts
Head Diameter: 19mm
Shoulder Length: 3mm
GM

UNIT PACKAGE: 25

"428" DISPLAY BOARDS

428 of the most popular body hardware and fastener items are shrink-wrapped onto seven different boards. Each board contains product groups, body shops are familiar with and use often.

The back of each board contains each part number, unit package quantity, OEM number and size specification. The backs are protected by a clear plastic liner.

Learn more about the display boards at the front of the catalog, online at www.auveco.com or contact customer service at 1-800-354-9816 or mail@auveco.com



Specification Chart



Auveco Part No.	Size	Length	Hex Size	Washer Head O.D.	Type	Point Type	Finish	Unit Pkg.	Page No.
2209	#8-32	5/16"		11/32"	Phillips Truss Head	C	Chrome	100	89
2753	1/4"-20	5/8"	3/8"	5/8"	Hex Washer Head Spin Lock	C	Blk Phos	100	77
10823	1/4"-20	7/8"	7/16"	3/4"	Hex Head Sems®	Dog Pt	Blk Phos	50	89
13231	1/4"-20	7/8"	3/8"	5/8"	Hex Washer Head with Sems Nylon Washer	CA	Phosphate Organic	25	89
13232	1/4"-20	7/8"	3/8"	5/8"	Hex Washer Head with Sems Nylon Washer & Jack Nut®	CA	Phosphate Organic	25 Sets	89
17034	1/4"-20	7/8"	7/16"	3/4"	Hex Head Sems	Dog Point	Zinc & Yellow Dichromate	50	89
9757	1/4"-20	1"	3/8"	1"	Hex Head Sems	C	Phosphate	100	89
9480	1/4"-20	1"	7/16"	5/8"	Hex Head Sems	Dog Pt	Phosphate	50	89
14976	1/4"-20	1-1/4"	3/8"	5/8"	Hex Washer Head with Nylon Washer	CA	Stainless Steel Bright Plated	25	89
14977	1/4"-20	1-1/4"	3/8"	5/8"	Hex Washer Head with Nylon Washer & Jack Nut	CA	Stainless Steel Bright Plated	10 Sets	89
2688	5/16"-24	1"	1/2"	13/16"	Hex Washer Head Spin Lock	Dog Pt	Black Phos.	50	77
10084	5/16"-18	3/4"	1/2"	21/32"	Hex Washer Head	CA	Blk Phos	100	89
3615	5/16"-18	3/4"	1/2"	13/16"	Hex Washer Head Spin Lock	Dog Pt	Blk Phos	100	77
10362	5/16"-18	13/16"	1/2"	41/64"	Hex Washer Head	CA	Blk Phos	50	89
15792	5/16"-18	7/8"	1/2"	3/4"	Hex Head Sems	CA	Phos. Organic	50	90
15783	5/16"-18	7/8"	1/2"	3/4"	Hex Head Sems	CA	Phosphate	50	90
5711	5/16"-18	1"	1/2"	13/16"	Hex Washer Head Spin Lock	Dog Pt.	Blk Phos	50	77
9756	5/16"-18	1"	1/2"	7/8"	Hex Head Sems	C	Phosphate	100	90
11320	5/16"-18	1"	1/2"	7/8"	Hex Head Sems	CA	Phosphate	25	90
17035	5/16"-18	1-1/16"	1/2"	7/8"	Hex Head Sems	Dog Pt	Zinc & Yellow Dichromate	25	90
5713	5/16"-18	1-1/4"	1/2"	13/16"	Hex Washer Head Spin Lock	Dog Pt	Blk Phos	50	77
8847	5/16"-18	1-1/4"	1/2"	7/8"	Hex Head Sems	Dog Pt	Blk Phos	50	90
11061	5/16"-18	1-1/4"	1/2"	21/32"	Hex Washer Head	Pinch	Plain	50	90
12009	5/16"-18	1-1/2"	1/2"	21/32"	Hex Washer Head	CA	Phos & Oil	50	90
11109	3/8"-16	1"	9/16"	1"	Hex Head Sems	CA	Phosphate	25	90
11110	3/8"-16	1-3/8"	9/16"	1-1/8"	Hex Head Sems	CA	Phosphate	25	90


METRIC BODY BOLT CHART APPEARS ON PAGES 121-122



2209
 Chrome
 #8-32 x 5/16"
 Phillips Truss Head
 UNIT PACKAGE: 100



10823
 Black Phosphate
 1/4"-20 x 7/8"
 Hex Head Sems® with Dog Point
 Washer O.D.: 3/4"
 Hex: 7/16"
 UNIT PACKAGE: 50




17034
 (57030-S36)
 Zinc & Yellow Dichromate
 1/4"-20 x 7/8"
 Hex Head Sems® with Dog Point
 Washer O.D.: 3/4"
 Hex: 7/16"
 Ford
 UNIT PACKAGE: 50




13231
 (14007510)
 Phos. Organic
 1/4"-20 x 7/8"
 Hex Washer Head with Sems® Nylon Washer
 Washer O.D.: 5/8"
 Hex: 3/8"
 Truck Mirror Mounting Screw
 GM
 UNIT PACKAGE: 25



13232
 (14007510, 367292)
 Phosphate Organic Screw
 Zinc with Sealer Jack Nut
 1/4"-20 x 7/8"
 Hex Washer Head with Sems® Nylon Washer
 Washer O.D.: 5/8"
 Hex: 3/8"
 Truck Mirror Mounting Screw & Jack Nut
 GM, Chrysler
 UNIT PACKAGE: 25 Sets



9480
 (6025329)
 Phosphate
 1/4"-20 x 1"
 Hex Head Sems® with Dog Point
 Washer O.D.: 5/8"
 Hex: 7/16"
 Chrysler
 UNIT PACKAGE: 50



9757
 Phosphate
 1/4"-20 x 1"
 Hex Head Sems®
 Washer O.D.: 1"
 Hex: 3/8"
 GM, Ford
 UNIT PACKAGE: 100



14976
 (367291, 474821, 14007511)
 400 Series Stainless Steel
 Bright Plated
 1/4"-20 x 1-1/4"
 Hex Washer Head with Nylon Washer
 Washer O.D.: 5/8"
 Hex: 3/8"
 Truck Mirror Mounting Screw
 GM, Chrysler
 UNIT PACKAGE: 25




14977
 (367291, 367292,
 474821, 14007511)
 400 Series Stainless
 Steel - Bright Plated Zinc with Sealer Jack Nut
 1/4"-20 x 1-1/4"
 Hex Washer Head with Nylon Washer
 Washer O.D.: 5/8"
 Hex: 3/8"
 Truck Mirror Mounting Screw & Jack Nut
 GM, Chrysler
 UNIT PACKAGE: 10 Sets



10084
 Black Phosphate
 5/16"-18 x 3/4"
 Hex Washer Head
 Washer Head O.D.: 21/32"
 Hex: 1/2"
 GM
 UNIT PACKAGE: 100




10362
 Black Phosphate
 5/16"-18 x 13/16"
 Hex Washer Head
 Washer Head O.D.: 41/64"
 Hex: 1/2"
 GM
 UNIT PACKAGE: 50



15792
(1598757, 15686047)
Phosphate Organic

5/16"-18 x 7/8"
Indented Hex Head Sems®
Washer O.D.: 3/4"
Hex: 1/2"
GM

UNIT PACKAGE: 50



8847
(380575-S2)
Black Phosphate

5/16"-18 x 1-1/4"
Hex Head Sems® with Dog Point
Washer O.D.: 7/8"
Hex: 1/2"
Ford

UNIT PACKAGE: 50



15783
(3846202)
Phosphate

5/16"-18 x 7/8"
Indented Hex Head Sems®
Washer O.D.: 3/4"
Hex: 1/2"
GM


UNIT PACKAGE: 50



11061
Plain

5/16"-18 x 1-1/4"
Hex Washer Head
with Pinch Point
Washer Head O.D.: 21/32"
Hex: 1/2"
Grade 5

UNIT PACKAGE: 50



9756
Phosphate

5/16"-18 x 1"
Hex Head Sems®
Washer O.D.: 7/8"
Hex: 1/2"
GM, Ford


UNIT PACKAGE: 100



12009
Phosphate & Oil

5/16"-18 x 1-1/2"
Hex Washer Head
Washer Head O.D.: 21/32"
Hex: 1/2"
GM

UNIT PACKAGE: 50



11320
Phosphate

5/16"-18 x 1"
Hex Head Sems®
Washer O.D.: 7/8"
Hex: 1/2"
GM, Ford


UNIT PACKAGE: 25



11109
(3986997, 14011722)
Phosphate

3/8"-16 x 1"
Hex Head Sems®
Washer O.D.: 1"
Hex: 9/16"
GM

UNIT PACKAGE: 25



17035
(384931-S36)
Zinc & Yellow Dichromate

5/16"-18 x 1-1/16"
Hex Head Sems® with Dog Point
Washer O.D.: 7/8"
Hex: 1/2"
Ford

UNIT PACKAGE: 25



11110
(407217, 1564180)
Phosphate

3/8"-16 x 1-3/8"
Hex Head Sems®
Washer O.D.: 1-1/8"
Hex: 9/16"
Hood Hinge to Sheet Metal Bolt
GM

UNIT PACKAGE: 25

Sec. 4

Special Tapping Screw Specification Chart



Auveco Part No.	Size	Length	Hex Size	Washer/ Head O.D.	Type	Point Type	Finish	Unit Pkg.	Page No.
9877	#4-24	3/8"		7/32"	Phillips Flat Head	AB	Zinc	100	94
10642	#8	3/8"		3/8"	Phillips Oval Washer Head	AB	Zinc	100	94
16997	#8	3/8"		3/8"	Phillips Oval Washer Head	AB	Black E-Coat	100	94
9863	#8	3/8"		9/32"	Phillips Round Washer Head	AB	Zinc	100	94
13707	#8	3/8"		13/32"	Phillips Flat Top Washer Head	AB	Zinc	100	94
8944	#8	3/8"		7/16"	Phillips Washer Head	AB	Chrome	100	94
12062	M4.2 (#8)	10mm (13/32")		11mm (7/16")	Phillips Washer Head, Pozi-Drive	AB	Black Oxide	100	95
2805	#8	7/16"		3/8"	Phillips Washer Head	AB	Zinc	100	95
15037	#8	7/16"		5/16"	Phillips Washer Head	AB	Chrome	100	95
9229	#8	7/16"		9/32"	Phillips Washer Head, Pozi-Drive	AB	Zinc	100	95
1826	#8	7/16"		13/32"	Phillips Truss Head	AB	Chrome	100	95
15941	M4.2 (#8)	12mm (15/32")		9.5mm (3/8")	Phillips Truss Head	AB	Black Oxide	10	95
16596	M4.2 (#8)	12mm (15/32")		9.5mm (3/8")	Phillips Truss Head	AB	Black Oxide	100	95
12739	M4.2 (#8)	12mm (15/32")		10mm (25/64")	Phillips Washer Head, Pozi-Drive	AB	Chrome	100	95
13708	#8	1/2"		13/32"	Phillips Flat Top Washer Head	AB	Zinc	100	95
12213	#8	1/2"		13/32"	Phillips Flat Top Washer Head	AB	Black E-Coat	100	95
13025	#8	1/2"		31/64"	Phillips Washer Head	AB	Phosphate	100	95
20375	#8	1/2"		1/2"	Phillips Round Washer Head	AB	Black Phos.	100	95
15172	#8	1/2"		13/32"	Phillips Washer Head	Teks®	Zinc	100	95
15171	#8	1/2"		23/64"	Phillips Low Profile Round Wash Head	Teks	Zinc	100	96
12095	#8	1/2"		7/16"	Phillips Washer Head	Teks	Zinc	50	96
15774	#8	1/2"		7/16"	Phillips Washer Head	Teks	Black Phos.	50	96
16478	#8	1/2"		13/32"	Phillips Flat Top Round Washer Head	Teks	Black Zinc	100	96
12059	M4.2 (#8)	13mm (33/64")		11mm (7/16")	Phillips Washer Head	AB	Zinc	100	96
12061	M4.2 (#8)	13mm (33/64")		8.5mm (11/32")	Phillips Round Washer Head, Pozi-Drive	AB	Black Oxide	100	96
13712	M4.2 (#8)	13mm (33/64")		11mm (7/16")	Phillips Washer Head	AB	Black Zinc	50	96
12740	M4.2 (#8)	13mm (33/64")	7mm	12mm (15/32")	Hex Head Sems®	AB	Phosphate	100	96
15721	M4.2 (#8)	13mm (33/64")	7mm	16mm (5/8")	Hex Head Sems	AB	Phosphate	50	96
18781	M4.2 (#8)	14mm (9/16")	7mm	8mm (5/16")	Hex Head Sems	AB	Phosphate	50	96
21122	M4.2 (#8)	14mm (9/16")		11mm (7/16")	Phillips Washer Head, Pozi-Drive	Teks	Chrome	50	96
2806	#8	5/8"		13/32"	Phillips Round Washer Head	AB	Chrome	100	96
13711	#8	5/8"		31/64"	Phillips Washer Head	AB	Phosphate	100	97
18817	M4.2 (#8)	16mm (5/8")		11mm (7/16")	Phillips Round Washer Head, Pozi-Drive	Teks	Black Zinc	100	97
16720	M4.2 (#8)	16mm (5/8")		9.5mm (3/8")	Phillips Truss Head	AB	Black Oxide	100	97
12741	M4.2 (#8)	16mm (5/8")	7mm	12mm (15/32")	Hex Head Sems	AB	Phosphate	100	97
18261	M4.2 (#8)	16mm (5/8")	7mm	12mm (15/32")	Hex Washer Head Sems	Teks	Phosphate	50	97
13687	#8	3/4"		9/32"	Phillips Washer Head	AB	Zinc	100	97

(Continued on next page)

Special Tapping Screw Specification Chart

Sec. 4



Auveco Part No.	Size	Length	Hex Size	Washer/ Head O.D.	Type	Point Type	Finish	Unit Pkg.	Page No.
13026	#8	3/4"		31/64"	Phillips Washer Head	AB	Phosphate	100	97
17460	#8	3/4"		7/16"	Phillips Round Washer Head	Teks®	Zinc	50	97
17650	#8	3/4"		7/16"	Phillips Round Washer Head	Teks	Phosphate	50	97
16534	#8	3/4"		5/16"	Phillips Pan Head, with Sealer	Teks	Black Zinc	50	97
12060	M4.2 (#8)	20mm (25/32")		11mm (7/16")	Phillips Washer Head	AB	Black Oxide	100	97
12097	M4.2 (#8)	20mm (25/32")		12mm (15/32")	Phillips Pan Head Sems®	AB	Chrome	50	98
12738	M4.2 (#8)	20mm (25/32")	7mm	12mm (15/32")	Hex Washer Head Sems	AB	Phosphate	50	98
12742	M4.2 (#8)	20mm (25/32")	7mm	12mm (15/32")	Hex Head Sems	AB	Phosphate	100	98
15373	M4.2 (#8)	20mm (25/32")	7mm	16mm (5/8")	Hex Head Sems	AB	Phosphate	50	98
20271	M4.2 (#8)	20mm (25/32")		16mm (5/8")	Phillips Pan Head Sems	AB	Phosphate	50	98
20476	M4.2 (#8)	20mm (25/32")	7mm	17mm (11/16")	Hex Washer Head Sems	Teks	Phosphate	50	98
19278	M4.2 (#8)	20mm (25/32")	7mm	20mm (25/32")	Hex Head Sems	AB	Black Phos.	50	98
15775	M4.2 (#8)	20mm (25/32")	7mm	12mm (15/32")	Hex Head Sems	Teks	Phosphate	50	98
22070	M4.2 (#8)	20mm (25/32")		17mm (11/16")	Torx® Pan Head Sems	Dog Pnt	Black Zinc	50	98
22104	M4.2	22mm	5.5mm	16mm	Hex Head Sems	AB	Black Zinc	50	98
18296	#8	1"		7/16"	Phillips Round Washer Head	Teks	Zinc	50	98
19006	M4.2 (#8)	25mm (1")		11mm (7/16")	Pozi-Drive Round Washer Head	Teks	Phosphate	100	99
20382	M4.2 (#8)	25mm (1")	T-15 Drive	12mm (15/32")	Torx® Pan Head Sems	AB	Black Zinc	50	99
22081	M4.2	25mm		17mm	Pozi-Drive Round Washer Head Sems	AB	Black Zinc	50	99
20376	#8	1"		1/2"	Phillips Round Washer Head	AB	Black Phos.	100	99
18336	M4.2 (#8)	25mm (1")	7mm	12mm (15/32")	Hex Head Sems	AB	Black Phos.	100	99
19653	M4.2 (#8)	30mm (1-3/16")	7mm	17mm (11/16")	Hex Head Sems	AB	Black Phos.	15	99
18460	#8	1-1/4"		3/8"	Phillips Oval Head Sems Flush Washer	Teks	Phosphate	50	99
19778	#8	1-1/4"		7/16"	Phillips Round Washer Head	Teks	Zinc	50	99
2178	#10	3/8"		31/64"	Phillips Round Washer Head	AB	Zinc	100	99
2028	#10	1/2"		11/32"	Phillips Round Head	AB	Zinc	100	99
13027	#10	1/2"		15/32"	Phillips Flat Washer Head	AB	Zinc	100	99
15827	#10	1/2"		15/32"	Phillips Flat Washer Head	AB	Phosphate	100	99
18340	M4.8 (#10)	15mm (19/32")		14mm (9/16")	Phillips Truss Head	AB	Black Phos.	50	99
20364	#10	5/8"		7/16"	Phillips Washer Head	Teks	Zinc	100	100
17459	M4.8 (#10)	16mm (5/8")		11mm (7/16")	Phillips Truss Head	AB	Black Oxide	100	100
22030	M4.8 (#10)	16mm (5/8")	8mm	18mm	Hex Head Sems	AB	Black Zinc	50	100
22110	M4.8	18mm	T-25 Drive	15mm	Torx Truss Head	AB	Black Zinc	25	100

(Continued on next page)

Sec. 4

Special Tapping Screw Specification Chart



Auveco Part No.	Size	Length	Hex Size	Washer/ Head O.D.	Type	Point Type	Finish	Unit Pkg.	Page No.
20259	M4.8 (#10)	19mm (3/4")		16mm (5/8")	Phillips Truss Head Sems®	AB	Black E Coat	25	100
13709	#10	3/4"		15/32"	Phillips Flat Top Washer Head	AB	Zinc	50	100
19240	#10	3/4"		1/2"	Phillips Flat Top Round Washer Head	AB	Black E-Coat	100	100
16589	M4.8 (#10)	19mm (3/4")	8mm	15mm (19/32")	Hex Head Sems	AB	Zinc & Yellow Dichromate	50	100
21774	M4.8 (#10)	20mm (25/32")	8mm	26mm	Hex Head Sems	AB	Black E-Coat	25	100
21865	M4.8 (#10)	32mm (1-1/4")	8mm	19mm (3/4")	Hex Head Sems	AB	Phosphate	50	100
19237	#10	1-1/32"		9/16"	Nylon Phillips Pan Head	AB	Black Nylon	50	100
21746	M5	11mm		11mm	Phillips Truss Head	AB	Black Oxide	50	101
21747	M5	11mm		12mm	Phillips Round Washer Head	AB	Black Oxide	50	101
22294	M5-1.81	16mm	8mm	16mm	Phillips Hex Head Sems		Black Phos.	25	101
22203	M5-1.81	20mm		13mm	Phillips Flat Head		Black Phos.	100	101
22111	M5-2.12 (#12)	19mm (3/4")	T-25 Drive	14mm (9/16")	Torx® Truss Head	AB	Black Zinc	25	101
20455	M5-2.12 (#12)	20mm (25/32")		14mm (9/16")	Phillips Truss Head	AB	Black Phos.	50	101
21841	M5.2 (#12)	20mm (25/32")	8mm	12mm (1/2")	Phillips Hex Head Sems	AB	Black E-Coat	25	101
21839	M5.2 (#12)	21mm (13/16")	10mm	14mm (9/16")	Phillips Hex Head Sems	AB	Zinc	25	101
21541	M5.5 (#12)	20mm (25/32")	T-20 Drive	15mm (19/32")	Torx Truss Head	AB	Black Zinc	25	101
22292	M5.5-1.81 (#12)	16mm (5/8")		13mm	Phillips Truss Head		Black Phos.	25	101
17461	M5.5-1.81 (#12)	18mm (45/64")	8mm	15mm (19/32")	Hex Head Sems	AB	Zinc & Yellow Dichromate	50	101
21744	M6-1.81	20mm	10mm	13mm	Phillips Hex Head Sems	AB	Black E-Coat	25	102
19170	M6.3 (#14)	16mm (5/8")		15mm (19/32")	Phillips Truss Head	AB	Black Phos.	50	102
15776	M6.3 (#14)	16mm (5/8")	8mm	16mm (5/8")	Hex Head Sems	AB	Phosphate	50	102
12057	M6.3 (#14)	16mm (5/8")	10mm	17mm (11/16")	Hex Head Sems	AB	Phosphate	50	102
22106	M6.3	18mm	10mm	14mm	Phillips Hex Head Sems	AB	Zinc	25	102
15962	M6.3 (#14)	18mm (23/32")	10mm	22mm (7/8")	Hex Head Sems	AB	Zinc & Yellow Dichromate	25	102
13021	#14	3/4"	3/8"	1/2"	Hex Washer Head	AB	Phosphate	50	102
13019	M6.3 (#14)	19mm (3/4")	8mm	11.5mm (29/64")	Hex Washer Head	AB	Phosphate	50	102
20556	M6.3 (#14)	20mm (25/32")	10mm	16mm (5/8")	Phillips Hex Head Sems	AB	Black Zinc	50	102
12351	M6.3 (#14)	20mm (25/32")	10mm	17mm (11/16")	Hex Washer Head Sems	AB	Black Phosphate	50	102
16828	M6.3 (#14)	20mm (25/32")	10mm	18mm (45/64")	Hex Head Sems	AB	Zinc & Yellow Dichromate	25	103
20557	M6.3 (#14)	20mm (25/32")	10mm	20mm (25/32")	Phillips Hex Head Sems	AB	Black Zinc	50	103

(Continued on next page)

Special Tapping Screw Specification Chart

Sec. 4



Auveco Part No.	Size	Length	Hex Size	Washer/ Head O.D.	Type	Point Type	Finish	Unit Pkg.	Page No.
18934	#14	7/8"	3/8"	13/16"	Hex Washer Head	AB	Zinc Organic	25	103
21838	M6.3 (#14)	24mm (15/16")	10mm	16mm (5/8")	Phillips Hex Head Sems®	AB	Zinc	25	103
12339	M6.3 (#14)	25mm (1")	10mm	17mm (11/16")	Hex Head Sems	AB	Phosphate	50	103
12354	M6.3 (#14)	30mm (1-3/16")	10mm	17mm (11/16")	Hex Head Sems	AB	Phosphate	50	103
12068	M6.3 (#14)	30mm (1-3/16")	10mm	24mm (15/16")	Hex Head Sems	AB	Phosphate	50	103
22295	M6.5-1.81	18mm		16mm	Phillips Truss Head		Black Phos.	25	103
22296	M6.5-1.81	25mm		16mm	Phillips Truss Head		Black Phos.	25	103
21837	M6.5	19mm	10mm	20mm	Phillips Hex Head Sems	AB	Black E-Coat	25	104
19417	M7.5	35mm (1-3/8")	#3 Sq. Drive	22mm (7/8")	Nylon Square Drive Truss Head	AB	Black Nylon	15	104
12350	M8 (5/16"-12)	20mm (25/32")	13mm	16mm (5/8")	Hex Washer Head	AB	Phosphate	25	104
10364	5/16"-12	7/8"	1/2"	21/32"	Hex Washer Head	AB	Black Oxide	100	104
10714	5/16"-12	1"	1/2"	21/32"	Hex Washer Head	AB	Phosphate	50	104
21517	M9.5	46mm (1-13/16")	#3 Sq. Drive	22mm (7/8")	Nylon Square Drive Truss Head	AB	Black Nylon	25	104
20970	M14 (1-11/32")	34mm Drive	#3 Sq. Drive (7/8")	22mm	Nylon Square Drive Truss Head	AB	Black Nylon	25	104

SPECIAL TAPPING SCREWS



9877

Zinc

#4-24 x 3/8"

Special Phillips Flat Head
Head Diameter: 7/32"

Use to replace Welded Studs for Moulding Clips

UNIT PACKAGE: 100



9863

Zinc

#8-18 x 3/8"

Phillips Round Washer Head
Head Diameter: 9/32"
Chrysler

UNIT PACKAGE: 100



10642

(381671-S)

Zinc

#8 x 3/8"

Phillips Oval Washer Head
Washer Head Outer Diameter: 3/8"
Wheel Opening Mouldings
Ford

UNIT PACKAGE: 100



13707

(9422246)

Zinc

#8 x 3/8"

Phillips Flat Top Washer Head
Washer Head Outer Diameter: 13/32"
Chrysler

UNIT PACKAGE: 100



16997

Same as 10642 with Black E-Coat
(168 Hours Salt Spray)

#8 x 3/8"

Phillips Oval Washer Head
Washer Head Outer Diameter: 3/8"
Wheel Opening Mouldings

UNIT PACKAGE: 100



8944

Chrome

#8-18 x 3/8"

Phillips Washer Head
Washer Head Outer Diameter: 7/16"
For attaching Chrome Floor Strips
Ford

UNIT PACKAGE: 100



12062
(11501903)
Black Oxide

M4.2-1.41 x 10mm (#8 x 13/32")
Phillips Washer Head Pozi-Drive
Washer Head Outer Diameter: 11mm (7/16")
GM

UNIT PACKAGE: 100



2805
Zinc

#8 x 7/16"
Phillips Washer Head
Washer Head Outer Diameter: 3/8"

UNIT PACKAGE: 100



15037
(588546)
Chrome

#8 x 7/16"
Phillips Washer Head
410 Stainless Steel
Washer Head Outer Diameter: 5/16"
Wheel Mouldings
GM

UNIT PACKAGE: 100



9229
(4879431)
Zinc

#8-18 x 7/16"
Phillips Washer Head Pozi-Drive
Washer Head Outer Diameter: 9/32"
Wheel Mouldings
GM

UNIT PACKAGE: 100



1826
Chrome

#8 x 7/16"
Phillips Truss Head
Head Diameter: 13/32"

UNIT PACKAGE: 100



15941
Black Oxide

M4.2-1.41 x 12mm (#8 x 15/32")
Phillips Truss Head
Head Diameter: 9.5mm (3/8")
Japanese Imports

UNIT PACKAGE: 10

16596

Same as 15491 except for unit package quantity

UNIT PACKAGE: 100



12739
(11501794)
Chrome

M4.2-1.41 x 12mm (#8 x 15/32")
Phillips Washer Head Pozi-Drive
Washer Head Outer Diameter: 10mm (25/64")
GM

UNIT PACKAGE: 100



13708
(9422202)
Zinc

#8 x 1/2"
Phillips Flat Top Washer Head
Washer Head Outer Diameter: 13/32"
Chrysler

UNIT PACKAGE: 100



12213
(11503421, 11503636)
Black E-Coat

#8-18 x 1/2"
Phillips Flat Washer Head
Washer Head Outer Diameter: 13/32"
GM

UNIT PACKAGE: 100



13025
(56910-S2)
Phosphate

#8 x 1/2"
Phillips Washer Head
Washer Head Outer Diameter: 31/64"
Ford

UNIT PACKAGE: 100



20375
Black Phosphate

#8 x 1/2"
Phillips Round Washer Head
Head Diameter: 1/2"

UNIT PACKAGE: 100



15172
Zinc

#8 x 1/2"
Phillips Washer Head with #2 Teks® Point
Washer Head Outer Diameter: 13/32"

UNIT PACKAGE: 100

SPECIAL TAPPING SCREWS

Sec. 4



15171

Zinc

#8 x 1/2"

Phillips Low Profile
Round Washer Head with #2 Teks® Point
Washer Head Outer Diameter: 23/64"

UNIT PACKAGE: 100



13712

(11505104)
Black Zinc

M4.2-1.41 x 13mm (#8 x 33/64")
Phillips Washer Head
Washer Head Outer Diameter: 11mm (7/16")
GM

UNIT PACKAGE: 50



12095

(1689827)
Zinc

#8 x 1/2"

Phillips Washer Head with Teks® Point
Washer Head Outer Diameter: 7/16"
Reveal Moulding to Panel
GM

UNIT PACKAGE: 50



12740

(11503394)
Phosphate

M4.2-1.41 x 13mm (#8 x 33/64")
Hex Head Sems®
Washer Outer Diameter: 12mm (15/32")
Hex: 7mm
GM

UNIT PACKAGE: 100



15774

(GM: 20423550)
(Ford: 381801-S2, 390017-S2)
Black Phosphate

#8 x 1/2"

Phillips Washer Head with Teks® Point
Washer Head Outer Diameter: 7/16"
GM & Ford

UNIT PACKAGE: 50



15721

(11504010)
Phosphate

M4.2-1.41 x 13mm (#8 x 19/32")
Indented Hex Head Sems®
Washer Outer Diameter: 16mm (5/8")
Hex: 7mm
GM

UNIT PACKAGE: 50



16478

(153297)
Black Zinc

#8-18 x 1/2"

Phillips Flat Top Round Washer Head Teks®
Washer Head Outer Diameter: 13/32"
Chrysler

UNIT PACKAGE: 100



18781

(11515566)
Phosphate

M4.2-1.41 x 14mm (#8 x 9/16")
Hex Head Sems®
Washer Outer Diameter: 8mm (5/16")
Hex: 7mm
GM

UNIT PACKAGE: 50



12059

(11501883)
Zinc

M4.2-1.41 x 13mm (#8 x 33/64")
Phillips Washer Head Pozi-Drive
Washer Head Outer Diameter: 11mm (7/16")
GM

UNIT PACKAGE: 100



21122

Chrome

M4.2-1.41 x 14mm (#8 x 9/16")
Phillips Pozi-Drive Washer Head Teks®
Washer Head Outer Diameter: 11mm (7/16")

UNIT PACKAGE: 50



12061

(11501896)
Black Oxide

M4.2-1.41 x 13mm (#8 x 33/64")
Phillips Round Washer Head Pozi-Drive
Washer Head Outer Diameter: 8.5mm (11/32")
GM

UNIT PACKAGE: 100



2806

Chrome

#8 x 5/8"
Phillips Round Washer Head
Washer Head Outer Diameter: 13/32"

UNIT PACKAGE: 100



13711

(56911-S2, 56929-S2)
Phosphate

#8 x 5/8"
Phillips Washer Head
Washer Head Outer Diameter: 31/64"
Ford

UNIT PACKAGE: 100



13026

(56912-S2)
Phosphate

#8 x 3/4"
Phillips Washer Head
Washer Head Outer Diameter: 31/64"
Ford

UNIT PACKAGE: 100



18817

(1746408)
Black Zinc

M4.2-1.41 x 16mm (#8 x 41/64")
Phillips Round Washer Head
with Serrations under the Head
Pozi-Drive with Teks® Point
Washer Head Outer Diameter: 11mm (7/16")
Moulding, Trim & General Purpose
GM

UNIT PACKAGE: 100



17460

(382413-S9)
Zinc

#8 x 3/4"
Phillips Round Washer Head
with Teks® Point
Washer Head Outer Diameter: 7/16"
Door Scuff Plate
Ford

UNIT PACKAGE: 50



16720

Black Oxide

M4.2-1.41 x 16mm (#8 x 5/8")
Phillips Truss Head
Head Outer Diameter: 9.5mm (3/8")
Honda

UNIT PACKAGE: 100



17650

Phosphate

#8 x 3/4"
Phillips Round Washer Head
with Teks® Point
Washer Head Outer Diameter: 7/16"

UNIT PACKAGE: 50



12741

(11503395)
Phosphate

M4.2-1.41 x 16mm (#8 x 5/8")
Hex Head Sems®
Washer Outer Diameter: 12mm (15/32")
Hex: 7mm
GM

UNIT PACKAGE: 100



16534

(154534)
Black Zinc

#8-18 x 3/4"
Phillips Pan Head
with Teks® Point & Sealer
Head Diameter: 5/16"
Cargo Door Scuff Plate
Chrysler Full Size Van

UNIT PACKAGE: 50



18261

(11503578, 11503785)
Phosphate

M4.2-1.41 x 16mm (#8 x 5/8")
Hex Washer Head Sems® with Teks® Point
Washer Outer Diameter: 12mm (1/2")
Hex: 7mm
GM

UNIT PACKAGE: 50



12060

(11501884)
Black Oxide

M4.2-1.41 x 20mm (#8 x 25/32")
Phillips Washer Head
Washer Outer Diameter: 11mm (7/16")
GM

UNIT PACKAGE: 100



13687

Zinc

#8 x 3/4"
Phillips Washer Head
Washer Head Outer Diameter: 9/32"

UNIT PACKAGE: 100




12097

(9420052, 11502483)
Chrome

M4.2-1.41 x 20mm (#8 x 25/32")
Phillips Pan Head Sems® Pozi-Drive
Washer Outer Diameter: 12mm (1/2")
GM

UNIT PACKAGE: 50



12738

(11504056, 11513801)
Phosphate

M4.2-1.41 x 20mm (#8 x 25/32")
Hex Washer Head Sems®
Washer Outer Diameter: 12mm (1/2")
Hex: 7mm
Radiator & Grille
GM

UNIT PACKAGE: 50



12742

(11503396, 11503483)
Phosphate

M4.2-1.41 x 20mm (#8 x 25/32")
Hex Head Sems®
Washer Outer Diameter: 12mm (1/2")
Hex: 7mm
Front End & Air Conditioner
GM

UNIT PACKAGE: 100



15373

(11503892, 11500434)
Phosphate

M4.2-1.41 x 20mm (#8 x 25/32")
Hex Head Sems®
Washer Outer Diameter: 16mm (5/8")
Hex: 7mm
GM

UNIT PACKAGE: 50



20271

Phosphate

M4.2-1.41 x 20mm (#8 x 25/32")
Phillips Pan Head Sems®
Washer Outer Diameter: 16mm (5/8")
Ford

UNIT PACKAGE: 50



20476

Phosphate

M4.2-1.41 x 20mm (#8 x 25/32")
Hex Washer Head Sems® Teks®
Washer Outer Diameter: 17mm (11/16")
Hex: 7mm
General Purpose

UNIT PACKAGE: 50



19278

(GM: 14090382;
Chry: 6506161-AA)
Black Phosphate

M4.2-1.41 x 20mm (#8 x 25/32")
Hex Head Sems®
Washer Outer Diameter: 20mm (25/32")
Hex: 7mm
GM

UNIT PACKAGE: 50



15775

Phosphate

M4.2-1.41 x 20mm (#8 x 25/32")
Hex Head Sems® with Teks® point
Washer Outer Diameter: 12mm (1/2")
Hex: 7mm

UNIT PACKAGE: 50



22070

(GM: 11570637)
Black Zinc

M4.2-1.41 x 20mm (#8 x 25/32")
Torx® Pan Head Sems®
Tapping Screw with Dog Point
T15 Drive
Washer Outer Diameter: 17mm (11/16")
GM 2007 - On

UNIT PACKAGE: 50



22104

(Ford: N801169-S900;
W710763-S901)
Black Zinc

M4.2-1.41 x 22mm
Hex Head Sems® Tapping Screw
Washer Diameter: 16mm
Hex Size: 5.5mm
Front Bumper Exterior Trim & Front Fender
Ford Edge & Expedition and Lincoln MKT
& MKX 1997 - On

UNIT PACKAGE: 50



18296

Zinc

#8 x 1"
Phillips Round Washer Head
with Teks® Point
Washer Head Outer Diameter: 7/16"
General Purpose

UNIT PACKAGE: 50



19006
Phosphate

M4.2-1.41 x 25mm (#8 x 1")
Round Washer Head
Pozi-Drive with Tek's® Point
Washer Head Outer Diameter: 11mm (7/16")
General Purpose

UNIT PACKAGE: 100



20382

(Not Available from O.E.M.)
Black Zinc

M4.2-1.41 x 25mm (#8 x 1")
Torx® Pan Head Sems®
T-15 Drive
Washer Outer Diameter: 12mm (1/2")

UNIT PACKAGE: 50



22081

(GM: 11609762)
Black Zinc

M4.2-1.41 x 25mm
Pozi-Drive Round Washer Head Sems®
Tapping Screw
Washer Diameter: 17mm
Chevrolet Equinox, GMC Acadia & Terrain
and Saturn Outlook 2007 - On

UNIT PACKAGE: 50



20376

Black Phosphate

#8 x 1"
Phillips Round Washer Head
Head Diameter: 1/2"

UNIT PACKAGE: 100



18336

Black Phosphate

M4.2-1.41 x 25mm (#8 x 1")
Hex Head Sems®
Washer Outer Diameter: 12mm (1/2")
Hex: 7mm

UNIT PACKAGE: 100



19653

(N811534-S61)
Black Phosphate

M4.2-1.41 x 30mm (#8 x 1-3/16")
Hex Head Sems®
Washer Outer Diameter: 17mm (11/16")
Hex: 7mm
Ford

UNIT PACKAGE: 15



18460

Phosphate

#8 x 1-1/4"
Phillips Oval Head Sems®
Flush Washer with #2 Tek's® Point
Washer Outer Diameter: 3/8"
Interior Trim

UNIT PACKAGE: 50



19778

Zinc

#8 x 1-1/4"
Phillips Round Washer Head with Tek's® Point
Washer Head Outer Diameter: 7/16"
General Purpose

UNIT PACKAGE: 50



2178

Zinc

#10 x 3/8"
Phillips Round Washer Head
Washer Head Outer Diameter: 31/64"

UNIT PACKAGE: 100



2028

Zinc

#10 x 1/2"
Phillips Round Head
Head Diameter: 11/32"

UNIT PACKAGE: 100



13027

(9428273)
Zinc

#10 x 1/2"
Phillips Flat Washer Head
Washer Head Outer Diameter: 15/32"
Chrysler

UNIT PACKAGE: 100



15827

(9423950)
Phosphate

#10 x 1/2"
Phillips Flat Washer Head
Washer Head Outer Diameter: 15/32"
Chrysler

UNIT PACKAGE: 100




18340

Black Phosphate

M4.8-1.6 x 15mm (#10 x 19/32")
Phillips Truss Head
Head Outer Diameter: 14mm (9/16")
Nissan Bumpers

UNIT PACKAGE: 50



20364

Zinc

#10 x 5/8"

Phillips Washer Head with Teks® Point
and serrations under the Washer Head
Washer Head Outer Diameter: 7/16"
GM

UNIT PACKAGE: 100



17459

Black Oxide

M4.8-1.61 x 16mm (#10 x 5/8")

Phillips Truss Head

Head Outer Diameter: 11mm (7/16")

Imports

UNIT PACKAGE: 100



22030

(BMW: 07-14-7-129-160)
Black Zinc

M4.8-1.61 x 16mm (#10 x 5/8")

Hex Head Sems®

Washer Outer Diameter: 18mm

Hex: 8mm

BMW, 2013 - 1999

UNIT PACKAGE: 50



22110

(VW: N90775801, BMW: 07146963883)
Black Zinc

M4.8-1.61 x 18mm

Torx® Truss Head Tapping Screw
T25 Drive

Head Diameter: 15mm

Audi & VW 1998 - On

BMW 5, 6 & 7 Series 2011 - 00

UNIT PACKAGE: 25



20259

(90114-SZ3-000, 90114-SE0-000)
Black E-Coat

M4.8-1.61 x 19mm (#10 x 3/4")

Phillips Truss Head Sems®

Washer Outer Diameter: 16mm (5/8")

Splash Shield & General Purpose

Honda 1986 - On

UNIT PACKAGE: 25



13709

(9427977)

Zinc

#10 x 3/4"

Phillips Flat Top Washer Head

Washer Head Outer Diameter: 15/32"

Chrysler

UNIT PACKAGE: 50




19240

Black E-Coat

#10 x 3/4"

Phillips Flat Top Round Washer Head
Washer Head Outer Diameter: 1/2"
General Purpose

UNIT PACKAGE: 100



16589

Zinc & Yellow Dichromate

#10 x 3/4" (19mm)

Indented Hex Head Sems®

Washer Outer Diameter: 19/32"

Hex: 5/16" (8mm)

Honda, Nissan, Toyota

UNIT PACKAGE: 50



21774

(Mercedes-Benz: 201-990-05-36)
Black E-Coat

M4.8-1.61 x 20mm (#10 x 25/32")

Hex Head Sems®


Washer Outer Diameter: 26mm

Hex: 8mm

Front Bumper & Moulding Strip

Mercedes-Benz 2014 - 1993

UNIT PACKAGE: 25



21865

(Chrysler: 6509539-AA)
Phosphate

M4.8-1.61 x 32mm (#10 x 1-1/4")

Hex Head Sems® Tapping Screw


Washer Outer Diameter: 19mm (3/4")

Hex: 8mm

Chrysler Town & Country and

Dodge Ram 2014 - 09

UNIT PACKAGE: 50



19237

(W701649-S,
W704881-S300)
Black Nylon

#10 x 1-1/32"

Cowl Top Vent Grille Nylon Screw
Head Outer Diameter: 9/16"

Use with Auveco 19238

Ford Taurus & Sable 1996 - On

UNIT PACKAGE: 50